DEP drops plan to finalize stream list

By Ken Ward Jr. kward@wvgazette.com

State regulators have dropped their plan to finalize a list of protected West Virginia streams, saying they don't want to pick a fight with lawmakers over the issue.

- Earlier this year, the Legislature declined to act on the list of more than 300 streams the state Department of Environmental Protection said deserved tougher pollution pro-

DEP Secretary Stephanie Timmermeyer said she planned to finalize the list anyway. Timmermeyer said the DEP had the legal authority to do so.

On Friday, Deputy DEP Secretary Randy Huffman said the agency now plans to start

A new list will be published in draft form. cept of the wate.

The DEP will accept public comments and officials said, then finalize the list. The resulting version bon Garvin, k will be submitted for legislative review durent the 2008 session.

"It was maybe a subversion of the leg-

islative process for us to just go out and file the rule," Huffman said. "It's a legislative process whether you agree or not."

deemed to qualify for "Tier 2.5" protection under West Virginia's water quality antidegradation policy.

Under that policy, clean streams are generally supposed to be kept that way. Streams on the Tier 2.5 list could not be degraded by more than 10 percent.

DEP officials had already whittled down the Tier 2.5 list and allowed three separate rounds of public comments. But lawmakers, at the urging of coal companies, timber operators and the Farm Bureau, were slashing dozens of streams from the list.

Originally, the DEP proposed Tier 2.5 protection for about 300 streams, about 4 percent of the waterways in the state, agency

Don Garvin, lobbyist for the West Virginia are Environmental Council, said the DEP's action would help regulated industries gut the stream list.

"It's going to be almost impossible to protect streams in this state," Garvin said. Huffman said he doesn't believe the DEP ever made a definite decision to move forward without legislative action on the stream.

"My understanding was that was an option that was on the table at the time," said Huffman, who is running the DEP while Timmerneyer is on maternity leave. "There

were a number of options there."

In a March 15 interview, Timmermeyer and DEP spokeswoman Jessica Greathouse said the agency planned to file the final rules, despite legislative inaction.

Timmermeyer cited several state Supreme Court decisions she said supported the DEP's

Under those rulings, she said, lawmakers can approve, reject or amend state agency rules, but she said the Legislature can't veto an agency rule by simply not acting on it at all.

e-mail or call 348-1702.

WEST VIRGINIA SECRETARY OF STATE BETTY IRELAND ADMINISTRATIVE LAW DIVISION

Do Not Mark In This Box

2006 NOV 28 AM 11: 08


OFFICE WHO VIRGING SECRETARY OF STATE

NOTICE OF RULE MODIFICATION OF A PROPOSED RULE

AGENCY: WV Dept. of Environmental Protection, Div. of Air Quality TITLE NUMBER: 45
CITE AUTHORITY: WV Code §22-5-4
AMENDMENT TO AN EXISTING RULE: YES X NO
IF YES, SERIES NUMBER OF RULE BEING AMENDED: 41
TITLE OF RULE BEING AMENDED: Control of Annual Sulfur Dioxide Emissions to Mitigate Interstate Transport of Fine Particulate Matter and Sulfur
IF NO, SERIES NUMBER OF RULE BEING PROPOSED:
TITLE OF RULE BEING PROPOSED:


THE ABOVE PROPOSED LEGISLATIVE RULES, FOLLOWING REVIEW BY THE LEGISLATIVE RULE MAKING REVIEW COMMITTEE, IS HEREBY MODIFIED AS A RESULT OF REVIEW AND COMMENT BY THE LEGISLATIVE RULE MAKING REVIEW COMMITTEE. THE ATTACHED MODIFICATIONS ARE FILED WITH THE SECRETARY OF STATE.

Authorized Signature



2006 NOV 28 AM H: C8

TITLE 45 LEGISLATIVE RULE DEPARTMENT OF ENVIRONMENTAL PROTECTION OF CHARGE A N **OFFICE** DIVISION OF AIR QUALITY



SERIES 41

CONTROL OF ANNUAL SULFUR DIOXIDE EMISSIONS TO MITIGATE INTERSTATE TRANSPORT OF FINE PARTICULATE MATTER AND SULFUR DIOXIDE

§45-41-1. General.

- 1.1. Scope. -- This rule establishes general provisions and the designated representative, permitting, allowance, monitoring, and opt-in provisions for the state CAIR SO₂ Trading Program pursuant to the federal Clean Air Interstate Rule (CAIR) under Section 110 of the Clean Air Act (CAA), 40 CFR Part 96, Subparts AAA through III, and 40 CFR §51.124 for state implementation plans as a means of mitigating interstate transport of fine particulates and sulfur dioxide (SO₂). The Secretary of the Department of Environmental Protection authorizes the Administrator of the United States Environmental Protection Agency to assist the Secretary in implementing the CAIR SO₂ Trading Program by carrying out the functions set forth for the Administrator in this rule and 40 CFR Part 51.
- 1.2. Numbering and text breakdown. -- This rule generally meets the numbering, indentation and text breakdown requirements set forth in 153CSR6. However, its numbering structure intentionally follows the numbering structure of 40 CFR Part 96, Subparts AAA through III, resulting in several minor areas of nonconformity with 153CSR6.
 - 1.3. Authority. -- W.Va. Code §22-5-4.
 - 1.4. Filing Date. -- April 28, 2006.
 - 1.5. Effective Date. May 1, 2006.
- 1.7. Former Rules. -- This legislative rule amends 45CSR41 "Control of Annual Sulfur Dioxide Emissions to Mitigate Interstate Transport of Fine Particulate Matter and Sulfur Dioxide" which was filed April 28, 2006, and

which became effective May 1, 2006.

§45-41-2. Definitions.

- 2.1. "Account number" means identification number given by the Administrator to each CAIR SO, Allowance Tracking System account.
- 2.2. "Acid Rain emissions limitation" means a limitation on emissions of sulfur dioxide or nitrogen oxides under the Acid Rain Program.
- 2.3. "Acid Rain Program" means a multi-state sulfur dioxide and nitrogen oxides air pollution control and emission reduction program established by the Administrator under Title IV of the CAA and 40 CFR Parts 72 through 78.
- 2.4. "Administrator" means the Administrator of the United States Environmental Protection Agency (U.S. EPA) or the Administrator's duly authorized representative.
- 2.5. "Allocate" or "allocation" means, with regard to CAIR SO₂ allowances issued under the Acid Rain Program, the determination by the Administrator of the amount of such CAIR SO, allowances to be initially credited to a CAIR SO₂ unit or other entity and, with regard to CAIR SO₂ allowances issued under section 88 provisions of a state implementation plan that are approved under 40 CFR §§51.124(o)(1) or (2) or (r) or 97.288, the determination by the Secretary or a permitting authority of the amount of such CAIR SO₂ allowances to be initially credited to a CAIR SO₂ unit or other entity.
- 2.6. "Allowance transfer deadline" means, for a control period, midnight of March 1, (if it is a

business day), or, if March 1 is not a business day, midnight of the first business day thereafter (if March 1 is not a business day), immediately following the control period and is the deadline by which a CAIR SO₂ allowance transfer must be submitted for recordation in a CAIR SO₂ source's compliance account in order to be used to meet the source's CAIR SO₂ emissions limitation for such control period in accordance with section 54.

2.7. "Alternate CAIR designated representative" means, for a CAIR SO₂ source and each CAIR SO₂ unit at the source, the natural person who is authorized by the owners and operators of the source and all such units at the source, in accordance with sections 10 through 14 and sections 80 through 88, to act on behalf of the CAIR designated representative in matters pertaining to the CAIR SO₂ Trading Program. If the CAIR SO₂ source is also a CAIR NO_x Annual source under 45CSR39, then this natural person will be the same person as the alternate CAIR designated representative under the CAIR NO_x Annual Trading Program. If the CAIR SO₂ source is also a CAIR NO_x Ozone Season source under 45CSR40, then this natural person will be the same person as the alternate CAIR designated representative under the CAIR NO_x Ozone Season Trading Program. If the CAIR SO₂ source is also subject to the Acid Rain Program, then this natural person will be the same person as the alternate designated representative under the Acid Rain Program under 45CSR33. If the CAIR SO, source is also subject to the Hg Budget Trading Program, then this natural person will be the same person as the alternate Hg designated representative under the Hg Budget Trading Program under 45CSR37.

2.8. "Automated data acquisition and handling system" or "DAHS" means that component of the continuous emission monitoring system, or other emissions monitoring system approved for use under sections 70 through 76 75, designed to interpret and convert individual output signals from pollutant concentration monitors, flow monitors, diluent gas monitors, and other component parts of the monitoring system to produce a continuous record of the measured parameters in the measurement units required by

sections 70 through 76 <u>75</u>.

- 2.9. "Boiler" means an enclosed fossil or other fuel-fired combustion device used to produce heat and to transfer heat to recirculating water, steam, or other medium.
- 2.10. "Bottoming-cycle cogeneration unit" means a cogeneration unit in which the energy input to the unit is first used to produce useful thermal energy and at least some of the reject heat from the useful thermal energy application or process is then used for electricity production.
- 2.11. "CAIR authorized account representative" means, with regard to a general account, a responsible natural person who is authorized, in accordance with sections 10 through 14 15, sections 51 through 57, and sections 80 though 88, to transfer and otherwise dispose of CAIR SO₂ allowances held in the general account and, with regard to a compliance account, the CAIR designated representative of the source.
- 2.12. "CAIR designated representative" means, for a CAIR SO₂ source and each CAIR SO₂ unit at the source, the natural person who is authorized by the owners and operators of the source and all such units at the source, in accordance with sections 10 through 14 and sections 80 through 88, to represent and legally bind each owner and operator in matters pertaining to the CAIR SO₂ Trading Program. If the CAIR SO, source is also a CAIR NO, Annual source under 45CSR39, then this natural person will be the same person as the CAIR designated representative under the CAIR NO_x Annual Trading Program. If the CAIR SO₂ source is also a CAIR NO_x Ozone Season source under 45CSR40, then this natural person will be the same person as the CAIR designated representative under the CAIR NO_x Ozone Season Trading Program. If the CAIR SO, source is also subject to the Acid Rain Program, then this natural person will be the same person as the designated representative under the Acid Rain Program under 45CSR33. If the CAIR SO, source is also subject to the Hg Budget Trading Program. then this natural person will be the same person as

- the alternate Hg designated representative under the Hg Budget Trading Program under 45CSR37.
- 2.13. "CAIR NO_X Annual source" means a source that includes one or more CAIR NO_X Annual units.
- 2.14. "CAIR NO_X Annual Trading Program" means a multi-state nitrogen oxides air pollution control and emission reduction program approved and administered by the Administrator in accordance with 40 CFR Part 96, Subparts AA through II and 40 CFR §51.123(o)(1) or (2) or established by the Administrator in accordance with 40 CFR Part 97, Subparts AA through II and 40 CFR §851.123(p) and 52.35, as a means of mitigating interstate transport of fine particulates and nitrogen oxides.
- 2.15. "CAIR NO_x Annual unit" means a unit that is subject to the CAIR NO_x Annual Trading Program under 45CSR§39-4 or a CAIR NO_x optim unit under sections 80 through 88 of 45CSR39 Reserved.
- 2.16. "CAIR NO_x Ozone Season source" means a source that includes one or more CAIR NO_x Ozone Season units is subject to the CAIR NO_x Ozone Season Trading Program.
- 2.17. "CAIR NO_X Ozone Season Trading Program" means a multi-state nitrogen oxides air pollution control and emission reduction program approved and administered by the Administrator in accordance with 40 CFR Part 96, Subparts AAAA through IIII and 40 CFR §51.123(aa)(1) or (2) (and (bb)(1)), (bb)(2), or (dd) or established by the Administrator in accordance with 40 CFR Part 97, Subparts AAAA through IIII and 40 CFR §§51.123(ee) and 52.35, as a means of mitigating interstate transport of ozone and nitrogen oxides.
- 2.18. "CAIR NO_x Ozone Season unit" means a unit that is subject to the CAIR NO_x Ozone Season Trading Program under 45CSR§40-4 or and a CAIR NO_x Ozone Season opt in unit under sections 80 through 88 of 45CSR40 Reserved.
- 2.19. "CAIR permit" means the legally binding and federally enforceable written

- document, or portion of such document, issued by the Secretary under sections 20 through 24, including any permit revisions, specifying the CAIR SO₂ Trading Program requirements applicable to a CAIR SO₂ source, to each CAIR SO₂ unit at the source, and to the owners and operators and the CAIR designated representative of the source and each such unit.
- 2.20. "CAIR SO₂ allowance" means a limited authorization issued by the Administrator under the Acid Rain Program, or by the Secretary or a permitting authority under section 88 provisions of a state implementation plan that are approved under 40 CFR §§51.124(o)(1) or (2) or (r) or 97.288, to emit sulfur dioxide during the control period of the specified calendar year for which the authorization is allocated or of any calendar year thereafter under the CAIR SO₂ Trading Program as follows:
- 2.20.a. For one CAIR SO₂ allowance allocated for a control period in a year before 2010, one ton of sulfur dioxide, except as provided in section subsection 54.2;
- 2.20.b. For one CAIR SO₂ allowance allocated for a control period in 2010 through 2014, 0.50 ton of sulfur dioxide, except as provided in section subsection 54.2; and
- 2.20.c. For one CAIR SO₂ allowance allocated for a control period in 2015 or later, 0.35 ton of sulfur dioxide, except as provided in section subsection 54.2: and
- 2.20.d. An authorization to emit sulfur dioxide that is not issued under the Acid Rain Program, or under the provisions of a state implementation plan that is are approved under 40 CFR §§51.124(o)(1) or (2) or (r) or 97.288 will not be a CAIR SO₂ allowance.
- 2.21. "CAIR SO₂ allowance deduction" or "deduct CAIR SO₂ allowances" means the permanent withdrawal of CAIR SO₂ allowances by the Administrator from a compliance account, e.g., in order to account for a specified number of tons of total sulfur dioxide emissions from all CAIR SO₂ units at a CAIR SO₂ source for a

control period, determined in accordance with sections 70 through 76 75, or to account for excess emissions.

- 2.22. "CAIR SO₂ Allowance Tracking System" means the system by which the Administrator records allocations, deductions, and transfers of CAIR SO₂ allowances under the CAIR SO₂ Trading Program. This is the same system as the Allowance Tracking System under 40 CFR §72.2 by which the Administrator records allocations, deduction, and transfers of Acid Rain SO₂ allowances under the Acid Rain Program.
- 2.23. "CAIR SO₂ Allowance Tracking System account" means an account in the CAIR SO₂ Allowance Tracking System established by the Administrator for purposes of recording the allocation, holding, transferring, or deducting of CAIR SO₂ allowances. Such allowances will be allocated, held, deducted, or transferred only as whole allowances.
- 2.24. "CAIR SO₂ allowances held" or "hold CAIR SO₂ allowances" means the CAIR SO₂ allowances recorded by the Administrator, or submitted to the Administrator for recordation, in accordance with sections 51 through 57, sections 60 through 62, and section 80 through 88 or 40 CFR Part 73, in a CAIR SO₂ Allowance Tracking System account.
- 2.25. "CAIR SO_2 emissions limitation" means, for a CAIR SO_2 source, the tonnage equivalent, in SO_2 emissions in a control period, of the CAIR SO_2 allowances available for deduction for the source under sections subsections 54.1 and 54.2 for a the control period.
- 2.26. "CAIR SO₂ source" means a source that includes one or more CAIR SO₂ units.
- 2.27. "CAIR SO₂ Trading Program" means a multi-state sulfur dioxide air pollution control and emission reduction program approved and administered by the Administrator in accordance with 40 CFR Part 96, Subparts ΛΛΛ through III and 40 CFR §51.124(o)(1) or(2) or established by the Administrator in accordance with 40 CFR Part 97, Subparts AAA through III and 40 CFR

- <u>\$851.124(r)</u> and <u>52.36</u>, as a means of mitigating interstate transport of fine particulates and sulfur dioxide.
- 2.28. "CAIR SO₂ unit" means a unit that is subject to the CAIR SO₂ Trading Program under section 4 or and, except for purposes of section 5, a CAIR SO₂ opt-in unit under sections 80 through 88.
- 2.29. "Clean Air Act" or "CAA" means the Clean Air Act, 42 U.S.C. 7401, et seq.
- 2.30. "Coal" means any solid fuel classified as anthracite, bituminous, subbituminous or lignite.
- 2.31. "Coal-derived fuel" means any fuel (whether in a solid, liquid, or gaseous state) produced by the mechanical, thermal, or chemical processing of coal.
- 2.32. "Coal-fired" means combusting any amount of coal or coal-derived fuel, alone or in combination with any amount of any other fuel.
- 2.33. "Cogeneration unit" means a stationary, fossil fuel-fired boiler or stationary, fossil fuel-fired combustion turbine:
- 2.33.a. Having equipment used to produce electricity and useful thermal energy for industrial, commercial, heating, or cooling purposes through the sequential use of energy; and
- 2.33.b. Producing during the 12-month period starting on the date the unit first produces electricity and during any calendar year after the calendar year in which the unit first produces electricity:
- 2.33.b.1. For a topping-cycle cogeneration unit,
- 2.33.b.1.A. Useful thermal energy not less than 5 percent of total energy output; and
- 2.33.b.1.B. Useful power that, when added to one-half of useful thermal energy

produced, is not less then 42.5 percent of total energy input, if useful thermal energy produced is 15 percent or more of total energy output, or not less than 45 percent of total energy input, if useful thermal energy produced is less than 15 percent of total energy output; and

2.33.b.2. For a bottoming-cycle cogeneration unit, useful power not less than 45 percent of total energy input.

2.34. "Combustion turbine" means:

- 2.34.a. An enclosed device comprising a compressor, a combustor, and a turbine and in which the flue gas resulting from the combustion of fuel in the combustor passes through the turbine, rotating the turbine; and
- 2.34.b. If the enclosed device under subdivision 2.34.a is combined cycle, any associated <u>duct burner</u>, heat recovery steam generator and steam turbine.
- 2.35. "Commence commercial operation" means, with regard to a unit serving a generator:
- 2.35.a. To have begun to produce steam, gas, or other heated medium used to generate electricity for sale or use, including test generation, except as provided in section 5 and subsection 84.8.
- 2.35.a.1. For a unit that is a CAIR SO₂ unit under section 4 on the later of November 15, 1990 or the date the unit commences commercial operation as defined in subdivision 2.35.a and that subsequently undergoes a physical change (other than replacement of the unit by a unit at the same source), such date will remain the unit's date of commencement of commercial operation of the unit, which shall continue to be treated as the same unit.
- 2.35.a.2. For a unit that is a CAIR SO₂ unit under section 4 on the later of November 15, 1990 or the date the unit commences commercial operation as defined in subdivision 2.35.a and that is subsequently replaced by a unit at the same source (e.g., repowered), such date shall remain

the replaced unit's date of commencement of commercial operation, and the replacement unit will be treated as a separate unit with a separate date for commencement of commercial operation as defined in subdivisions 2.35.a; or 2.35.b, or 2.35.c as appropriate.

- 2.35.b. Notwithstanding subdivision 2.35.a and except as provided in section 5, for a unit that is not a CAIR SO₂ unit under section 4 on the later of November 15, 1990 or the date the unit commences commercial operation as defined in subdivision 2.35.a and is not a unit under subdivision 2.35.c, the unit's date for commencement of commercial operation will be the date on which the unit becomes a CAIR SO₂ unit under section 4.
- 2.35.b.1. For a unit with a date for commencement of commercial operation as defined in subdivision 2.35.b and that subsequently undergoes a physical change (other than replacement of the unit by a unit at the same source), such date will remain the unit's date of commencement of commercial operation of the unit, which shall continue to be treated as the same unit.
- 2.35.b.2. For a unit with a date for commencement of commercial operation as defined in subdivision 2.35.b and that is subsequently replaced by a unit at the same source (e.g., repowered), such date shall remain the replaced unit's date of commencement of commercial operation, and the replacement unit will be treated as a separate unit with a separate date for commencement of commercial operation as defined in subdivisions 2.35.a; or 2.35.b, or 2.35.c as appropriate.
- 2.35.c. Notwithstanding subdivision 2.35.a and except as provided in subsection 84.8 or subdivisions 87.2.d and 87.2.e, for a CAIR SO₂ opt-in unit or a unit for which a CAIR opt-in permit application is submitted and not withdrawn and a CAIR opt-in permit is not yet issued or denied under sections 80 through 88, the unit's date for commencement of commercial operation will be the date on which the owner or operator is required to start monitoring and reporting the SO₂

emission rate (in lb/mmBtu) and the heat input of the unit (in mmBtu) under subdivision 84.2.a.

2.35.c.1: For a unit with a date for commencement of commercial operation as defined in subdivision 2.35.c and that subsequently undergoes a physical change (other than replacement of the unit by a unit at the same source), such date will remain the unit's date of commencement of commercial operation:

2.35.c.2. For a unit with a date for commencement of commercial operation as defined in subdivision 2.35.c and that is subsequently replaced by a unit at the same source (e.g., repowered), the replacement unit will be treated as a separate unit with a separate date for commencement of commercial operation as defined in subdivisions 2.35.a, 2.35.b, or 2.35.c as appropriate.

2.35.d. Notwithstanding subdivisions 2.35.a through 2.35.c, for a unit not serving a generator producing electricity for sale, the unit's date of commencement of operation will also be the unit's date of commencement of commercial operation.

2.36. "Commence operation" means:

2.36.a. To have begun any mechanical, chemical, or electronic process, including, with regard to a unit, start-up of a unit's combustion chamber, except as provided in section 5 subsection 84.8.

2.36.a.1. 2.36.b. For a unit that is a CAIR SO₂ unit under section 4 on the date the unit commences operation as defined in subdivision 2.36.a and that subsequently undergoes a physical change (other than replacement of the unit by a unit at the same source) after the date the unit commences operation as defined in subdivision 2.36.a, such date will remain the unit's date of commencement of operation of the unit, which shall continue to be treated as the same unit.

2:36.a.2: 2.36.c. For a unit that is a CAIR SO₂ unit under section 4 on the date the unit commences operation as defined in subdivision

2.36.a and that is subsequently replaced by a unit at the same source (e.g., repowered) after the date the unit commences operation as defined in subdivision 2.36.a, such date shall remain the replaced unit's date of commencement of operation, and, the replacement unit will be treated as a separate unit with a separate date for commencement of operation as defined in subdivisions 2.36.a, 2.36.b, or 2.36.c as appropriate, except as provided in subsection 84.8.

2.36.b. Notwithstanding subdivision 2.36.a and except as provided in section 5, for a unit that is not a CAIR SO₂ unit under section 4 on the date the unit commences operation as defined in subdivision 2.36.a and is not a unit under subdivision 2.36.c, the unit's date for commencement of operation will be the date on which the unit becomes a CAIR SO₂ unit under section 4.

2.36.b.1. For a unit with a date for commencement of operation as defined in subdivision 2.36.b and that subsequently undergoes a physical change (other than replacement of the unit by a unit at the same source), such date will remain the unit's date of commencement of operation.

2.36.b.2. For a unit with a date for commencement of operation as defined in subdivision 2.36.b and that is subsequently replaced by a unit at the same source (e.g., repowered), the replacement unit will be treated as a separate unit with a separate date for commencement of operation as defined in subdivisions 2.36.a, 2.36.b, or 2.36.c as appropriate.

2.36.c. Notwithstanding subdivision 2.36.a and except as provided in subsection 84.8 or subdivisions 87.2.d and 87.2.e, for a CAIR SO₂ opt-in unit or a unit for which a CAIR opt-in permit application is submitted and not withdrawn and a CAIR opt-in permit is not yet issued or denied under sections 80 through 88, the unit's date for commencement of operation will be the date on which the owner or operator is required to start monitoring and reporting the SO₂ emission

rate (in lb/mmBtu) and the heat input of the unit (in mmBtu) under subdivision 84.2.a.

- 2.36.e.1. For a unit with a date for commencement of operation as defined in subdivision 2.36.e and that subsequently undergoes a physical change (other than replacement of the unit by a unit at the same source), such date will remain the unit's date of commencement of operation.
- 2.36.c.2. For a unit with a date for commencement of operation as defined in subdivision 2.36.c and that is subsequently replaced by a unit at the same source (e.g., repowered), the replacement unit will be treated as a separate unit with a separate date for commencement of operation as defined in subdivisions 2.36.a, 3.36.b, or 2.36.c as appropriate.
- 2.37. "Common stack" means a single flue through which emissions from 2 or more units are exhausted.
- 2.38. "Compliance account" means a CAIR SO₂ Allowance Tracking System account, established by the Administrator for a CAIR SO₂ source subject to an Acid Rain emissions limitations under 40 CFR §73.31(a) or (b) or for any other CAIR SO₂ source under sections 51 through 57 or sections 80 through 88, in which any CAIR SO₂ allowance allocations for the CAIR SO₂ units at the source are initially recorded and in which are held any CAIR SO₂ allowances available for use for a control period in order to meet the source's CAIR SO₂ emissions limitation in accordance with section 54.
- 2.39. "Continuous emission monitoring system" or "CEMS" means the equipment required under sections 70 through 76 75 to sample, analyze, measure, and provide, by means of readings recorded at least once every 15 minutes (using an automated data acquisition and handling system (DAHS)), a permanent record of sulfur dioxide emissions, stack gas volumetric flow rate, stack gas moisture content, and oxygen or carbon dioxide concentration (as applicable), in a manner consistent with 40 CFR Part 75. The

- following systems are the principal types of continuous emission monitoring systems required under sections 70 through 76 75:
- 2.39.a. A flow monitoring system, consisting of a stack flow rate monitor and an automated data acquisition and handling system and providing a permanent, continuous record of stack gas volumetric flow rate, in standard cubic feet per hour (scfh); and
- 2.39.b. A sulfur dioxide monitoring system, consisting of a SO₂ pollutant concentration monitor and an automated data acquisition and handling system and providing a permanent, continuous record of SO₂ emissions, in parts per million (ppm); and
- 2.39.c. A moisture monitoring system, as defined in 40 CFR §75.11(b)(2) and providing a permanent, continuous record of the stack gas moisture content, in percent H₂O; and
- 2.39.d. A carbon dioxide monitoring system, consisting of a CO_2 pollutant concentration monitor (or an oxygen monitor plus suitable mathematical equations from which the CO_2 concentration is derived) and an automated data acquisition and handling system and providing a permanent, continuous record of CO_2 emissions, in percent CO_2 ; or and
- 2.39.c. An oxygen monitoring system, consisting of an O_2 concentration monitor and an automated data acquisition and handling system and providing a permanent, continuous record of O_2 , in percent O_2 .
- 2.40. "Control period" means the period beginning January 1 of a calendar year, except as provided in subdivision 6.3.b, and ending on December 31 of the same year, inclusive.
- 2.41. "Emissions" or "emission" means air pollutants exhausted from a unit or source into the atmosphere, as measured, recorded, and reported to the Administrator by the CAIR designated representative and as determined by the Administrator in accordance with sections 70 through 76 75.

- 2.42. "Excess emissions" means any ton, or portion of a ton, of sulfur dioxide emitted by the CAIR SO₂ units at a CAIR SO₂ source during a control period that exceeds the CAIR SO₂ emission limitation for the source, provided that any portion of a ton of excess emissions will be treated as one ton of excess emissions.
- 2.43. "Fossil fuel" means natural gas, petroleum, coal, or any form of solid, liquid, or gaseous fuel derived from such material.
- 2.44. "Fossil fuel-fired" means, with regard to a unit, combusting any amount of fossil fuel in any calendar year.
- 2.45. "General account" means a CAIR SO₂ Allowance Tracking System account, established under sections 51 through 57, that is not a compliance account.
- 2.47. "Generator" means a device that produces electricity,
- 2.48. "Heat input" means, with regard to a specified period of time, the product (in mmBtu/time) of the gross calorific value of the fuel (in Btu/lb) divided by 1,000,000 Btu/mmBtu and multiplied by the fuel feed rate into a combustion device (in lb of fuel/time), as measured, recorded, and reported to the Administrator by the CAIR designated representative and determined by the Administrator in accordance with sections 70 through 76 75 and excluding the heat derived from preheated combustion air, recirculated flue gases, or exhaust from other sources.
- 2.49. "Heat input rate" means the amount of heat input (in mmBtu) divided by unit operating time (in hr) or, with regard to a specific fuel, the amount of heat input attributed to the fuel (in mmBtu) divided by the unit operating time (in hr) during which the unit combusts the fuel.
- 2.50. "Hg Budget Trading Program" means a multi-state IIg air pollution control and emission reduction program approved and administered by the Administrator in accordance 40 CFR Part 60, Subpart HHHH and 40 CFR §60.24(h)(6), or

established by the Administrator, as a means of reducing national IIg emissions.

2.50. 2.51. "Life-of-the-unit, firm power contractual arrangement" means a unit participation power sales agreement under which a utility or industrial customer reserves, or is entitled to receive, a specified amount or percentage of nameplate capacity and associated energy generated by any specified unit and pays its proportional amount of such unit's total costs, pursuant to a contract:

2.50.a. 2.51.a. For the life of the unit;

2.50.b. 2.51.b. For a cumulative term of no less than 30 years, including contracts that permit an election for early termination; or

2.50.c. 2.51.c. For a period no less than 25 years or 70 percent of the economic useful life of the unit determined as of the time the unit is built, with option rights to purchase or release some portion of the nameplate capacity and associated energy generated by the unit at the end of the period.

- 2.51. 2.52. "Maximum design heat input" means, starting from the initial installation of a unit, the maximum amount of fuel per hour (in Btu/hr) that a unit is capable of combusting on a steady state basis as of the initial installation of the unit as specified by the manufacturer of the unit, or, starting from the completion of any subsequent physical change in the unit resulting in a decrease in the maximum amount of fuel per hour (in Btu/hr) that a unit is capable of combusting on a steady state basis, such decreased maximum amount as specified by the person conducting the physical change.
- 2.52. 2.53. "Monitoring system" means any monitoring system that meets the requirements of sections 70 through 76 75, including a continuous emissions monitoring system, an alternative monitoring system, or an excepted monitoring system under 40 CFR Part 75.
- $\frac{2.53}{2.54}$. "Most stringent state or federal SO₂ emission limitation" means, with regard to a

unit, the lowest SO₂ emission limitation (in terms of lb/mmBtu) that is applicable to the unit under state or federal law, regardless of the averaging period to which the emissions limitation applies.

2.54. 2.55. "Nameplate capacity" means, starting from the initial installation of a generator, the maximum electrical generating output (in MW_a) that the generator is capable of producing on a steady state basis and during continuous operation (when not restricted by seasonal or other deratings) as of such installation as specified by the manufacturer of the generator or, starting from the completion of any subsequent physical change in the generator resulting in an increase in the maximum electrical generating output (in MW_a) that the generator is capable of producing on a steady state basis and during continuous operation (when not restricted by seasonal or other deratings), such increased maximum amount as of such completion as specified by the person conducting the physical change.

2.55. 2.56. "Operator" means any person who operates, controls, or supervises a CAIR SO₂ unit or a CAIR SO₂ source and will include, but not be limited to, any holding company, utility system, or plant manager of such a unit or source.

2.56. 2.57. "Owner" means any of the following persons:

 $\frac{2.56.a.}{2.57.a.}$ With regard to a CAIR SO₂ source or a CAIR SO₂ unit at a source, respectively:

 $\frac{2.56.a.1.}{2.57.a.1.}$ Any holder of any portion of the legal or equitable title in a CAIR SO₂ unit at the source or the CAIR SO₂ unit;

2.56.a.2: 2.57.a.2. Any holder of a leasehold interest in a CAIR SO₂ unit at the source or the CAIR SO₂ unit; or

2.56.a.3. 2.57.a.3. Any purchaser of power from a CAIR SO₂ unit at the source or the CAIR SO₂ unit under a life-of-the-unit, firm power contractual arrangement; provided that, unless expressly provided for in a leasehold agreement, owner will not include a passive

lessor, or a person who has an equitable interest through such lessor, whose rental payments are not based (either directly or indirectly) on the revenues or income from such CAIR SO₂ unit; or

 $\frac{2.56.b.}{2.57.b.}$ With regard to any general account, any person who has an ownership interest with respect to the CAIR SO₂ allowances held in the general account and who is subject to the binding agreement for the CAIR authorized account representative to represent the person's ownership interest with respect to CAIR SO₂ allowances.

2.57. 2.58. "Potential electrical output capacity" means 33 percent of a unit's maximum design heat input, divided by 3,413 Btu/kWh, divided by 1,000 kWh/MWh, and multiplied by 8,760 hr/yr.

2.58. 2.59. "Receive" or "receipt of" means, when referring to the Secretary or the Administrator, to come into possession of a document, information, or correspondence (whether sent in hard copy or by authorized electronic transmission), as indicated in an official correspondence log, or by a notation made on the document, information, or correspondence, by the Secretary or the Administrator in the regular course of business.

2.59. 2.60. "Recordation", "record", or "recorded" means, with regard to CAIR SO₂ allowances, the movement of CAIR SO₂ allowances by the Administrator into or between CAIR SO₂ Allowance Tracking System accounts, for purposes of allocation, transfer, or deduction.

2.60. 2.61. "Reference method" means any direct test method of sampling and analyzing for an air pollutant as specified in 40 CFR §75.22.

2.62. "Replacement", "replace", or "replaced" means, with regard to a unit, the demolishing of a unit, or the permanent shutdown and permanent disabling of a unit, and the construction of another unit (the replacement unit) to be used instead of the demolished or shutdown unit (the replaced unit).

45CSR41

- 2.61. 2.63. "Repowered" means, with regard to a unit, replacement of a coal-fired boiler with one of the following coal-fired technologies at the same source as the coal-fired boiler:
- 2.61.a. 2.63.a. Atmospheric or pressurized fluidized bed combustion;
- 2.61.b. 2.63.b. Integrated gasification combined cycle;
 - 2.61.c. 2.63.c. Magnetohydrodynamics;
- 2.61.d. 2.63.d. Direct and indirect coal-fired turbines;
- 2.61.e. 2.63.e. Integrated gasification fuel cells; or
- 2.61.f. 2.63.f. As determined by the Administrator in consultation with the Secretary of Energy, a derivative of one or more of the technologies under subdivisions 2.61.a 2.63.a through 2.61.e 2.63.e and any other coal-fired technology capable of controlling multiple combustion emissions simultaneously with improved boiler or generation efficiency and with significantly greater waste reduction relative to the performance of technology in widespread commercial use as of January 1, 2005.
- 2.62. 2.64. "Secretary" means the Secretary of the Department of Environmental Protection or such other person to whom the Secretary has delegated authority or duties pursuant to W.Va. Code §§22-1-6 or 22-1-8.
- $\frac{2.63.}{2.65.}$ "Serial number" means, for a CAIR SO₂ allowance, the unique identification number assigned to each CAIR SO₂ allowance by the Administrator.
- 2.64: 2.66. "Sequential use of energy" means:
- 2.64.a. 2.66.a. For a topping-cycle cogeneration unit, the use of reject heat from electricity production in a useful thermal energy application or process; or

- 2.64.b. 2.66.b. For a bottoming-cycle cogeneration unit, the use of reject heat from useful thermal energy application or process in electricity production.
- 2.67. "Solid waste incincration unit" means a stationary, fossil fuel-fired boiler or stationary, fossil fuel-fired combustion turbine that is a "solid waste incincration unit" as defined in section 129(g)(1) of the Clean Air Act.
- 2.65. 2.68. "Source" means all buildings, structures, or installations located in one or more contiguous or adjacent properties under common control of the same person or persons. For purposes of section 502(c) of the CAA, a "source," including a "source" with multiple units, will be considered a single "facility."
- $\frac{2.66.}{2.69.}$ "State" means one of the states or the District of Columbia that adopts the CAIR SO₂ Trading Program pursuant to 40 CFR §§51.124(o)(1) or (2).
- 2.67: 2.70. "Submit" or "serve" means to send or transmit a document, information, or correspondence to the person specified in accordance with the applicable regulation:
 - 2.67.a. 2.70.a. In person;
- 2.67.b. 2.70.b. By United States Postal Service; or
- 2.67.c. 2.70.c. By other means of dispatch or transmission and delivery. Compliance with any "submission" or "service" deadline will be determined by the date of dispatch, transmission, or mailing and not the date of receipt.
- 2.68: 2.71. "Title V operating permit" means a permit issued under 45CSR30.
- 2.69: 2.72. "Ton" means 2,000 pounds. For the purpose of determining compliance with the CAIR SO₂ emission limitation, total tons of sulfur dioxide emissions for a control period will be calculated as the sum of all recorded hourly emissions (or the mass equivalent of the recorded hourly emission rates) in accordance with sections

70 through 76 75, but with any remaining fraction of a ton equal to or greater than 0.50 tons deemed to equal one ton and any remaining fraction of a ton less than 0.50 tons deemed to equal zero tons.

2.70. 2.73. "Topping-cycle cogeneration unit" means a cogeneration unit in which the energy input to the unit is first used to produce useful power, including electricity, and at least some of the reject heat from the electricity production is then used to provide useful thermal energy.

2.71. 2.74. "Total energy input" means, with regard to a cogeneration unit, total energy of all forms supplied to the cogeneration unit, excluding energy produced by the cogeneration unit itself.

2.72. 2.75. "Total energy output" means, with regard to a cogeneration unit, the sum of useful power and useful thermal energy produced by the cogeneration unit.

2.73. 2.76. "Unit" means a stationary, fossil fuel-fired boiler or combustion turbine or other stationary, fossil fuel-fired combustion device.

2.74. 2.77. "Unit operating day" means a calendar day in which a unit combusts any fuel.

2.75. 2.78. "Unit operating hour" or "hour of unit operation" means an hour in which a unit combusts any fuel.

2.76. 2.79. "Useful power" means, with regard to a cogeneration unit, electricity or mechanical energy made available for use, excluding any such energy used in the power production process (which process includes, but is not limited to, any on-site processing or treatment of fuel combusted at the unit and any onsite emission controls).

2.77. 2.80. "Useful thermal energy" means, with regard to a cogeneration unit, thermal energy that is:

2.77.a. 2.80.a. Made available to an industrial or commercial process (not a power production process), excluding any heat contained

in condensate return or makeup water;

2.77.b. 2.80.b. Used in a heating application (e.g., space heating or domestic hot water heating); or

2.77.e. 2.80.c. Used in a space cooling application (i.e., thermal energy used by an absorption chiller).

2.78. 2.81. "Utility power distribution system" means the portion of an electricity grid owned or operated by a utility and dedicated to delivering electricity to customers.

2.79. 2.82. Other words and phrases used in this rule, unless otherwise indicated, will have the meaning ascribed to them in W.Va. Code §22-5-1 et seq. and 40 CFR §72.2.

§45-41-3. Measurements, Abbreviations and Acronyms. -- Measurements, abbreviations and acronyms used in this rule are defined as follows:

Btu -- British thermal unit.

CO₂ -- carbon dioxide.

NO_x -- nitrogen oxides.

Hg -- mercury.

hr -- hour.

kW-- kilowatt electrical.

kWh -- kilowatt hour.

mmBtu -- million Btu.

MW_c -- megawatt electrical.

MWh -- megawatt hour.

 O_2 -- oxygen.

ppm -- parts per million.

lb -- pound.

sofh -- standard cubic feet per hour.

SO₂ -- sulfur dioxide.

H₂O -- water.

yr -- year.

- §45-41-4. Applicability. -- The Except as provided in subsection 4.2, the following units in West Virginia will shall be CAIR SO₂ units, and any source that includes one or more such units will shall be a CAIR SO₂ source, subject to the requirements of sections 5 1 through 76 75:
- 4.1. Electric generating units. -- Except as provided in subsection 4.2, a Any stationary fossil fuel-fired boiler or stationary, fossil fuel-fired combustion turbine serving at any time, since the later of November 15, 1990 or the start-up of a the unit's combustion chamber, a generator with nameplate capacity of more than 25 MW_e producing electricity for sale; and.
- 4.2. Cogeneration Exempt units. Except as provided in subsection 4.3, any unit in West Virginia that is a CAIR SO₂ unit under subsection 4.1 or subdivision 4.3.a and meets any of the following requirements shall not be a CAIR SO₂ unit:
- 4.2.a. For a Any unit that qualifies qualifying as a cogeneration unit during the 12month period starting on the date the unit first produces electricity and continues continuing to qualify as a cogeneration unit, a cogeneration unit and not serving at any time, since the later of November 15, 1990 or the start-up of the unit's combustion chamber, a generator with nameplate capacity of more than 25 MW_e and supplying in any calendar year more than one-third of the unit's potential electric output capacity or 219,000 MWh, whichever is greater, to any utility power distribution system for sale. If a unit that qualifies as a cogeneration unit during the 12-month period starting on the date the unit first produces electricity but subsequently no longer qualifies as a cogeneration unit, the unit will be subject to subsection 4.1 starting on the day on which the unit first no longer qualifies as a cogeneration

unit.

- 4.2.b. Any unit commencing operation before January 1, 1985 and qualifying as a solid waste incineration unit with an average annual fuel consumption of non-fossil fuel for 1985-1987 exceeding 80 percent (on a Btu basis) and an average annual fuel consumption of non-fossil fuel for any 3 consecutive calendar years after 1990 exceeding 80 percent (on a Btu basis); and
- 4.2.c. Any unit commencing operation on or after January 1, 1985 and qualifying as a solid waste incineration unit with an average annual fuel consumption of non-fossil fuel for the first 3 calendar years of operation exceeding 80 percent (on a Btu basis) and an average annual fuel consumption of non-fossil fuel for any 3 consecutive calendar years after 1990 exceeding 80 percent (on a Btu basis).
- 4.3. Loss of exemption. -- Any unit in West Virginia that is not a CAIR SO₂ unit under subsection 4.1, or which qualified for an exemption under subsection 4.2, but subsequently meets any of the following provisions, shall lose its exemption and become a CAIR SO₂ unit under subsection 4.1:
- 4.3.a. If a stationary boiler or stationary combustion turbine that, under subsection 4.1, is not a CAIR SO₂ unit begins to combust fossil fuel or to serve a generator with nameplate capacity of more than 25 MW_c producing electricity for sale, the unit shall become a CAIR SO₂ unit as provided in subsection 4.1 on the first date on which it both combusts fossil fuel and serves such generator;
- 4.3.b. If a unit qualifies as a cogeneration unit during the 12-month period starting on the date the unit first produces electricity and meets the requirements of subdivision 4.2.a for at least one calendar year, but subsequently no longer meets all such requirements, the unit shall become a CAIR SO₂ unit starting on the earlier of January 1 after the first calendar year during which the unit first no longer qualifies as a cogeneration unit or January 1 after the first calendar year during which the unit no longer meets all of the

requirements under subdivision 4.2.a; and

4.3.c. If a unit qualifies as a solid waste incineration unit and meets the requirements of subdivisions 4.2.b or 4.2.c for at least 3 consecutive calendar years, but subsequently no longer meets all such requirements, the unit shall become a CAIR SO₂ unit starting on the earlier of January 1 after the first calendar year during which the unit first no longer qualifies as a solid waste incineration unit or January 1 after the first 3 consecutive calendar years after 1990 for which the unit has an average annual fuel consumption of fossil fuel of 20 percent or more.

§45-41-5. Retired Unit Exemption.

- 5.1. General exemption provisions.
- 5.1.a. Any CAIR SO₂ unit that is permanently retired and is not a CAIR SO₂ opt-in unit under sections 80 through 88 will be exempt from the CAIR SO₂ Trading Program, except for the provisions of this section, section 2, section 3, section 4 sections 2 through 4, subdivisions 6.3.d through 6.3.g, section 7, and sections 7 through 14, and sections 51 through 62.
- 5.1.b. The exemption under subdivision 5.1.a will become effective the day on which the CAIR SO₂ unit is permanently retired. Within 30 days of the unit's permanent retirement, the CAIR designated representative will submit a statement to the Secretary and submit a copy of the statement to the Administrator. The statement must state, in a format prescribed by the Secretary, that the unit was permanently retired on a specific date and will comply with the requirements of subsection 5.2.
- 5.1.c. After receipt of the statement under subdivision 5.1.b, the Secretary will amend any permit under sections 20 through 24 covering the source at which the unit is located to add the provisions and requirements of the exemption under subdivision 5.1.a and subsection 5.2.
 - 5.2. Special provisions.
 - 5.2.a. A unit exempt under subdivision

- 5.1.a must not emit any sulfur dioxide, starting on the date that the exemption takes effect.
- 5.2.b. For a period of 5 years from the date the records are created, the owners and operators of a unit exempt under subdivision 5.1.a must retain, at the source that includes the unit, records demonstrating that the unit is permanently retired. The 5-year period for keeping records may be extended for cause, at any time before the end of the period, in writing by the Secretary or the Administrator. The owners and operators bear the burden of proof that the unit is permanently retired.
- 5.2.c. The owners and operators and, to the extent applicable, the CAIR designated representative of a unit exempt under subdivision 5.1.a must comply with the requirements of the CAIR SO₂ Trading Program concerning all periods for which the exemption is not in effect, even if such requirements arise, or must be complied with, after the exemption takes effect.
- 5.2.d. A unit exempt under subdivision 5.1.a and located at a source that is required, or but for this exemption would be required, to have a Title V operating permit must not resume operation unless the CAIR designated representative of the source submits a complete CAIR permit application under section 22 for the unit not less than 18 months (or such lesser time provided by the Secretary) before the later of January 1, 2010 or the date on which the unit resumes operation.
- 5.2.e. On the earlier of the following dates, a unit exempt under subdivision 5.1.a will lose its exemption:
- 5.2.e.1. The date on which the CAIR designated representative submits a CAIR permit application for the unit under subdivision 5.2.d;
- 5.2.e.2. The date on which the CAIR designated representative is required under subdivision 5.2.d to submit a CAIR permit application for the unit; or
 - 5.2.e.3. The date on which the unit

resumes operation, if the CAIR designated representative is not required to submit a CAIR permit application for the unit.

5.2.f. For the purpose of applying monitoring, reporting, and recordkeeping requirements under sections 70 through 76 75, a unit that loses its exemption under subdivision 5.1.a will be treated as a unit that commences operation and commercial operation on the first date on which the unit resumes operation.

§45-41-6. Standard Requirements.

6.1. Permit requirements.

- 6.1.a. The CAIR designated representative of each CAIR SO₂ source required to have a Title V operating permit and each CAIR SO₂ unit required to have a Title V operating permit at the source will:
- 6.1.a.1. Submit to the Secretary a complete CAIR permit application under section 22 in accordance with the deadlines specified in subsections 21.1 and 21:2 section 21; and
- 6.1.a.2. Submit in a timely manner any supplemental information that the Secretary determines is necessary in order to review a CAIR permit application and issue or deny a CAIR permit.
- 6.1.b. The owners and operators of each CAIR SO₂ source required to have a Title V operating permit and each CAIR SO₂ unit required to have a Title V operating permit at the source will have a CAIR permit issued by the Secretary under sections 20 through 24 for the source and operate the source and the unit in compliance with such CAIR permit.
- 6.1.c. Except as provided in sections 80 through 88, the owners and operators of a CAIR SO₂ source that is not otherwise required to have a Title V operating permit and each CAIR SO₂ unit that is not otherwise required to have a Title V operating permit are not required to submit a CAIR permit application, and to have a CAIR permit, under sections 20 through 24 for such

CAIR SO₂ source and such CAIR SO₂ unit.

- 6.2. Monitoring, reporting, and recordkeeping requirements.
- 6.2.a. The owners and operators, and the CAIR designated representative, of each CAIR SO_2 source and each CAIR SO_2 unit at the source will comply with the monitoring, reporting, and recordkeeping requirements of sections 70 through 76.75.
- 6.2.b. The emission measurements recorded and reported in accordance with sections 70 through 76 75 will be used to determine compliance by each CAIR SO_2 source with the CAIR SO_2 emission limitation under subsection 6.3.

6.3. Sulfur dioxide emission requirements.

- 6.3.a. As of the allowance transfer deadline for the 2010 control period and each control period thereafter, the owners and operators of each CAIR SO₂ source and each CAIR SO₂ unit at the source must hold, in the source's compliance account, a tonnage equivalent in CAIR SO₂ allowances available for compliance deductions for the control period, as determined in accordance with subsections 54.1 and 54.2 in an amount not less than the tons of total sulfur dioxide emissions for the control period from all CAIR SO₂ units at the source, as determined in accordance with sections 70 through 76 75.
- 6.3.b. A CAIR SO₂ unit will be subject to the requirements under subdivision 6.3.a for the control period starting on the later of January 1, 2010 or the deadline for meeting the unit's monitor certification requirements under subdivision subdivisions 70.2.a, subsection 70.2.b, or subsection 70.2.c and for each control period thereafter.
- 6.3.c. A CAIR SO₂ allowance will not be deducted, for compliance with the requirements under subdivision 6.3.a, for a control period in a calendar year before the year for which the CAIR SO₂ allowance was allocated.

- 6.3.d. CAIR SO₂ allowances will be held in, deducted from, or transferred into or among CAIR SO₂ Allowance Tracking System accounts in accordance with sections 51 through 62 and 80 through 88.
- 6.3.e. A CAIR SO₂ allowance is a limited authorization to emit sulfur dioxide in accordance with the CAIR SO₂ Trading Program. No provision of the CAIR SO₂ Trading Program, the CAIR permit application, the CAIR permit, or an exemption under section 5 and no provision of law will be construed to limit the authority of the state or the United States to terminate or limit such authorization.
- 6.3.f. A CAIR SO₂ allowance does not constitute a property right.
- 6.3.g. Upon recordation by the Administrator under sections 51 through 57, sections 60 through 62, or sections 80 through 88, every allocation, transfer, or deduction of a CAIR SO₂ allowance to or from a CAIR SO₂ unit's source's compliance account is incorporated automatically in any CAIR permit of the source that includes the CAIR SO₂ unit.
 - 6.4. Excess emissions requirements. ___
- ——6.4.a. If a CAIR SO₂ source emits sulfur dioxide during any control period in excess of the CAIR SO₂ emission limitation, then:
- 6.4.a.1. 6.4.a. The owners and operators of the source and each CAIR SO₂ unit at the source will surrender the CAIR SO₂ allowances required for deduction under subdivision 54.4.a and pay any fine, penalty, or assessment or comply with any other remedy imposed, for the same violations, under the CAA or W.Va. Code §22-5-1 et seq; and
- 6.4.a.2. 6.4.b. Each ton of such excess emissions and each day of such control period will constitute a separate violation of this rule, the CAA, and W.Va. Code §22-5-1 et seq.
- 6.5. Recordkeeping and reporting requirements.

- 6.5.a. Unless otherwise provided, the owners and operators of the CAIR SO₂ source and each CAIR SO₂ unit at the source must keep on site at the source each of the following documents for a period of 5 years from the date the document is created. This period may be extended for cause, at any time before the end of 5 years, in writing by the Secretary or the Administrator.
- 6.5.a.1. The certificate of representation under section 13 for the CAIR designated representative for the source and each CAIR SO₂ unit at the source and all documents that demonstrate the truth of the statements in the certificate of representation; provided that the certificate and documents will be retained on site at the source beyond such 5-year period until such documents are superseded because of the submission of a new certificate of representation under section 13 changing the CAIR designated representative;
- 6.5.a.2. All emissions monitoring information, in accordance with sections 70 through 76 75, provided that to the extent that sections 70 through 76 75 provides for a 3-year period for recordkeeping, the 3-year period will apply;
- 6.5.a.3. Copies of all reports, compliance certifications, and other submissions and all records made or required under the CAIR ${\rm SO}_2$ Trading Program; and
- 6.5.a.4. Copies of all documents used to complete a CAIR permit application and any other submission under the CAIR SO₂ Trading Program or to demonstrate compliance with the requirements of the CAIR SO₂ Trading Program.
- 6.5.b. The CAIR designated representative of a CAIR SO₂ source and each CAIR SO₂ unit at the source will submit the reports required under the CAIR SO₂ Trading Program, including those under sections 70 through 76 75.
 - 6.6. Liability.
- 6.6.a. Each CAIR SO₂ source and each CAIR SO₂ unit must meet the requirements of the

CAIR SO₂ Trading Program.

- 6.6.b. Any provision of the CAIR SO₂ Trading Program that applies to a CAIR SO₂ source or the CAIR designated representative of a CAIR SO₂ source will also apply to the owners and operators of such source and of the CAIR SO₂ units at the source.
- 6.6.c. Any provision of the CAIR SO_2 Trading Program that applies to a CAIR SO_2 unit or the CAIR designated representative of a CAIR SO_2 unit will also apply to the owners and operators of such unit.
- 6.7. Effect on other authorities. -- No provision of the CAIR SO₂ Trading Program, a CAIR permit application, a CAIR permit, or an exemption under section 5 will be construed as exempting or excluding the owners and operators, or and the CAIR designated representative of a CAIR SO₂ source or CAIR SO₂ unit from compliance with any other provision of the applicable, approved state implementation plan, a federally enforceable permit, order, or the CAA.

§45-41-7. Computation of Time.

- 7.1. Unless otherwise stated, any time period scheduled, under the CAIR SO₂ Trading Program, to begin on the occurrence of an act or event will begin on the day the act or event occurs.
- 7.2. Unless otherwise stated, any time period scheduled, under the CAIR SO₂ Trading Program, to begin before the occurrence of an act or event will be computed so that the period ends the day before the act or event occurs.
- 7.3. Unless otherwise stated, if the final day of any time period, under the CAIR SO₂ Trading Program, falls on a weekend or a state or federal holiday, the time period will be extended to the next business day.

§45-41-8. Appeal Procedures.

8.1. The appeal procedures for decisions of the Administrator under the CAIR SO₂ Trading Program are set forth in 40 CFR Part 78.

§45-41-10. Authorization and Responsibilities of the CAIR Designated Representative.

- 10.1. Except as provided under section 11, each CAIR SO₂ source, including all CAIR SO₂ units at the source, will have one and only one CAIR designated representative, with regard to all matters under the CAIR SO₂ Trading Program concerning the source or any CAIR SO₂ unit at the source.
- 10.2. The CAIR designated representative of the CAIR SO₂ source will be selected by an agreement binding on the owners and operators of the source and all CAIR SO₂ units at the source and will act in accordance with the certification statement in paragraph 13.1.d.4.
- 10.3. Upon receipt by the Administrator of a complete certificate of representation under section 13, the CAIR designated representative of the source will represent and, by his or her representations, actions, inactions, or submissions, legally bind each owner and operator of the CAIR SO₂ source represented and each CAIR SO₂ unit at the source in all matters pertaining to the CAIR SO₂ Trading Program, notwithstanding any agreement between the CAIR designated representative and such owners and operators. The owners and operators will be bound by any decision or order issued to the CAIR designated representative by the Secretary, the Administrator, or a court regarding the source or unit.
- 10.4. No CAIR permit will be issued, no emissions data reports will be accepted, and no CAIR SO₂ Allowance Tracking System account will be established for a CAIR SO₂ unit at a source, until the Administrator has received a complete certificate of representation under section 13 for a CAIR designated representative of the source and the CAIR SO₂ units at the source.
- 10.5. Each submission under the CAIR SO₂ Trading Program will be submitted, signed, and certified by the CAIR designated representative for each CAIR SO₂ source on behalf of which the submission is made. Each such submission must include the following certification statement by the CAIR designated representative: "I am

authorized to make this submission on behalf of the owners and operators of the source or units for which the submission is made. I certify under penalty of law that I have personally examined, and am familiar with, the statements and information submitted in this document and all its attachments. Based on my inquiry of those individuals with primary responsibility for obtaining the information, I certify that the statements and information are to the best of my knowledge and belief true, accurate, and complete. I am aware that there are significant penalties for submitting false statements and information or omitting required statements and information, including the possibility of fine or imprisonment."

10.6. The Secretary and the Administrator will accept or act on a submission made on behalf of owner or operators of a CAIR SO₂ source or a CAIR SO₂ unit only if the submission has been made, signed, and certified in accordance with subsection 10.5.

§45-41-11. Alternate CAIR Designated Representative.

- 11.1. A certificate of representation under section 13 may designate one and only one alternate CAIR designated representative, who may act on behalf of the CAIR designated representative. The agreement by which the alternate CAIR designated representative is selected will include a procedure for authorizing the alternate CAIR designated representative to act in lieu of the CAIR designated representative.
- 11.2. Upon receipt by the Administrator of a complete certificate of representation under section 13, any representation, action, inaction, or submission by the alternate CAIR designated representative will be deemed to be a representation, action, inaction, or submission by the CAIR designated representative.
- 11.3. Except in this section, section 2, subsections 10.1 and 10.4, sections 12, 13, 15, 51 and 82, whenever the term "CAIR designated representative" is used in sections 4 1 through 88, the term will be construed to include the CAIR

designated representative or any alternate CAIR designated representative.

§45-41-12. Changing the CAIR Designated Representative and Alternate CAIR Designated Representative; Changes in Owners and Operators.

- CAIR designated 12.1. Changing representative. -- The CAIR designated representative may be changed at any time upon receipt by the Administrator of a superseding complete certificate of representation under section 13. Notwithstanding any such change, all representations, actions, inactions, submissions by the previous CAIR designated representative before the time and date when the Administrator receives the superseding certificate of representation will be binding on the new CAIR designated representative and the owners and operators of the CAIR SO2 source and the CAIR SO, units at the source.
- 12.2. Changing alternate CAIR designated representative. -- The alternate CAIR designated representative may be changed at any time upon receipt by the Administrator of a superseding complete certificate of representation under section 13. Notwithstanding any such change, all representations, actions, inactions, and submissions by the previous alternate CAIR designated representative before the time and date when the Administrator receives the superseding certificate of representation will be binding on the new alternate CAIR designated representative and the owners and operators of the CAIR SO₂ source and the CAIR SO₂ units at the source.

12.3. Changes in owners and operators.

12.3.a. In the event a new owner or operator of a CAIR SO₂ source or a CAIR SO₂ unit is not included in the list of owners and operators in the certificate of representation under section 13, such new owner or operator will be deemed to be subject to and bound by the certificate of representation, the representations, actions, inactions, and submissions of the CAIR designated representative and any alternate CAIR designated representative of the source or unit,

and the decisions and orders of the Secretary, the Administrator, or a court, as if the new owner or operator were included in such list.

12.3.b. Within 30 days following any change in the owners and operators of a CAIR SO₂ source or a CAIR SO₂ unit, including the addition of a new owner or operator, the CAIR designated representative or any alternate CAIR designated representative will submit a revision to the certificate of representation under section 13 amending the list of owners and operators to include the change.

§45-41-13. Certificate of Representation.

- 13.1. A complete certificate of representation for a CAIR designated representative or an alternate CAIR designated representative will include the following elements in a format prescribed by the Administrator:
- 13.1.a. Identification of the CAIR SO₂ source, and each CAIR SO₂ unit at the source, for which the certificate of representation is submitted, including identification and nameplate capacity of each generator served by each such unit;
- 13.1.b. The name, address, e-mail address (if any), telephone number, and facsimile transmission number (if any) of the CAIR designated representative and any alternate CAIR designated representative;
- 13.1.c. A list of the owners and operators of the CAIR SO_2 source and of each CAIR SO_2 unit at the source;
- 13.1.d. The following certification statements by the CAIR designated representative and any alternate CAIR designated representative:
- 13.1.d.1. "I certify that I was selected as the CAIR designated representative or alternate CAIR designated representative, as applicable, by an agreement binding on the owners and operators of the source and each CAIR SO₂ unit at the source.";

- 13.1.d.2. "I certify that I have all the necessary authority to carry out my duties and responsibilities under the CAIR SO₂ Trading Program on behalf of the owners and operators of the source and of each CAIR SO₂ unit at the source and that each such owner and operator shall be fully bound by my representations, actions, inactions, or submissions.";
- 13.1.d.3. "I certify that the owners and operators of the source and of each CAIR SO₂ unit at the source shall be bound by any order issued to me by the Administrator, the Secretary, or a court regarding the source or unit.";
- 13.1.d.4. "Where there are multiple holders of a legal or equitable title to, or a leasehold interest in, a CAIR SO2 unit, or where a utility or industrial customer purchases power from a CAIR SO, unit under a life-of-the-unit. firm power contractual arrangement, I certify that: I have given a written notice of my selection as the 'CAIR designated representative' or 'alternate CAIR designated representative', as applicable, and of the agreement by which I was selected to each owner and operator of the source and of each CAIR SO₂ unit at the source; and CAIR SO₂ allowances and proceeds of transactions involving CAIR SO₂ allowances will be deemed to be held or distributed in proportion to each holder's legal, equitable, leasehold, or contractual reservation or entitlement, except that, if such multiple holders have expressly provided for a different distribution of CAIR SO₂ allowances by contract, CAIR SO₂ allowances and proceeds of transactions involving CAIR SO₂ allowances will be deemed to be held or distributed in accordance with the contract."; and
- 13.1.e. The signature of the CAIR designated representative and any alternate CAIR designated representative and the dates signed.
- 13.2. Unless otherwise required by the Secretary or the Administrator, documents of agreement referred to in the certificate of representation will not be submitted to the Secretary or the Administrator. Neither the Secretary nor the Administrator will be under any obligation to review or evaluate the sufficiency of

such documents, if submitted.

§45-41-14. Objections Concerning the CAIR Designated Representative.

- 14.1. Once a complete certificate of representation under section 13 has been submitted and received, the Secretary and the Administrator will rely on the certificate of representation unless and until a superseding complete certificate of representation under section 13 is received by the Administrator.
- 14.2. Except as provided in subsections 12.1 or 12.2, no objection or other communication submitted to the Secretary or the Administrator concerning the authorization, or any representation, action, inaction, or submission, of the CAIR designated representative will affect any representation, action, inaction, or submission of the CAIR designated representative or the finality of any decision or order by the Secretary or the Administrator under the CAIR SO₂ Trading Program.
- 14.3. Neither the Secretary nor the Administrator will adjudicate any private legal dispute concerning the authorization or any representation, action, inaction, or submission of any CAIR designated representative, including private legal disputes concerning the proceeds of CAIR SO₂ allowance transfers.

§45-41-15. Delegation by CAIR Designated Representative and Alternate CAIR Designated Representative.

- 15.1. A CAIR designated representative may delegate, to one or more natural persons, his or her authority to make an electronic submission to the Administrator provided for or required under this rule.
- 15.2 An alternate CAIR designated representative may delegate, to one or more natural persons, his or her authority to make an electronic submission to the Administrator provided for or required under this rule.
 - 15.3. In order to delegate authority to make an

- electronic submission to the Administrator in accordance with subsections 15.1 or 15.2, the CAIR designated representative or alternate CAIR designated representative, as appropriate, must submit to the Administrator a notice of delegation, in a format prescribed by the Administrator, that includes the following elements:
- 15.3.a. The name, address, e-mail address, telephone number, and facsimile transmission number (if any) of such CAIR designated representative or alternate CAIR designated representative;
- 15.3.b. The name, address, c-mail address, telephone number, and facsimile transmission number (if any) of each such natural person (referred to as an "agent"):
- 15.3.c. For each such natural person, a list of the type or types of electronic submissions under subsections 15.1 or 15.2 for which authority is delegated to him or her; and
- 15.3.d. The following certification statements by such CAIR designated representative or alternate CAIR designated representative:
- 15.3.d.l. "I agree that any electronic submission to the Administrator that is by an agent identified in this notice of delegation and of a type listed for such agent in this notice of delegation and that is made when I am a CAIR designated representative or alternate CAIR designated representative, as appropriate, and before this notice of delegation is superseded by another notice of delegation under subsection 15.4 shall be deemed to be an electronic submission by me."
- 15.3.d.2. "Until this notice of delegation is superseded by another notice of delegation under subsection 15.4, I agree to maintain an email account and to notify the Administrator immediately of any change in my e-mail address unless all delegation of authority by me under section 15 is terminated."
 - 15.4. A notice of delegation submitted under

subsection 15.3 shall be effective, with regard to the CAIR designated representative or alternate CAIR designated representative identified in such notice, upon receipt of such notice by the Administrator and until receipt by the Administrator of a superseding notice of delegation submitted by such CAIR designated representative or alternate CAIR designated representative, as appropriate. The superseding notice of delegation may replace any previously identified agent, add a new agent, or eliminate entirely any delegation of authority.

15.5. Any electronic submission covered by the certification in paragraph 15.3.d.1 and made in accordance with a notice of delegation effective under subsection 15.4 shall be deemed to be an electronic submission by the CAIR designated representative or alternate CAIR designated representative submitting such notice of delegation.

§45-41-20. General CAIR <u>SO</u>₂ Trading Program Permit Requirements.

- 20.1. For each CAIR SO₂ source required to have a Title V operating permit or required, under sections 80 through 88, to have a Title V operating permit or other federally enforceable permit, such permit must include a CAIR permit administered by the Secretary for the Title V operating permit or the federally enforceable permit as applicable. The CAIR portion of the Title V operating permit or other federally enforceable permit as applicable will be administered in accordance with 45CSR30 and any other applicable rule, except as provided otherwise by section 5, sections 20 through 24 and sections 80 through 88.
- 20.2. Each CAIR permit will contain, with regard to the CAIR SO_2 source and the CAIR SO_2 units at the source covered by the CAIR permit, all applicable CAIR SO_2 Trading Program requirements, CAIR NO_X Annual Trading Program requirements, and CAIR NO_X Ozone Season Trading Program requirements and will be a complete and separable portion of the Title V operating permit or other federally enforceable permit under subsection 20.1.

§45-41-21. Submission of CAIR Permit Applications.

- 21.1. Duty to apply. -- The CAIR designated representative of any CAIR SO₂ source required to have a Title V operating permit will submit to the Secretary a complete CAIR permit application under section 22 for the source covering each CAIR SO₂ unit at the source at least 18 months (or such lesser time provided by the Secretary) before the later of January 1, 2010 or the date on which the CAIR SO₂ unit commences commercial operation, except as provided in subsection 83.1.
- 21.2. Duty to reapply. For a CAIR SO₂ source required to have a Title V operating permit, the CAIR designated representative will submit a complete CAIR permit application under section 22 for the source covering each CAIR SO₂ unit at the source to renew the CAIR permit in accordance with 45CSR30, except as provided in subsection 83.2.

§45-41-22. Information Requirements for CAIR Permit Applications.

- 22.1. A complete CAIR permit application will include the following elements concerning the CAIR SO₂ source for which the application is submitted, in a format prescribed by the Secretary:
- 22.1.a. Identification of the CAIR SO₂ source;
- 22.1.b. Identification of each CAIR SO₂ unit at the CAIR SO₂ source;
- 22.1.c. The standard requirements under section 6; and
- 22.1.d. A copy of the complete certificate of representation under section 13.

§45-41-23. CAIR Permit Contents and Term.

23.1. Each CAIR permit will contain, in a format prescribed by the Secretary, all elements required for a complete CAIR permit application under section 22.

- 23.2. Each CAIR permit is deemed to incorporate automatically the definitions of terms under section 2 and, upon recordation by the Administrator under sections 51 through 57, sections 60 through 62, or sections 80 through 88, every allocation, transfer, or deduction of a CAIR SO₂ allowance to or from the compliance account of the CAIR SO₂ source covered by the permit.
- 23.3. The term of the CAIR permit will be set by the Secretary, as necessary to facilitate coordination of the renewal of the CAIR permit with issuance, revision, or renewal of the CAIR SO₂ source's Title V operating permit or other federally enforceable permit as applicable.

§45-41-24. CAIR Permit Revisions.

24.1. Except as provided in subsection 23.2, the Secretary will revise the CAIR permit, as necessary, in accordance with 45CSR30 or any other applicable rule addressing permit revisions.

§45-41-30. Reserved.

§45-41-40. Reserved.

§45-41-50. Reserved.

§45-41-51. Establishment of Accounts.

- 51.1. Compliance accounts. Except as provided in subsection 84.5, upon receipt of a complete certificate of representation under section 13, the Administrator will establish a compliance account for the CAIR SO₂ source for which the certificate of representation was submitted, unless the source already has a compliance account.
- 51.2. General accounts. -- Any person may apply to open a general account for the purpose of holding and transferring CAIR SO₂ allowances. An application for a general account may designate one and only one CAIR authorized account representative and one and only one alternate CAIR authorized account representative who may act on behalf of the CAIR authorized account representative. The agreement by which the alternate CAIR authorized account

representative is selected will include a procedure for authorizing the alternate CAIR authorized account representative to act in lieu of the CAIR authorized account representative.

- 51.2.a. A complete application for a general account will be submitted to the Administrator and must include the following elements in a format prescribed by the Administrator:
- 51.2.a.1. Name, mailing address, e-mail address (if any), telephone number, and facsimile transmission number (if any) of the CAIR authorized account representative and any alternate CAIR authorized account representative;
- 51.2.a.2. Organization name and type of organization, if applicable;
- 51.2.a.3. A list of all persons subject to a binding agreement for the CAIR authorized account representative and any alternate CAIR authorized account representative to represent their ownership interest with respect to the CAIR SO₂ allowances held in the general account;
- 51.2.a.4. The following certification statement by the CAIR authorized account representative and any alternate CAIR authorized account representative: "I certify that I was selected as the CAIR authorized account representative or the alternate CAIR authorized account representative, as applicable, by an agreement that is binding on all persons who have an ownership interest with respect to CAIR SO₂ allowances held in the general account. I certify that I have all the necessary authority to carry out my duties and responsibilities under the CAIR SO₂ Trading Program on behalf of such persons and that each such person will be fully bound by my representations, actions, inactions, or submissions and by any order or decision issued to me by the Administrator or a court regarding the general account."; and
- 51.2.a.5. The signature of the CAIR authorized account representative and any alternate CAIR authorized account representative and the dates signed.

- 51.2.b. Unless otherwise required by the Secretary or the Administrator, documents of agreement referred to in the application for a general account will not be submitted to the Secretary or the Administrator. Neither the Secretary nor the Administrator will be under any obligation to review or evaluate the sufficiency of such documents, if submitted.
- 51.3. Authorization of CAIR authorized account representative and alternate CAIR authorized account representative. -- Upon receipt by the Administrator of a complete application for a general account under subsection 51.2:
- 51.3.a. The Administrator will establish a general account for the person or persons for whom the application is submitted;
- The CAIR authorized account representative and any alternate CAIR authorized account representative for the general account will represent and, by his or her representations, actions, inactions, or submissions, legally bind each person who has an ownership interest with respect to CAIR SO2 allowances held in the general account in all matters pertaining to the CAIR SO₂ Trading Program, notwithstanding any agreement between the CAIR authorized account representative or any alternate CAIR authorized account representative and such person. Any such person will be bound by any order or decision issued to the CAIR authorized account representative or any alternate CAIR authorized account representative by the Administrator or a court regarding the general account; and
- 51.3.c. Any representation, action, inaction, or submission by any alternate CAIR authorized account representative will be deemed to be a representation, action, inaction, or submission by the CAIR authorized account representative.
- 51.4. Each submission concerning the general account under subsection 51.2 must be submitted, signed, and certified by the CAIR authorized account representative or any alternate CAIR authorized account representative for the persons having an ownership interest with respect to CAIR

- SO₂ allowances held in the general account. Each such submission must include the following certification statement by the CAIR authorized account representative or any alternate CAIR authorized account representative: "I am authorized to make this submission on behalf of the persons having an ownership interest with respect to the CAIR SO, allowances held in the general account. I certify under penalty of law that I have personally examined, and am familiar with, the statements and information submitted in this document and all its attachments. Based on my inquiry of those individuals with primary responsibility for obtaining the information, I certify that the statements and information are to the best of my knowledge and belief true. accurate, and complete. I am aware that there are significant penalties for submitting false statements and information or omitting required statements and information, including the possibility of fine or imprisonment."
- 51.5. The Administrator will accept or act on a submission concerning a the general account under subsection 51.2 only if the submission has been made, signed, and certified in accordance with subsection 51.4.
- 51.6. Changing CAIR authorized account representative and alternate CAIR authorized account representative; changes in persons with ownership interest.
- The CAIR authorized account 51.6.a. representative for a general account under subsection 51.2 may be changed at any time upon receipt by the Administrator of a superseding complete application for a general account under subsection 51.2. Notwithstanding any such change, all representations, actions, inactions, and submissions by the previous CAIR authorized account representative before the time and date when the Administrator receives the superseding application for a general account will be binding on the new CAIR authorized account representative and the persons with an ownership interest with respect to the CAIR SO₂ allowances in the general account.
 - 51.6.b. The alternate CAIR authorized

account representative for a general account may be changed at any time upon receipt by the Administrator of a superseding complete application for a general account <u>under subsection 51.2</u>. Notwithstanding any such change, all representations, actions, inactions, and submissions by the previous alternate CAIR authorized account representative before the time and date when the Administrator receives the superseding application for a general account will be binding on the new alternate CAIR authorized account representative and the persons with an ownership interest with respect to the CAIR SO₂ allowances in the general account.

- 51.6.c. In the event a new person having an ownership interest with respect to CAIR SO₂ allowances in the general account is not included in the list of such persons in the application for a general account, such new person will be deemed to be subject to and bound by the application for a general account, the representation, actions, inactions, and submissions of the CAIR authorized account representative and any alternate CAIR authorized account representative of the account, and the decisions and orders of the Administrator or a court, as if the new person were included in such list.
- 51.6.d. Within 30 days following any change in the persons having an ownership interest with respect to CAIR SO₂ allowances in the general account, including the addition of persons a new person, the CAIR authorized account representative or any alternate CAIR authorized account representative will submit a revision to the application for a general account amending the list of persons having an ownership interest with respect to the CAIR SO₂ allowances in the general account to include the change.
- 51.7. Objections concerning CAIR authorized account representative <u>and alternate CAIR authorized account representative</u>.
- 51.7.a. Once a complete application for a general account under subsection 51.2 has been submitted and received, the Administrator will rely on the application unless and until a superseding complete application for a general

account <u>under subsection 51.2</u> is received by the Administrator.

- 51.7.b. Except as provided in subdivision 51.6.a or 51.6.b, no objection or other communication submitted to the Administrator concerning the authorization, or any representation, action, inaction, or submission of the CAIR authorized account representative or any alternative alternate CAIR authorized account representative for a general account will affect any representation, action, inaction, or submission of the CAIR authorized account representative or any alternative alternate CAIR authorized account representative or the finality of any decision or order by the Administrator under the CAIR SO₂ Trading Program.
- 51.7.c. The Administrator will not adjudicate any private legal dispute concerning the authorization or any representation, action, inaction, or submission of the CAIR authorized account representative or any alternative alternate CAIR authorized account representative for a general account, including private legal disputes concerning the proceeds of CAIR SO₂ allowance transfers.
- 51.8. <u>Delegation by CAIR authorized account representative and alternate CAIR authorized account representative.</u>
- <u>51.8.a.</u> A CAIR <u>authorized account</u> representative may delegate, to one or more natural persons, his or her authority to make an electronic <u>submission</u> to the Administrator provided for or required under sections 51 through 62.
- 51.8.b. An alternate CAIR authorized account representative may delegate, to one or more natural persons, his or her authority to make an electronic submission to the Administrator provided for or required under sections 51 through 62.
- make an electronic submission to the Administrator in accordance with subdivisions 51.8.a and 51.8.b, the CAIR authorized account

representative or alternate CAIR authorized account representative, as appropriate, must submit to the Administrator a notice of delegation, in a format prescribed by the Administrator, that includes the following elements:

- 51.8.c.1. The name, address, e-mail address, telephone number, and facsimile transmission number (if any) of such CAIR authorized account representative or alternate CAIR authorized account representative;
- 51.8.c.2. The name, address, e-mail address, telephone number, and, facsimile transmission number (if any) of each such natural person (referred to as an "agent");
- a list of the type or types of electronic submissions under subdivisions 51.8.a and 51.8.b for which authority is delegated to him or her;
- 51.8.c.4. The following certification statement by such CAIR authorized account representative or alternate CAIR authorized account representative: "I agree that any electronic submission to the Administrator that is by an agent identified in this notice of delegation and of a type listed for such agent in this notice of delegation and that is made when I am a CAIR authorized account representative or alternate CAIR authorized representative, as appropriate, and before this notice of delegation is superseded by another notice of delegation under 45CSR§41-51.8.d shall be deemed to be an electronic submission by me."; and
- 51.8.c.5. The following certification statement by such CAIR authorized account representative or alternate CAIR authorized account representative: "Until this notice of delegation is superseded by another notice of delegation under 45CSR§41-51.8.d, I agree to maintain an e-mail account and to notify the Administrator immediately of any change in my e-mail address unless all delegation of authority by me under 45CSR§41-51.8 is terminated.".
- 51.8.d. A notice of delegation submitted under subdivision 51.8.c shall be effective, with

- regard to the CAIR authorized account representative or alternate CAIR authorized account representative identified in such notice, upon receipt of such notice by the Administrator and until receipt by the Administrator of a superseding notice of delegation submitted by such CAIR authorized account representative or alternate CAIR authorized account representative, as appropriate. The superseding notice of delegation may replace any previously identified agent, add a new agent, or eliminate entirely any delegation of authority.
- 51.8.e. Any electronic submission covered by the certification in paragraph 51.8.c.4 and made in accordance with a notice of delegation effective under subdivision 51.8.d shall be deemed to be an electronic submission by the CAIR designated representative or alternate CAIR designated representative submitting such notice of delegation.
- 51.8. 51.9. Account identification. -- The Administrator will assign a unique identifying number to each account established under subsections 51.1 or 51.2.

§45-41-52. Responsibilities of CAIR Authorized Account Representative.

52.1. Following the establishment of a CAIR SO₂ Allowance Tracking System account, all submissions to the Administrator pertaining to the account, including, but not limited to, submissions concerning the deduction or transfer of CAIR SO₂ allowances in the account, will be made only by the CAIR authorized account representative for the account.

$\S45-41-53$. Recordation of CAIR SO_2 allowances.

53.1. After a compliance account is established under subsection 51.1 or 40 CFR §73.31(a) or (b), the Administrator will record in the compliance account any CAIR SO₂ allowance allocated to any CAIR SO₂ unit at the source for each of the 30 years starting the later of 2010 or the year in which the compliance account is established and any CAIR SO₂ allowance

allocated for each of the 30 years starting the later of 2010 or the year in which the compliance account is established and transferred to the source in accordance with sections 60 through 62 or Subpart D of 40 CFR Part 73.

- 53.2. In 2011 and each year thereafter, after Administrator has completed all deductions under section subsection 54.2, the Administrator will record in the compliance account any CAIR SO₂ allowance allocated to any CAIR SO₂ unit at the source for the new 30th year (i.e., the year that is 30 years after the calendar year for which such deductions are or could be made) and any CAIR SO₂ allowance allocated for the new 30th year and transferred to the source in accordance with sections 60 through 62 or Subpart D of 40 CFR Part 73.
- 53.3. After a general account is established under section subsection 51.2 or 40 CFR §73.31(c), the Administrator will record in the general account any CAIR SO₂ allowance allocated for each of the 30 years starting the later of 2010 or the year in which the general account is established and transferred to the general account in accordance with sections 60 through 62 or Subpart D of 40 CFR Part 73.
- 53.4. In 2011 and each year thereafter, after the Administrator has completed all deductions under section subsection 54.2, the Administrator will record in the general account any CAIR SO₂ allowance allocated for the new 30th year (i.e., the year that is 30 years after the calendar year for which such deductions are or could be made) and transferred to the general account in accordance with sections 60 through 62 or Subpart D of 40 CFR Part 73.
- 53.5. Serial numbers for allocated CAIR SO₂ allowances. -- When recording the allocation of CAIR SO₂ allowances issued by the Secretary under section 88, the Administrator will assign each such CAIR SO₂ allowance a unique identification number that will include digits identifying the year of the control period for which the CAIR SO₂ allowance is allocated.

§45-41-54. Compliance with CAIR SO,

emission limitation.

- 54.1. Allowance transfer deadline. -- The CAIR SO₂ allowances are available to be deducted for compliance with a source's CAIR SO₂ emission limitation for a control period in a given calendar year only if the CAIR SO₂ allowances:
- 54.1.a. Were allocated for the control period in the year or a prior year; and
- 54.1.b. Are held in the compliance account as of the allowance transfer deadline for the control period or are transferred into the compliance account by a CAIR SO₂ allowance transfer correctly submitted for recordation under section sections 60 and 61 by the allowance transfer deadline for the control period; and
- 54.1.c. Are not necessary for deduction deductions for excess emissions for a prior control period under subsection 54.4 or for deduction under 40 CFR Part 77.
- 54.2. Deductions for compliance. -- Following the recordation, in accordance with section 61, of CAIR SO₂ allowance transfers submitted for recordation in a source's compliance account by the allowance transfer deadline for a control period, the Administrator will deduct from the compliance account CAIR SO₂ allowances available under subsection 54.1 in order to determine whether the source meets the CAIR SO₂ emission limitation for the control period as follows:
- 54.2.a. For a CAIR SO₂ source subject to an Acid Rain emissions limitation, the Administrator will, in the following order:
- 54.2.a.1. Deduct the amount of CAIR SO_2 allowances, available under subsection 54.1 and not issued by the Secretary under section 88, that is required under 40 CFR §§73.35(b) and (c). If there are sufficient CAIR SO_2 allowances to complete this deduction, the deduction will be treated as satisfying the requirements of 40 CFR §§73.35(b) and (c).

- 54.2.a.2. Deduct the amount of CAIR SO₂ allowances, available under subsection 54.1 and not issued by the Secretary under section 88, that is required under 40 CFR §§73.35(d) and 77.5. If there are sufficient CAIR SO₂ allowances to complete this deduction, the deduction will be treated as satisfying the requirements of 40 CFR §§73.35(d) and 77.5.
- 54.2.a.3. Treating the CAIR SO₂ allowances deducted under paragraph 54.2.a.1 as also being deducted under this paragraph, deduct CAIR SO₂ allowances available under subsection 54.1 (including any issued by the Secretary under section 88) in order to determine whether the source meets the CAIR SO₂ emission limitation for the control period, as follows:
- 54.2.a.3.A. Until the tonnage equivalent of the CAIR SO_2 allowances deducted equals, or exceeds in accordance with subdivisions 54.3.a and 54.3.b, the number of tons of total sulfur dioxide emissions, determined in accordance with sections 70 through 76.75, from all CAIR SO_2 units at the source for the control period; or
- 54.2.a.3.B. If there are insufficient CAIR SO₂ allowances to complete the deductions in subparagraph 54.2.a.3.A, until no more CAIR SO₂ allowances available under subsection 54.1 (including any issued by the Secretary under section 88) remain in the compliance account.
- 54.2.b. For a CAIR SO₂ source not subject to an Acid Rain emissions limitation, the Administrator will deduct CAIR SO₂ allowances available under subsection 54.1 (including any issued by the Secretary under section 88) in order to determine whether the source meets the CAIR SO₂ emission limitation for the control period, as follows:
- 54.2.b.1. Until the tonnage equivalent of the CAIR SO₂ allowances deducted equals, or exceeds in accordance with subdivisions 54.3.a and 54.3.b, the number of tons of total sulfur dioxide emissions, determined in accordance with sections 70 through 76 75, from all CAIR SO₂ units at the source for the control period; or

- 54.2.b.2. If there are insufficient CAIR SO₂ allowances to complete the deductions in paragraph 54.2.b.1, until no more CAIR SO₂ allowances available under subsection 54.1 (including any issued by the Secretary under section 88) remain in the compliance account.
- 54.3. Identification of CAIR SO₂ allowances by serial number.
- 54.3.a. The CAIR authorized account representative for a source's compliance account may request that specific CAIR SO₂ allowances, identified by serial number, in the compliance account be deducted for emissions or excess emissions for a control period in accordance with subsections 54.2 or 54.4. Such request must be submitted to the Administrator by the allowance transfer deadline for the control period and include, in a format prescribed by the Administrator, the identification of the CAIR SO₂ source and the appropriate serial numbers.
- 54.3.b. First-in, first-out. -- The Administrator will deduct CAIR SO₂ allowances under subsections 54.2 or 54.4 from the source's compliance account, in the absence of an identification or in the case of a partial identification of CAIR SO₂ allowances by serial number under subdivision 54.3.a, on a first-in, first-out accounting basis in the following order:
- 54.3.b.1. Any CAIR SO₂ allowances that were allocated to the units at the source for a control period before 2010, in the order of recordation;
- 54.3.b.2. Any CAIR SO₂ allowances that were allocated to any unit entity for a control period before 2010 and transferred and recorded in the compliance account pursuant to sections 60 through 62 or Subpart D of 40 CFR Part 73, in the order of recordation;
- 54.3.b.3. Any CAIR SO₂ allowances that were allocated to the units at the source for a control period during 2010 through 2014, in the order of recordation;
 - 54.3.b.4. Any CAIR SO₂ allowances

that were allocated to any unit entity for a control period during 2010 through 2014 and transferred and recorded in the compliance account pursuant to sections 60 through 62 or Subpart D of 40 CFR Part 73, in the order of recordation;

- 54.3.b.5. Any CAIR SO₂ allowances that were allocated to the units at the source for a control period in 2015 or later, in the order of recordation; and
- 54.3.b.6. Any CAIR SO₂ allowances that were allocated to any unit entity for a control period in 2015 or later and transferred and recorded in the compliance account pursuant to sections 60 through 62 or Subpart D of 40 CFR Part 73, in the order of recordation.

54.4. Deductions for excess emissions.

- After making the deductions for compliance under subsection 54.2, for a control period in a calendar year in which the CAIR SO₂ source has excess emissions, the Administrator will deduct from the source's compliance account the tonnage equivalent in CAIR SO₂ allowances, allocated for the control period in the immediately following calendar year (including any issued by the Secretary under section 88), equal to, or exceeding in accordance with subdivisions 54.3.a and 54.3.b, three times the number of tons of the source's excess emissions the sum of the following amount: three times the number of tons of the source's excess emissions minus, if the source is subject to an Acid Rain emissions limitation, the amount of the CAIR SO, allowances required to be deducted under paragraph 54.2.a.2.
- 54.4.b. Any allowance deduction required under subdivision 54.4.a will not affect the liability of the owners and operators of the CAIR SO_2 source or the CAIR SO_2 units at the source for any fine, penalty, or assessment, or their obligation to comply with any other remedy, for the same violations, as ordered under the CAA or W.Va. Code §22-5-1 et seq.
- 54.5. Recordation of deductions. -- The Administrator will record in the appropriate

compliance account all deductions from such an account under subsections 54.2 or and 54.4, and sections 80 through 88.

54.6. Administrator's action on submissions.

- 54.6.a. The Administrator may review and conduct independent audits concerning any submission under the CAIR SO₂ Trading Program and make appropriate adjustments of the information in the submissions.
- 54.6.b. The Administrator may deduct CAIR SO₂ allowances from or transfer CAIR SO₂ allowances to a source's compliance account based on the information in the submissions, as adjusted under subdivision 54.6.a, and record such deductions and transfers.

§45-41-55. Banking.

- 55.1. CAIR SO₂ allowances may be banked for future use or transfer in a compliance account or a general account in accordance with subsection 55.2.
- 55.2. Any CAIR SO₂ allowance that is held in a compliance account or a general account will remain in such account unless and until the CAIR SO₂ allowance is deducted or transferred under sections 54, 56, or sections 60 through 62 or sections 80 through 88.

§45-41-56. Account Error.

56.1. The Administrator may, at his or her sole discretion and on his or her own motion, correct any error in any CAIR SO₂ Allowance Tracking System account. Within 10 business days of making such correction, the Administrator will notify the CAIR authorized account representative for the account.

§45-41-57. Closing of General Accounts.

57.1. The CAIR authorized account representative of a general account may submit to the Administrator a request to close the account, which must include a correctly submitted allowance transfer under section sections 60 and

- <u>61</u> for any CAIR SO₂ allowances in the account to one or more other CAIR SO₂ Allowance Tracking System accounts.
- 57.2. If a general account has no allowance transfers in or out of the account for a 12-month period or longer and does not contain any CAIR SO₂ allowances, the Administrator may notify the CAIR authorized account representative for the account that the account will be closed following 20 business days after the notice is sent. The account will be closed after the 20-day period unless, before the end of the 20-day period, the Administrator receives a correctly submitted transfer of CAIR SO₂ allowances into the account under section 60 or a statement submitted by the CAIR authorized account representative demonstrating to the satisfaction of the Administrator good cause as to why the account should not be closed.

§45-41-60. Submission of CAIR SO₂ Allowance Transfers.

- 60.1. A CAIR authorized account representative seeking recordation of a CAIR SO₂ allowance transfer will submit the transfer to the Administrator. To be considered correctly submitted, the CAIR SO₂ allowance transfer must include the following elements, in a format specified by the Administrator:
- 60.1.a. The account numbers of <u>for</u> both the transferor and transferee accounts;
- 60.1.b. The serial number of each CAIR SO₂ allowance that is in the transferor account and is to be transferred; and
- 60.1.c. The name and signature of the CAIR authorized account representative of the transferor and transferee accounts and the dates signed.
- 60.2. The CAIR authorized account representative for the transferee account can meet the requirements in subdivision 60.1.c by submitting, in a format prescribed by the Administrator, a statement signed by the CAIR authorized account representative and identifying

- each account into which any transfer of allowances, submitted on or after the date on which the Administrator receives such statement, is authorized. Such authorization will be binding on any CAIR authorized account representative for such account and will apply to all transfers into the account that are submitted on or after such date of receipt, unless and until the Administrator receives a statement signed by the CAIR authorized account representative retracting the authorization for the account.
- 60.3. The statement under subsection 60.2 will include the following: "By this signature I authorize any transfer of allowances into each account listed herein, except that I do not waive any remedies under state or federal law to obtain correction of any erroneous transfers into such accounts. This authorization will be binding on any CAIR authorized account representative for such account unless and until a statement signed by the CAIR authorized account representative retracting this authorization for the account is received by the Administrator."

§45-41-61. U.S. EPA Recordation.

- 61.1. Within 5 business days (except as necessary to perform a transfer in perpetuity of CAIR SO₂ allowances allocated to a CAIR SO₂ unit or as provided in subsection 61.2) of receiving a CAIR SO₂ allowance transfer, the Administrator will record a CAIR SO₂ allowance transfer by moving each CAIR SO₂ allowance from the transferor account to the transferee account as specified by the request, provided that:
- 61.1.a. The transfer is correctly submitted under section 60; and
- 61.1.b. The transferor account includes each CAIR SO₂ allowance identified by serial number in the transfer; and
- 61.1.c. The transfer is in accordance with the limitation on transfer under 40 CFR §§74.42 and 74.47(c), as applicable.
- 61.2. CAIR SO₂ allowance transfer that is submitted for recordation after the allowance

transfer deadline for a control period and that includes any CAIR SO₂ allowances allocated for any control period before such allowance transfer deadline will not be recorded until after the Administrator completes the deductions under section 54 for the control period immediately before such allowance transfer deadline.

61.3. Where a CAIR SO₂ allowance transfer submitted for recordation fails to meet the requirements of subsection 61.1, the Administrator will not record such transfer

§45-41-62. Notification.

- 62.1. Notification of recordation. -- Within 5 business days of recordation of a CAIR SO₂ allowance transfer under section 61, the Administrator will notify the CAIR authorized account representatives of both the transferor and transferee accounts.
- 62.2. Notification of non-recordation. -- Within 10 business days of receipt of a CAIR SO₂ allowance transfer that fails to meet the requirements of subsection 61.1, the Administrator will notify the CAIR authorized account representatives of both accounts subject to the transfer of:
- 62.2.a. A decision not to record the transfer; and
- 62.2.b. The reasons for such non-recordation.
- 62.3. Nothing in this section will preclude the submission of a CAIR SO₂ allowance transfer for recordation following notification of non-recordation.
- **§45-41-70.** General Monitoring and Reporting Requirements. -- The owners and operators, and to the extent applicable, the CAIR designated representative of a CAIR SO₂ unit, must comply with the monitoring, recordkeeping and reporting requirements as provided in sections 70 through 76 75 and Subparts F and G of 40 CFR Part 75. For purposes of complying with such requirements, the definitions in section 2 and in

- 40 CFR §72.2 will apply, and the terms "affected unit," "designated representative," and "continuous emission monitoring system" (or "CEMS") in 40 CFR Part 75 will be deemed to refer to the terms "CAIR SO₂ unit," "CAIR designated representative," and "continuous emission monitoring system" (or "CEMS") respectively, as defined in section 2. The owner or operator of a unit that is not a CAIR SO₂ unit but that is monitored under 40 CFR §75.16(b)(2) must comply with the same monitoring, recordkeeping and reporting requirements as a CAIR SO₂ unit.
- 70.1. Requirements for installation, certification and data accounting. -- The owner or operator of each CAIR SO₂ unit will:
- 70.1.a. Install all monitoring systems required under sections 70 through 76 75 for monitoring SO_2 mass emissions and individual unit heat input (including all systems required to monitor SO_2 concentration, stack gas moisture content, stack gas flow rate, CO_2 or O_2 concentration, and fuel flow rate, as applicable, in accordance with 40 CFR §§75.11 and 75.16);
- 70.1.b. Successfully complete all certification tests required under section 71 and meet all other requirements of sections 70 through 76 75 and 40 CFR Part 75 applicable to the monitoring systems under subdivision 70.1.a; and
- 70.1.c. Record, report and quality-assure the data from the monitoring systems under subdivision 70.1.a.
- 70.2. Compliance deadlines. -- The Except as provided in subsection 70.5, the owner or operator must meet the monitoring system certification and other requirements of subdivisions 70.1.a and 70.1.b on or before the following dates. The owner or operator will record, report, and quality-assure the data from the monitoring systems under subdivision 70.1.a on and after the following dates:
- 70.2.a. For the owner or operator of a CAIR SO₂ unit that commences commercial operation before July 1, 2008, by January 1, 2009;

70.2.b. For the owner or operator of a CAIR SO_2 unit that commences commercial operation on or after July 1, 2008, by the later of the following dates:

70.2.b.1. January 1, 2009; or

70.2.b.2. 90 unit operating days or 180 calendar days, whichever occurs first, after the date on which the unit commences commercial operation;

70.2.c. For the owner or operator of a CAIR SO₂ unit for which construction of a new stack or flue or installation of add-on SO₂ emission controls is completed after the applicable deadline under subdivisions 70.2.a, 70.2.b, 70.2.d or 70.2.e, by 90 unit operating days or 180 calendar days, whichever occurs first, after the date on which emissions first exit to the atmosphere through the new stack or flue or add-on SO₂ emissions controls;

70.2.d. Notwithstanding the dates in subdivisions 70.2.a and 70.2.b, for the owner or operator of a unit for which a CAIR opt-in permit application is submitted and not withdrawn and a CAIR opt-in permit is not yet issued or denied under sections 80 through 88, by the date specified in subsection 84.2; and

70.2.e. Notwithstanding the dates in subdivisions 70.2.a and 70.2.b, and solely for purposes of subdivision 6.3.b, for the owner or operator of a CAIR SO₂ opt-in unit under sections 80 through 88, by the date on which the CAIR SO₂ opt-in unit enters the CAIR SO₂ Trading Program as provided in subsection 84.7.

70.3. Reporting data.

70.3.a. Except as provided in subdivision 70.3.b, the -- The owner or operator of a CAIR SO₂ unit that does not meet the applicable compliance date set forth in subsection 70.2 for any monitoring system under subdivision 70.1.a will, for each such monitoring system, determine, record, and report maximum potential (or, as appropriate, minimum potential) values for SO₂ concentration, SO₂ emission rate (in lb/mmBtu),

stack gas flow rate, stack gas moisture content, fuel flow rate, and any other parameters required to determine SO₂ mass emissions and heat input in accordance with 40 CFR §§75.31(b)(2) or (c)(3), section 2.4 of Appendix D to 40 CFR Part 75, as applicable.

70.3.b. The owner or operator of a CAIR SO₂ unit that does not meet the applicable compliance date set forth in subdivision 70.2.c for any monitoring system under subdivision 70.1.a will, for each such monitoring system, determine, record, and report substitute data using the applicable missing data procedures in Subpart D of, or Appendix D to, 40 CFR Part 75, in lieu of the maximum potential (or, as appropriate, minimum potential) values, for a parameter if the owner or operator demonstrates that there is continuity between the data streams for that parameter before and after the construction or installation under subdivision 70.2.c.

70.4. Prohibitions.

70.4.a. No owner or operator of a CAIR SO₂ unit will use any alternative monitoring system, alternative reference method, or any other alternative to any requirement of sections 70 through $\frac{76}{75}$ without having obtained prior written approval in accordance with section 75.

70.4.b. No owner or operator of a CAIR SO₂ unit will operate the unit so as to discharge, or allow to be discharged, SO₂ emissions to the atmosphere without accounting for all such emissions in accordance with the applicable provisions of sections 70 through 76 75 and 40 CFR Part 75.

70.4.c. No owner or operator of a CAIR SO₂ unit will disrupt the continuous emission monitoring system, any portion thereof, or any other approved emission monitoring method, and thereby avoid monitoring and recording SO₂ mass emissions discharged into the atmosphere or heat input, except for periods of recertification or periods when calibration, quality assurance testing, or maintenance is performed in accordance with the applicable provisions of sections 70 through 76 75 and 40 CFR Part 75.

- 70.4.d. No owner or operator of a CAIR SO_2 unit will retire or permanently discontinue use of the continuous emission monitoring system, any component thereof, or any other approved monitoring system under sections 70 through $\frac{76}{25}$, except under any one of the following circumstances:
- 70.4.d.1. During the period that the unit is covered by an exemption under section 5 that is in effect;
- 70.4.d.2. The owner or operator is monitoring emissions from the unit with another certified monitoring system approved, in accordance with the applicable provisions of sections 70 through 76 75 and 40 CFR Part 75, by the Secretary for use at that unit that provides emission data for the same pollutant or parameter as the retired or discontinued monitoring system; or
- 70.4.d.3. The CAIR designated representative submits notification of the date of certification testing of a replacement monitoring system for the retired or discontinued monitoring system in accordance with paragraph 71.4.c.1.
- 70.5. Long-term cold storage. -- The owner or operator of a CAIR SO₂ unit is subject to the applicable provisions of 40 CFR Part 75 concerning units in long-term cold storage.

§45-41-71. Initial Certification and Recertification Procedures.

- 71.1. The owner or operator of a CAIR SO₂ unit will be exempt from the initial certification requirements of this section for a monitoring system under subdivision 70.1.a if the following conditions are met:
- 71.1.a. The monitoring system has been previously certified in accordance with 40 CFR Part 75; and
- 71.1.b. The applicable quality-assurance and quality-control requirements of 40 CFR §75.21 and Appendices B and D to 40 CFR Part 75 are fully met for the certified monitoring

- system described in subdivision 71.1.a.
- 71.2. The recertification provisions of this section will apply to a monitoring system under subdivision 70.1.a exempt from initial certification requirements under subsection 71.1.
- 71.3. If the Administrator has previously approved a petition under 40 CFR §75.16(b)(2)(ii) for apportioning the SO₂ mass emissions measured in a common stack or a petition under 40 CFR §75.66 for an alternative to a requirement in 40 CFR §§75.11 or 75.16 of 40 CFR Part 75, the CAIR designated representative will resubmit the petition to the Administrator under subsection 75.1 to determine whether the approval applies under the CAIR SO₂ Trading Program Reserved.
- 71.4. Except as provided in subsection 71.1, the owner or operator of a CAIR SO₂ unit must comply with the following initial certification and recertification procedures for a continuous monitoring system (i.e., a continuous emission monitoring system and an excepted monitoring system under Appendix D to 40 CFR Part 75) under subdivision 70.1.a. The owner or operator of a unit that qualifies to use the low mass emissions excepted monitoring methodology under 40 CFR §75.19 or that qualifies to use an alternative monitoring system under Subpart E of 40 CFR Part 75 must comply with the procedures in subsections 71.5 or 71.6, respectively.
- Requirements for initial 71.4.a. certification. -- The owner or operator will ensure that each continuous monitoring system under subdivision 70.1.a (including the automated data acquisition and handling system) successfully completes all of the initial certification testing required under 40 CFR §75.20 by the applicable deadline in subsection 70.2. In addition, whenever the owner or operator installs a monitoring system to meet the requirements of sections 70 through 76 75 in a location where no such monitoring system was previously installed, initial certification in accordance with 40 CFR §75.20 is required.
- 71.4.b. Requirements for recertification.
 -- Whenever the owner or operator makes a

replacement, modification, or change in any certified continuous emission monitoring system under subdivision 70.1.a that may significantly affect the ability of the system to accurately measure or record SO₂ mass emissions or heat input rate or to meet the quality-assurance and quality-control requirements of 40 CFR §75.21 or Appendix B to 40 CFR Part 75, the owner or operator will recertify the monitoring system in accordance with 40 CFR §75.20(b). Furthermore, whenever the owner or operator makes a replacement, modification, or change to the flue gas handling system or the unit's operation that may significantly change the stack flow or concentration profile, the owner or operator will recertify each continuous emission monitoring system whose accuracy is potentially affected by the change, in accordance with 40 CFR §75.20(b). Examples of changes to a continuous emission monitoring system that require recertification include replacement of the analyzer, complete replacement of an existing continuous emission monitoring system, or change in location or orientation of the sampling probe or site. Any fuel flowmeter system under subdivision 70.1.a is subject to the recertification requirements in 40 CFR §75.20(g)(6).

71.4.c. Approval process for initial certification and recertification. -- Paragraphs 71.4.c.1 through 71.4.c.4 apply to both initial certification and recertification of a continuous monitoring system under subdivision 70.1.a. For recertifications, replace the words "certification" and "initial certification" with the word "recertification", replace the word "certified" with the word "recertified", and follow the procedures in 40 CFR §§75.20(b)(5) and (g)(7) in lieu of the procedures in paragraph 71.4.c.5.

71.4.c.1. Notification of certification. -The CAIR designated representative will submit to the Secretary, U.S. EPA Region III, and the Administrator written notice of the dates of certification testing, in accordance with section 73.

71.4.c.2. Certification application. --The CAIR designated representative will submit to the Secretary a certification application for each monitoring system. A complete certification application must include the information specified in 40 CFR \$75.63.

71.4.c.3. Provisional certification date. -- The provisional certification date for a monitoring system will be determined in accordance with 40 CFR §75.20(a)(3). A provisionally certified monitoring system may be used under the CAIR SO₂ Trading Program for a period not to exceed 120 days after receipt by the Secretary of the complete certification application for the monitoring system under paragraph 71.4.c.2. Data measured and recorded by the provisionally certified monitoring system, in accordance with the requirements of 40 CFR Part 75, will be considered valid quality-assured data (retroactive to the date and time of provisional certification), provided that the Secretary does not invalidate the provisional certification by issuing a notice of disapproval within 120 days of the date of receipt of the complete certification application by the Secretary.

71.4.c.4. Certification application approval process. -- The Secretary will issue a written notice of approval or disapproval of the certification application to the owner or operator within 120 days of receipt of the complete certification application under paragraph 71.4.c.2. In the event the Secretary does not issue such a notice within such 120-day period, each monitoring system that meets the applicable performance requirements of 40 CFR Part 75 and is included in the certification application will be deemed certified for use under the CAIR SO₂ Trading Program.

71.4.c.4.A. Approval notice. -- If the certification application is complete and shows that each monitoring system meets the applicable performance requirements of 40 CFR Part 75, then the Secretary will issue a written notice of approval of the certification application within 120 days of receipt.

71.4.c.4.B. Incomplete application notice. -- If the certification application is not complete, then the Secretary will issue a written notice of incompleteness that sets a reasonable

date by which the CAIR designated representative must submit the additional information required to complete the certification application. If the CAIR designated representative does not comply with the notice of incompleteness by the specified date, then the Secretary may issue a notice of disapproval under subparagraph 71.4.c.4.C. The 120-day review period will not begin before receipt of a complete certification application.

71.4.c.4.C. Disapproval notice. -- If the certification application shows that any monitoring system does not meet the performance requirements of 40 CFR Part 75 or if the certification application is incomplete and the requirement for disapproval under subparagraph 71.4.c.4.B is met, then the Secretary will issue a written notice of disapproval of the certification application. Upon issuance of such notice of disapproval, the provisional certification is invalidated by the Secretary and the data measured and recorded by each uncertified monitoring system will not be considered valid quality-assured data beginning with the date and hour of provisional certification (as defined under 40 CFR §75.20(a)(3)). The owner or operator must follow the procedures for loss of certification in paragraph 71.4.c.5 for each monitoring system that is disapproved for initial certification.

71.4.c.4.D. Audit decertification. --The Secretary, or for a CAIR $NO_x SO_2$ opt-in unit or a unit for which a CAIR opt-in permit application is submitted and not withdrawn and a CAIR opt-in permit is not yet issued or denied under sections 80 through 88, the Administrator may issue a notice of disapproval of the certification status of a monitor in accordance with subsection 72.2.

71.4.c.5. Procedures for loss of certification. -- If the Secretary or the Administrator issues a notice of disapproval of a certification application under subparagraph 71.4.c.4.C or a notice of disapproval of certification status under subparagraph 71.4.c.4.D, then:

 $71.4.c.5.\Lambda$. The owner or operator will substitute the following values, for each

disapproved monitoring system, for each hour of unit operation during the period of invalid data specified under 40 CFR §§75.20(a)(4)(iii), 75.20(g)(7), or 40 CFR §75.21(e) and continuing until the applicable date and hour specified under 40 CFR §§75.20(a)(5)(i) or 75.20(g)(7):

71.4.c.5.A.1. For a disapproved SO₂ pollutant concentration monitor and disapproved flow monitor, respectively, the maximum potential concentration of SO₂ and the maximum potential flow rate, as defined in sections 2.1.1.1 and 2.1.4.1 of Appendix A to 40 CFR Part 75:

71.4.c.5.A.2. For a disapproved moisture monitoring system and disapproved diluent gas monitoring system, respectively, the minimum potential moisture percentage and either the maximum potential CO_2 concentration or the minimum potential O_2 concentration (as applicable), as defined in sections 2.1.5, 2.1.3.1, and 2.1.3.2 of Appendix A to 40 CFR Part 75; and

71.4.c.5.A.3. For a disapproved fuel flowmeter system, the maximum potential fuel flow rate, as defined in section 2.4.2.1 of Appendix D to 40 CFR Part 75.

71.4.c.5.B. The CAIR designated representative must submit a notification of certification retest dates and a new certification application in accordance with paragraphs 71.4.c.1 and 71.4.c.2; and

71.4.c.5.C. The owner or operator will repeat all certification tests or other requirements that were failed by the monitoring system, as indicated in the Secretary's notice of disapproval, no later than 30 unit operating days after the date of issuance of the notice of disapproval.

71.5. Initial certification and recertification procedures for units using the low mass emission excepted methodology under 40 CFR §75.19. -- The owner or operator of a unit qualified to use the low mass emissions (LME) excepted methodology under 40 CFR §75.19 will meet the applicable certification and recertification requirements in 40 CFR §§75.19(a)(2) and

75.20(h). If the owner or operator of such a unit elects to certify a fuel flowmeter system for heat input determination, the owner or operator will also meet the certification and recertification requirements in 40 CFR §75.20(g).

71.6. Certification and recertification procedures for alternative monitoring systems. -- The CAIR designated representative of each unit for which the owner or operator intends to use an alternative monitoring system approved by the Administrator and, if applicable, the Secretary under Subpart E of 40 CFR Part 75 must comply with the applicable notification and application procedures of 40 CFR §75.20(f).

§45-41-72. Out of Control Periods.

- 72.1. Whenever any monitoring system fails to meet the quality-assurance and quality-control requirements or data validation requirements of 40 CFR Part 75, data must be substituted using the applicable missing data procedures in Subpart D of, or Appendix D to 40 CFR Part 75.
- 72.2. Audit decertification. -- Whenever both an audit of a monitoring system and a review of the initial certification or recertification application reveal that any monitoring system should not have been certified or recertified because it did not meet a particular performance specification or other requirement under section 71 or the applicable provisions of 40 CFR Part 75, both at the time of the initial certification or recertification application submission and at the time of the audit, the Secretary, or for a CAIR $\frac{NO_{\star}}{NO_{\star}}$ opt-in unit or a unit for which a CAIR opt-in permit application is submitted and not withdrawn and a CAIR opt-in permit is not vet issued or denied under sections 80 through 88, the Administrator will issue a notice of disapproval of the certification status of such monitoring system. For the purposes of this subsection, an audit will be either a field audit or an audit of any information submitted to the Secretary or the Administrator. By issuing the notice of disapproval, the Secretary or the Administrator revokes prospectively the certification status of the monitoring system. The data measured and recorded by the monitoring system will not be

considered valid quality-assured data from the date of issuance of the notification of the revoked certification status until the date and time that the owner or operator completes subsequently approved initial certification or recertification tests for the monitoring system. The owner or operator must follow the applicable initial certification or recertification procedures in section 71 for each disapproved monitoring system.

§45-41-73. Notifications.

73.1. The CAIR designated representative for a CAIR SO₂ unit will submit written notice to the Secretary and the Administrator in accordance with 40 CFR §75.61, except that if the unit is not subject to an Acid Rain emissions limitation, the notification is only required to be sent to the Secretary.

§45-41-74. Recordkeeping and Reporting.

- 74.1. General provisions. -- The CAIR designated representative must comply with all recordkeeping and reporting requirements under this section, the applicable recordkeeping and reporting requirements in Subparts F and G of 40 CFR Part 75, and the requirements of subsection 10.5.
- 74.2. Monitoring plans. The owner or operator of a CAIR SO₂ unit must comply with the requirements of 40 CFR §75.62 and, for a unit for which a CAIR opt-in permit application is submitted and not withdrawn and a CAIR opt-in permit is not yet issued or denied under sections 80 through 88, the requirements of section 83 and subsection 84.1.
- 74.3. Certification applications. -- The CAIR designated representative must submit an application to the Secretary within 45 days after completing all initial certification or recertification tests required under section 71, including the information required under 40 CFR §75.63.
- 74.4. Quarterly reports. -- The CAIR designated representative must submit quarterly

reports, as follows:

- 74.4.a. The CAIR designated representative will report the SO₂ mass emissions data and heat input data for the CAIR SO₂ unit, in an electronic quarterly report in a format prescribed by the Administrator, for each calendar quarter beginning with:
- 74.4.a.1. For a unit that commences commercial operation before July 1, 2008, the calendar quarter covering January 1, 2009 through March 31, 2009; or
- 74.4.a.2. For a unit that commences commercial operation on or after July 1, 2008, the calendar quarter corresponding to the earlier of the date of provisional certification or the applicable deadline for initial certification under subsection 70.2, unless that quarter is the third or fourth quarter of 2008, in which case reporting will commence in the quarter covering January 1, 2009 through March 31, 2009;
- 74.4.a.3. Notwithstanding paragraphs 74.4.a.1 and 74.4.a.2, for a unit for which a CAIR opt-in permit application is submitted and not withdrawn and a CAIR opt-in permit is not yet issued or denied under sections 80 though 88, the calendar quarter corresponding to the date specified in subsection 84.2; and
- 74.4.a.4. Notwithstanding paragraphs 74.4.a.1 and 74.4.a.2, for a CAIR SO₂ opt-in unit under sections 80 though 88, the calendar quarter corresponding to the date on which the CAIR SO₂ opt-in unit enters the CAIR SO₂ Trading Program as provided in subsection 84.7.
- 74.4.b. The CAIR designated representative will submit each quarterly report to the Administrator within 30 days following the end of the calendar quarter covered by the report. Quarterly reports must be submitted in the manner specified in 40 CFR §75.64; and
- 74.4.c. For CAIR SO₂ units that are also subject to an Acid Rain emissions limitation or the CAIR NO_x Ozone Scason Trading Program, or CAIR NO_x Annual Trading Program, or Hg

- Budget Trading Program, quarterly reports will include the applicable data and information required by Subparts F through H I of 40 CFR Part 75 as applicable, in addition to the SO_2 mass emission data, heat input data, and other information required by sections 70 through $\frac{76}{75}$.
- 74.5. Compliance certification. -- The CAIR designated representative will submit to the Administrator a compliance certification (in a format prescribed by the Administrator) in support of each quarterly report based on reasonable inquiry of those persons with primary responsibility for ensuring that all of the unit's emissions are correctly and fully monitored. The certification must state that:
- 74.5.a. The monitoring data submitted were recorded in accordance with the applicable requirements of sections 70 through 76 75 and 40 CFR Part 75, including the quality assurance procedures and specifications; and
- 74.5.b. For a unit with add-on SO_2 emission controls and for all hours where SO_2 data are substituted in accordance with 40 CI^rR §75.34(a)(1), the add-on emission controls were operating within the range of parameters listed in the quality assurance and quality control program under Appendix B to 40 CFR Part 75 and the substitute data values do not systematically underestimate SO_2 emissions.

§45-41-75. Petitions.

- 75.1. The CAIR designated representative of a CAIR SO_2 unit that is subject to an Acid Rain emissions limitation may submit a petition under 40 CFR §75.66 to the Administrator requesting approval to apply an alternative to any requirement of sections 70 through $\frac{76}{75}$. Application of an alternative to any requirement of sections 70 through $\frac{76}{75}$ is in accordance with sections 70 through $\frac{76}{75}$ only to the extent that the petition is approved in writing by the Administrator, in consultation with the Secretary.
- 75.2. The CAIR designated representative of a CAIR SO₂ unit that is not subject to an Acid

Rain emissions limitation may submit a petition under 40 CFR §75.66 to the Secretary and the Administrator requesting approval to apply an alternative to any requirement of sections 70 through 76 75. Application of an alternative to any requirement of sections 70 through 76 75 is in accordance with sections 70 through 76 75 only to the extent that the petition is approved in writing by both the Secretary and the Administrator.

§45-41-76. Additional Requirements to Provide Heat Input Data.

76.1. The owner or operator of a CAIR SO₂ unit that monitors and reports SO₂ mass emissions using a SO₂-concentration system and a flow monitoring system will also monitor and report heat input rate at the unit level using the procedures set forth in 40 CFR Part 75 Reserved.

§45-41-80. CAIR SO₂ Opt-In Unit Applicability. -- A CAIR SO₂ opt-in unit must be a unit that:

- 80.1. Is located in West Virginia;
- 80.2. Is not a CAIR SO₂ unit under section 4 and is not covered by a retired unit exemption under section 5 that is in effect;
- 80.3. Is not covered by a retired unit exemption under 40 CFR §72.8 that is in effect and is not an opt-in source under 40 CFR Part 74;
- 80.4. Has or is required or qualified to have a Title V operating permit or other federally enforceable permit; and
- 80.5. Vents all of its emissions to a stack and can meet the monitoring, recordkeeping, and reporting requirements of sections 70 through 76.

§45-41-81. Opt-in General Requirements.

81.1. Except as otherwise provided in sections 1 through 4, sections 6 through 8, sections 10 through 14, sections 20 through 24 and sections 50 through 76 75, a CAIR SO₂ opt-in unit will be treated as a CAIR SO₂ unit for purposes of

applying such sections.

81.2. Solely for purposes of applying, as provided in sections 80 through 88, the requirements of sections 70 through 76 75 to a unit for which a CAIR opt-in permit application is submitted and not withdrawn and a CAIR opt-in permit is not yet issued or denied under sections 80 through 88, such unit will be treated as a CAIR SO_2 unit before issuance of a CAIR opt-in permit for such unit.

§45-41-82. CAIR Designated Representative.

82.1. Any CAIR SO₂ opt-in unit, and any unit for which a CAIR opt-in permit application is submitted and not withdrawn and a CAIR opt-in permit is not yet issued or denied under sections 80 through 88, located at the same source as one or more CAIR SO₂ units will have the same CAIR designated representative and alternate CAIR designated representative as such CAIR SO₂ units.

§45-41-83. Applying for CAIR Opt-in Permit.

- 83.1. Applying for initial CAIR opt-in permit.

 -- The CAIR designated representative of a unit meeting the requirements for a CAIR SO₂ opt-in unit in section 80 may apply for an initial CAIR opt-in permit at any time, except as provided under subsections 86.6 and 86.7, and, in order to apply, must submit to the Secretary the following:
- 83.1.a. A complete CAIR permit application under section 22;
- 83.1.b. A certification, in a format specified by the Secretary, that the unit:
- 83.1.b.1. Is not a CAIR SO_2 unit under section 4 and is not covered by a retired unit exemption under section 5 that is in effect;
- 83.1.b.2. Is not covered by a retired unit exemption under 40 CFR §72.8 that is in effect;
- 83.1.b.3. Is not and, so long as the unit is a CAIR \underline{SO}_2 opt-in unit, will not become, an opt-in source under 40 CFR Part 74;

- 83.1.b.4. Vents all of its emissions to a stack; and
- 83.1.b.5. Has documented heat input for more than 876 hours during the 6 months immediately preceding submission of the CAIR permit application under section 22;
- 83.1.c. A monitoring plan in accordance with section 70 through 76 75;
- 83.1.d. A complete certificate of representation under section 13 consistent with section 82, if no CAIR designated representative has been previously designated for the source that includes the unit; and
- 83.1.e. A statement, in a format specified by the Secretary, whether the CAIR designated representative requests that the unit be allocated CAIR SO₂ allowances under subsection subsections 88.2 or 88.3 (subject to the conditions in subsections 84.8 and 86.7). If an allocation under subsection 88.3 is requested, this statement shall include a statement that the owners and operators of the unit intend to repower the unit before January 1, 2015 and that they will provide, upon request, documentation demonstrating such intent.

83.2. Duty to reapply.

- 83.2.a. The CAIR designated representative of a CAIR SO₂ opt-in unit must submit a complete CAIR permit application under section 22 to renew the CAIR opt-in unit permit in accordance with 45CSR30 or any other applicable rule, addressing permit renewal.
- 83.2.b. Unless the Secretary issues a notification of acceptance of withdrawal of the CAIR SO₂ opt-in unit from the CAIR SO₂ Trading Program in accordance with section 86 or the unit becomes a CAIR SO₂ unit under section 4, the CAIR SO₂ opt-in unit will remain subject to the requirements for a CAIR SO₂ opt-in unit, even if the CAIR designated representative for the CAIR SO₂ opt-in unit fails to submit a CAIR permit application that is required for renewal of the CAIR opt-in permit under subdivision 83.2.a.

- §45-41-84. Opt-in Process. The Secretary will issue or deny a CAIR opt-in permit for a unit for which an initial application for a CAIR opt-in permit under section 83 is submitted in accordance with this section: the following:
- 84.1. Interim review of monitoring plan. -The Secretary and the Administrator will
 determine, on an interim basis, the sufficiency of
 the monitoring plan accompanying the initial
 application for a CAIR opt-in permit under section
 83. A monitoring plan is sufficient, for purposes
 of interim review, if the plan appears to contain
 information demonstrating that the SO₂ emission
 rate and heat input of the unit and all other
 applicable parameters are monitored and reported
 in accordance with sections 70 through 76 75. A
 determination of sufficiency will not be construed
 as acceptance or approval of the monitoring plan.

84.2. Monitoring and reporting.

- 84.2.a. If the Secretary and the Administrator determine that the monitoring plan is sufficient under subsection 84.1, the owner or operator must monitor and report the SO₂ emission rate and the heat input of the unit and all other applicable parameters, in accordance with sections 70 through 76 75, starting on the date of certification of the appropriate monitoring systems under sections 70 through 76 75 and continuing until a CAIR opt-in permit is denied under subsection 84.6 or, if a CAIR opt-in permit is issued, the date and time when the unit is withdrawn from the CAIR SO₂ Trading Program in accordance with section 86.
- 84.2.b. The monitoring and reporting under subdivision 84.2.a must include the entire control period immediately before the date on which the unit enters the CAIR SO_2 Trading Program under subsection 84.7, during which period monitoring system availability must not be less than 90 percent under sections 70 through 76 and the unit must be in full compliance with any applicable state or federal emissions or emissions-related requirements.
- 84.2.c. To the extent the SO_2 emission rate and the heat input of the unit are monitored

and reported in accordance with sections 70 through 76 75 for one or more control periods, in addition to the control period under subdivision 84.2.b, during which control periods monitoring system availability is not less than 90 percent under sections 70 through 76 75 and the unit is in full compliance with any applicable state or federal emissions or emissions-related requirements and which control periods begin not more than 3 years before the unit enters the CAIR SO₂ Trading Program under subsection 84.7, such information will be used as provided in subsections 84.3 and 84.4.

- 84.3. Baseline heat input. -- The unit's baseline heat input will equal:
- 84.3.a. If the unit's SO₂ emission rate and heat input are monitored and reported for only one control period, in accordance with subdivisions 84.2.a and 84.2.b, the unit's total heat input (in mmBtu) for the control period; or
- 84.3.b. If the unit's SO₂ emission rate and heat input are monitored and reported for more than one control period, in accordance with subdivisions 84.2.a, 84.2.b and 84.2.c, the average of the amounts of the unit's total heat input (in mmBtu) for the control period under subdivision 84.2.b and for the control periods under subdivision subdivisions 84.2.b and 84.2.c.
- 84.4. Baseline SO₂ emission rate. -- The unit's baseline SO₂ emission rate will equal:
- 84.4.a. If the unit's SO₂ emission rate and heat input are monitored and reported for only one control period, in accordance with subdivisions 84.2.a and 84.2.b, the unit's SO₂ emission rate (in lb/mmBtu) for the control period;
- 84.4.b. If the unit's SO₂ emission rate and heat input are monitored and reported for more than one control period, in accordance with subdivisions 84.2.a, 84.2.b and 84.2.c, and the unit does not have add-on SO₂ emission controls during any such control periods, the average of the amounts of the unit's SO₂ emission rate (in lb/mmBtu) for the control period under subdivision 84.2.b and the control periods under

subdivision subdivisions 84.2.b and 84.2.c; or

- 84.4.c. If the unit's SO₂ emission rate and heat input are monitored and reported for more than one control period, in accordance with subdivisions 84.2.a, 84.2.b and 84.2.c, and the unit has add-on SO₂ emission controls during any such control periods, the average of the amounts of the unit's SO₂ emission rate (in lb/mmBtu) for such control period periods during which the unit has add-on SO₂ emission controls.
- 84.5. Issuance of CAIR opt-in permit. -- After calculating the baseline heat input and the baseline SO₂ emission rate for the unit under subsections 84.3 and 84.4, and if the Secretary determines that the CAIR designated representative shows that the unit meets the requirements for a CAIR SO₂ opt-in unit in section 80 and meets the elements certified in subdivision 83.1.b, the Secretary will issue a CAIR opt-in permit. The Secretary will provide a copy of the CAIR opt-in permit to the Administrator, who will then establish a compliance account for the source that includes the CAIR SO₂ opt-in unit unless the source already has a compliance account.
- 84.6. Issuance of denial of CAIR opt-in permit. -- Notwithstanding subsections 84.1 through 84.5, if at any time before issuance of a CAIR opt-in permit for the unit, the Sccretary determines that the CAIR designated representative fails to show that the unit meets the requirements for a CAIR SO₂ opt-in unit in section 80 or meets the elements certified in subdivision 83.1.b, the Secretary will issue a denial of a CAIR SO₂ opt-in permit for the unit.
- 84.7. Date of entry into CAIR SO₂ Trading Program. -- A unit for which an initial CAIR optin permit is issued by the Secretary will become a CAIR SO₂ opt-in unit, and a CAIR SO₂ unit, as of the later of January 1, 2010 or January 1 of the first control period during which such CAIR optin permit is issued.
 - 84.8. Repowered CAIR SO₂ opt-in unit.
 - 84.8.a. If the CAIR designated

representative requests, and the Secretary issues a CAIR opt-in permit providing for, allocation to a CAIR SO₂ opt-in unit of CAIR SO₂ allowances under subsection 88.3 and such unit is repowered after its date of entry into the CAIR SO₂ Trading Program under subsection 84.7, the repowered unit will be treated as a CAIR SO₂ opt-in unit replacing the original CAIR SO₂ opt-in unit, as of the date of start-up of the repowered unit's combustion chamber.

84.8.b. Notwithstanding subsections 84.3 and 84.4, as of the date of start-up under subdivision 84.8.a, the repowered unit will be deemed to have the same date of commencement of operation, date of commencement of commercial operation, baseline heat input, and baseline SO₂ emission rate as the original CAIR SO₂ opt-in unit will no longer be treated as a CAIR SO₂ opt-in unit or a CAIR SO₂ unit.

§45-41-85. CAIR Opt-in Permit Contents.

- 85.1. Each CAIR opt-in permit must contain:
- 85.1.a. All elements required for a complete CAIR permit application under section 22;
- 85.1.b. The certification in subdivision 83.1.b;
- 85.1.c. The unit's baseline heat input under subsection 84.3;
- 85.1.d. The unit's baseline SO₂ emission rate under subsection 84.4;
- 85.1.c. A statement whether the unit is to be allocated CAIR SO₂ allowances under subsection subsections 88.2 or 88.3 (subject to the conditions in subsections 84.8 and 86.7);
- 85.1.f. A statement that the unit may withdraw from the CAIR SO₂ Trading Program only in accordance with section 86; and
- 85.1.g. A statement that the unit is subject to, and the owners and operators of the

unit must comply with, the requirements of section 87.

- 85.2. Each CAIR opt-in permit is deemed to incorporate automatically the definitions of terms under section 2 and, upon recordation by the Administrator under sections 51 through 57, or sections 60 through 62, or sections 80 through 88, every allocation, transfer, or deduction of CAIR SO₂ allowances to or from the compliance account of the source that includes a CAIR SO₂ opt-in unit covered by the CAIR opt-in permit.
- 85.3. The CAIR opt-in permit shall be included, in a format specified by the Secretary, in the CAIR permit for the source where the CAIR SO₂ opt-in unit is located and in a Title V operating permit or other federally enforceable permit for the source.
- §45-41-86. Withdrawal from CAIR SO₂ Trading Program. -- Except as provided under subsection 86.7, a CAIR SO₂ opt-in unit may withdraw from the CAIR SO₂ Trading Program, but only if the Secretary issues a notification to the CAIR designated representative of the CAIR SO₂ opt-in unit of the acceptance of the withdrawal of the CAIR SO₂ opt-in unit in accordance with subsection 86.4.
- 86.1. Requesting withdrawal. -- In order to withdraw a CAIR <u>SO</u>₂ opt-in unit from the CAIR SO₂ Trading Program, the CAIR designated representative of the CAIR SO₂ opt-in unit must submit to the Secretary a request to withdraw effective as of midnight of December 31 of a specified calendar year, which date must be at least 4 years after December 31 of the year of entry into the CAIR SO₂ Trading Program under subsection 84.7. The request must be submitted no later than 90 days before the requested effective date of withdrawal.
- 86.2. Conditions for withdrawal. -- Before a CAIR SO₂ opt-in unit covered by a request under subsection 86.1 may withdraw from the CAIR SO₂ Trading Program and the CAIR opt-in permit may be terminated under subsection 86.5, the following conditions must be met:

- 86.2.a. For the control period ending on the date on which the withdrawal is to be effective, the source that includes the CAIR SO_2 opt-in unit must meet the requirement to hold CAIR SO_2 allowances under subsection 6.3 and cannot have any excess emissions; and
- 86.2.b. After the requirement for withdrawal under subdivision 86.2.a is met, the Administrator will deduct from the compliance account of the source that includes the CAIR SO₂ opt-in unit CAIR SO₂ allowances equal in number amount to and allocated for the same or a prior control period as any CAIR SO, allowances allocated to the CAIR SO₂ opt-in unit under section 88 for any control period for which the withdrawal is to be effective. If there are no remaining CAIR SO₂ units at the source, the Administrator will close the compliance account, and the owners and operators of the CAIR SO, opt-in unit may submit a CAIR SO₂ allowance transfer for any remaining CAIR SO₂ allowances to another CAIR SO₂ Allowance Tracking System account in accordance with sections 60 through 62.

86.3. Notification.

- 86.3.a. After the requirements for withdrawal under subsections 86.1 and 86.2 are met (including deduction of the full amount of CAIR SO₂ allowances required), the Secretary will issue a notification to the CAIR designated representative of the CAIR SO₂ opt-in unit of the acceptance of the withdrawal of the CAIR SO₂ opt-in unit as of midnight on December 31 of the calendar year for which the withdrawal was requested.
- 86.3.b. If the requirements for withdrawal under subsections 86.1 and 86.2 are not met, the Secretary will issue a notification to the CAIR designated representative of the CAIR SO₂ opt-in unit that the CAIR SO₂ opt-in unit's request to withdraw is denied. Such CAIR SO₂ opt-in unit will continue to be a CAIR SO₂ opt-in unit.
- 86.4. Permit amendment. -- After the Secretary issues a notification under subdivision

- 86.3.a that the requirements for withdrawal have been met, the Secretary will revise the CAIR permit covering the CAIR SO₂ opt-in unit to terminate the CAIR opt-in permit for such unit as of the effective date specified under subdivision 86.3.a. The unit will continue to be a CAIR SO₂ opt-in unit until the effective date of the termination and will comply with all requirements under the CAIR SO₂ Trading Program concerning any control periods for which the unit is a CAIR SO₂ opt-in unit, even if such requirements arise or must be complied with after the withdrawal takes effect.
- 86.5. Reapplication upon failure to meet conditions of withdrawal. -- If the Secretary denies the CAIR SO₂ opt-in unit's request to withdraw, the CAIR designated representative may submit another request to withdraw in accordance with subsections 86.1 and 86.2.
- 86.6. Ability to reapply to the CAIR SO_2 Trading Program. -- Once a CAIR SO_2 opt-in unit withdraws from the CAIR SO_2 Trading Program and its CAIR opt-in permit is terminated under subsection 86.4, the CAIR designated representative may not submit another application for a CAIR opt-in permit under section 83 for such CAIR SO_2 opt-in unit before the date that is four years after the date on which the withdrawal became effective. Such new application for a CAIR opt-in permit will be treated as an initial application for a CAIR opt-in permit under section 84.
- 86.7. In a bility to with draw. --Notwithstanding subsections 86.1 through 86.6, a CAIR SO₂ opt-in unit will not be eligible to withdraw from the CAIR SO₂ Trading Program if the CAIR designated representative of the CAIR SO₂ opt-in unit requests, and the Secretary issues a CAIR SO₂ opt-in permit providing for, allocation to the CAIR SO₂ opt-in unit of CAIR SO₃ allowances under subsection 88.3.

§45-41-87. Change in Regulatory Status.

87.1. Notification. — If a CAIR SO₂ opt-in unit becomes a CAIR SO₂ unit under section 4, then the CAIR designated representative will

provide written notification to notify in writing the Secretary and the Administrator of such change in the CAIR SO₂ opt-in unit's regulatory status, within 30 days of such change.

87.2. Secretary's and Administrator's actions.

- 87.2.a. If a CAIR SO_2 opt-in unit becomes a CAIR SO_2 unit under section 4, the Secretary will revise the CAIR SO_2 opt-in unit's CAIR opt-in permit to meet the requirements of a CAIR permit under section 23, and remove the CAIR opt-in permit provisions, as of the date on which the CAIR SO_2 opt-in unit becomes a CAIR SO_2 unit under section 4.
- 87.2.b. The Administrator will deduct from the compliance account of the source that includes a the CAIR SO₂ opt-in unit that becomes a CAIR SO₂ unit under section 4, CAIR SO₂ allowances equal in number amount to and allocated for the same or a prior control period as:
- 87.2.b.1. Any CAIR SO_2 allowances allocated to the CAIR SO_2 opt-in unit under section 88 for any control period after the date on which the CAIR SO_2 opt-in unit becomes a CAIR SO_2 unit under section 4; and
- 87.2.b.2. If the date on which the CAIR SO₂ opt-in unit becomes a CAIR SO₂ unit under section 4 is not December 31, the CAIR SO₂ allowances allocated to the CAIR SO₂ opt-in unit under section 88 for the control period that includes the date on which the CAIR SO₂ opt-in unit becomes a CAIR SO₂ unit under section 4, multiplied by the ratio of the number of days, in the control period, starting with the date on which the CAIR SO₂ opt-in unit becomes a CAIR SO₂ unit under section 4 divided by the total number of days in the control period and rounded to the nearest whole allowance as appropriate.
- 87.2.c. The CAIR designated representative must ensure that the compliance account of the source that includes the CAIR SO_2 opt-in unit that becomes a CAIR SO_2 unit under section 4 contains the CAIR SO_2 allowances necessary for completion of the deduction under subdivision 87.2.b.

- -87.2.d. For every control period after the date on which a CAIR SO₂ opt-in unit becomes a CAIR SO₂ unit under section 4, the CAIR SO₂ opt-in unit will be treated, solely for purposes of CAIR SO₂ allowance allocations under section 42, as a unit that commences operation on the date on which the CAIR SO₂ opt-in unit becomes a CAIR SO₂ unit under section 4 and will be allocated CAIR SO₂ allowances under section 42.
- 87.2.e. Notwithstanding subdivision 87.2.d, if the date on which the CAIR SO₂ opt-in unit becomes a CAIR SO₂ unit under section 4 is not January 1; the following number of CAIR SO₂ allowances will be allocated to the CAIR SO₂ opt-in unit (as a CAIR SO₂ unit) under section 42 for the control period that includes the date on which the CAIR SO₂ opt-in unit becomes a CAIR SO₂ unit under section 4:
- 87.2.e.1. The number of CAIR SO₂ allowances otherwise allocated to the CAIR SO₂ opt-in unit (as a CAIR SO₂ unit) under section 42 for the control period multiplied by;
- 87.2.e.2. The ratio of the number of days, in the control period, starting with the date on which the CAIR SO₂ opt-in unit becomes a CAIR SO₂ unit under section 4, divided by the total number of days in the control period; and
- 87:2.e.3. Rounded to the nearest whole allowance as appropriate.

§45-41-88. CAIR SO₂ Allowance Allocations to <u>CAIR SO</u>₂ Opt-in Units.

88.1. Timing requirements.

- 88.1.a. When the CAIR opt-in permit is issued under subsection 84.5, the Secretary will allocate CAIR SO₂ allowances to the CAIR SO₂ opt-in unit, and submit to the Administrator the allocation for the control period in which a CAIR SO₂ opt-in unit enters the CAIR SO₂ Trading Program under subsection 84.7, in accordance with subsections 88.2 or 88.3.
- 88.1.b. By no later than October 31 of the control period in which a CAIR SO₂ opt-in unit

- enters the CAIR SO₂ Trading Program under subsection 84.7; and October 31 of each year thereafter, the Secretary will allocate CAIR SO₂ allowances to the CAIR SO₂ opt-in unit, and submit to the Administrator the allocation for the control period that includes such submission deadline and in which the unit is a CAIR SO₂ opt-in unit, in accordance with subsections subsection 88.2 or 88.3.
- 88.2. Calculation of allocation. -- For each control period for which a CAIR SO₂ opt-in unit is to be allocated CAIR SO₂ allowances, the Secretary will allocate in accordance with the following procedures:
- 88.2.a. The heat input (in mmBtu) used for calculating the CAIR SO₂ allowance allocation will be the lesser of:
- 88.2.a.1. The CAIR SO₂ opt-in unit's baseline heat input determined under subsection 84.3; or
- 88.2.a.2. The CAIR SO_2 opt-in unit's heat input, as determined in accordance with sections 70 through 76 75, for the immediately prior control period, except when the allocation is being calculated for the control period in which the CAIR SO_2 opt-in unit enters the CAIR SO_2 Trading Program under subsection 84.7;
- 88.2.b. The SO_2 emission rate (in lb/mmBtu) used for calculating CAIR SO_2 allowance allocations will be the lesser of:
- 88.2.b.1. The CAIR SO_2 opt-in unit's baseline SO_2 emission rate determined under subsection 84.4 and multiplied by 70 percent 0.70 (70 percent); or
- 88.2.b.2. The most stringent state or federal SO_2 emission limitation applicable to the CAIR SO_2 opt-in unit at any time during the control period for which CAIR SO_2 allowances are to be allocated; and
- 88.2.c. The Secretary will allocate CAIR SO₂ allowances to the CAIR SO₂ opt-in unit with a tonnage equivalent equal to, or less than by the

- smallest <u>possible</u> amount, the heat input under subdivision 88.2.a, multiplied by the SO₂ emission rate under subdivision 88.2.b, divided by 2,000 lb/ton.
- 88.3. Allocation to repowered units. -Notwithstanding subsection 88.2, and if the CAIR
 designated representative requests, and the
 Secretary issues a CAIR opt-in permit providing
 for, allocation to a CAIR SO₂ opt-in unit of CAIR
 SO₂ allowances under this subsection (subject to
 the conditions in subsections 84.8 and 86.7), the
 Secretary will allocate to the CAIR SO₂ opt-in
 unit as follows:
- 88.3.a. For each control period in 2010 through 2014 for which the CAIR SO_2 opt-in unit is to be allocated CAIR SO_2 allowances, the heat input (in mmBtu) used for calculating CAIR SO_2 allowance allocations will be determined as described in subdivision 88.2.a. The SO_2 emission rate (in lb/mmBtu) used for calculating CAIR SO_2 allowance allocations will be the lesser of:
- 88.3.a.1. The CAIR SO₂ opt-in unit's baseline SO₂ emission rate determined under subsection 84.4; or
- 88.3.a.2. The most stringent state or federal SO₂ emission limitation applicable to the CAIR SO₂ opt-in unit at any time during the control period in which the CAIR SO₂ opt-in unit enters the CAIR SO₂ Trading Program under subsection 84.7;
- 88.3.b. The Secretary will allocate CAIR SO₂ allowances to the CAIR SO₂ opt-in unit with a tonnage equivalent equal to, or less than by the smallest <u>possible</u> amount, the heat input under subdivision 88.3.a, multiplied by the SO₂ emission rate under subdivision 88.3.a, divided by 2,000 lb/ton;
- 88.3.c. For each control period in 2015 and thereafter for which the CAIR SO₂ opt-in unit is to be allocated CAIR SO₂ allowances, the heat input (in mmBtu) used for calculating the CAIR SO₂ allowance allocations will be determined as described in subdivision 88.2.a. The SO₂ emission rate (in lb/mmBtu) used for calculating the CAIR

SO₂ allowance allocation will be the lesser of:

- 88.3.c.1. The CAIR SO₂ opt-in unit's baseline SO₂ emission rate determined under subsection 84.4 multiplied by 0.10 (10 percent); or
- 88.3.c.2. The most stringent state or federal SO_2 emission limitation applicable to the CAIR SO_2 opt-in unit at any time during the control period for which CAIR SO_2 allowances are to be allocated; and
- 88.3.d. The Secretary will allocate CAIR SO₂ allowances to the CAIR SO₂ opt-in unit with a tonnage equivalent equal to, or less than by the smallest <u>possible</u> amount, the heat input under subdivision 88.3.c, multiplied by the SO₂ emission rate under subdivision 88.3.c, divided by 2,000 lb/ton.

88.4. Recordation.

- 88.4.a. The Administrator will record, in the compliance account of the source that includes the CAIR SO_2 opt-in unit, the CAIR SO_2 allowances allocated by the Secretary to the CAIR SO_2 opt-in unit under subdivision 88.1.a.
- 88.4.b. By December 1 of the control period in which a CAIR SO₂ opt-in unit enters the CAIR SO₂ Trading Program under subsection 84.7, and December 1 of each year thereafter, the Administrator will record, in the compliance account of the source that includes the CAIR SO₂ opt-in unit, the CAIR SO₂ allowances allocated by the Secretary to the CAIR SO₂ opt-in unit under subdivision 88.1.b.

§45-41-90. Inconsistency Between Rules.

90.1. In the event of any inconsistency between this rule and any other rule of the West Virginia Department of Environmental Protection, such the inconsistency will be resolved by the determination of the Secretary and such the determination will be based upon the application of the more stringent provision, term, condition, method or rule.