

FILED

1986 JAN -6 PM 3:56

NOTICE OF APPROVAL AND ADOPTION

BY: State Water Resources Board

EMERGENCY LEGISLATIVE RULE:

West Virginia Administrative Rules
State Water Resources Board
Chapter §20-5A (1985)
Series IX, Underground Injection Control (UIC) Rules

The attached amendments to the abovetitled Legislative rule constitutes the official emergency rule approved and adopted by the State Water Resources Board on the 9th day of December 1985 and filed pursuant to law in the Office of the Secretary of State, State of West Virginia.

Entered

John C. Ailes

John C. Ailes, Chairman

EMERGENCY
Water Resources Board
Leg. Rule, 20-5
Series IX

FACTS AND CIRCUMSTANCES

Series IX, Underground Injection Control Program, was changed to reflect the new Secretary of State's required format for legislative rules and contains one EPA requested modification in Section 13.1.b which will facilitate the assumption of this program by the State. If this federally requested change is not timely made EPA's approval of the transfer of this program to West Virginia will be delayed.

FILED

1986 JAN -6 PM 3:56

REGISTRATION OF CLERK

EMERGENCY
WEST VIRGINIA LEGISLATIVE RULES
STATE WATER RESOURCES BOARD
Chapter 20-5
Series IX
(1985)

Mailing Address: State Water Resources Board
1205 Greenbrier Street
Charleston, W. Va. 25311

Office Location: 1260 Greenbrier Street
Charleston, W. Va. 25311

Phone: (304) 348-4002

EMERGENCY
WEST VIRGINIA LEGISLATIVE RULES
Chapter 20-5
Series IX
(1985)

TITLE: Rules for the West Virginia Underground Injection Control Program

INDEX		Page
Section 1.	General	1
1.1	Scope	1
1.2	Authority	2
1.3	Filing Date	2
1.4	Effective Date	2
1.5	Repeal of Former Rule	2
Section 2.	Definitions	2-8
Section 3.	Criteria for Exempted Aquifer Status	8-9
Section 4.	Classes of Wells	9
4.1	Class I	9
4.2	Class II	9-10
4.3	Class III	10
4.5	Class IV	10
4.6	Class V	10-12
Section 5.	Area of Review	12
5.1	Area of Review	12
5.2	Area of Review	12
5.3	Zone of Endangering Influence	12-14
Section 6.	Corrective Action and Mechanical Integrity	14
6.1	Corrective Action	14
6.2	Mechanical Integrity	14-15
Section 7.	Requirements for Wells Injecting Hazardous Waste	15
7.1	Applicability	16
7.2	Authorization	16
7.3	Requirements	16-17
7.4	Location Standards	17
Section 8.	Criteria and Standards Applicable to Class I Wells	17
8.1	General	17
8.2	Construction Requirements	17-20
8.3	Abandonment of Class I Wells	20-21
8.4	Operating, Monitoring and Reporting Requirements	21-23
8.5	Information to be Considered by the Chief Prior to the Issuance of a Permit	23-25

Section 9.	Criteria and Standards Applicable to Class II Wells	25
9.1	General	25
Section 10.	Criteria and Standards Applicable to Class III Wells	25
10.1	General	26
10.2	Construction Requirements	26-29
10.3	Abandonment of Class III Wells	29
10.4	Operating, Monitoring and Reporting Requirements	30-31
10.5	Information to be Considered by the Chief Prior to the Issuance of a Permit	31-33
Section 11.	Criteria and Standards Applicable to Class IV Wells	33
11.1	General	34
11.2	Notification by Owners or Operators	34
11.3	Closure of Class IV Wells	34-35
11.4	Monitoring and Reporting Requirements	35
Section 12.	Criteria and Standards Applicable to Class V Injection Wells	35
12.1	General	35-36
12.2	Inventory and Assessment	36
12.3	Requirement	36
12.4	Wells Regulated by Rule and Permit	36
Section 13.	General Prohibition and Injection Well Permitting Program	36
13.1	Prohibition of Movement of Fluid into Underground Sources of Drinking Water	37-38
13.2	Authorization of Underground Injection by Rule	38-41
13.3	Application for a Permit; Authorization by Permit	41
13.4	Area Permits	41-42
13.5	Emergency Permits	42-43
13.6	Additional Conditions Applicable to All UIC Permits	43-45
13.7	Establishing UIC Permit Conditions	45-46
13.8	Waiver of Requirements by the Chief	46-47
13.9	Corrective Action	47-48
13.10	Application for a Permit	48-49
13.11	Signatories to Permit Applications and Reports	49-51
13.12	Conditions Applicable to All Permits	51-54
13.13	Duration of Permits	54
13.14	Schedules of Compliance	55-56
13.15	Requirements for Recording and Reporting of Monitoring Results	56-57
13.16	Effect of a Permit	57
13.17	Transfer of Permits	57-58
13.18	Modification or Revocation and Reissuance of Permits	58-60
13.19	Revocation and Suspension of Permits	60
13.20	Minor Modifications of Permits	60-61

Section 13.21	Confidentiality of Information	61
13.22	Identification of Underground Sources of Drinking Water and Exempted Aquifers	61-62
13.23	Public Access to Information	62-64
13.24	Public Participation in the Permit Process	64-65
13.25	Contents of a Public Notice	65-66
13.26	Public Comment and Requests for Public Hearings	66
13.27	Public Hearings	66-67
13.28	Obligation to Raise Issues and Provide Information	67
13.29	Reopening of the Public Comment Period	67
13.30	Response to Comments	67-68
13.31	Fact Sheet	68-39
13.32	Draft Permits	69

Title 46

~~WEST VIRGINIA LEGISLATIVE RULE~~
~~STATE WATER RESOURCES BOARD~~
~~Chapter 20-5A~~
~~Series IX 9~~
~~1985e~~

Title:

Rules for the West Virginia Underground
Injection Control Program

Section 1. General

1.1 Scope - These rules set forth criteria and standards for the requirements which apply to the State Underground Injection Control Program (U.I.C.). The UIC permit program regulates underground injections by five (5) classes of wells. The five (5) classes of wells are set forth in Section 4. of these rules. All owners or operators of these injection wells must be authorized either by permit or rule by the Chief.

1.1.a Specific inclusions. The following wells are included among those types of injection activities which are covered by the UIC rules (this list is not intended to be exclusive but is for clarification only):

1.1.b Any dug hole or well that is deeper than its largest surface dimension, where the principal function of the hole is emplacement of fluids.

1.1.c Any septic tank or cesspool used by generators of hazardous waste, or by owners or operators of hazardous waste management facilities, to dispose of fluids containing hazardous waste.

1.1.d Any septic tank, cesspool, or other well used by multiple dwelling, community, or regional system for the injection of waste.

1.1.e Specific exclusions. The following are not covered by these rules:

1.1.f Individual or single family residential waster disposal systems such as domestic cesspools or septic tanks.

1.1.g Any dug hole which is not used for emplacement of fluids underground.

1.1.h Nonresidential cesspools, septic systems or similar waste disposal systems if such systems are used solely

for the disposal of sanitary wastes and have the capacity to serve fewer than 20 persons a day.

1.1.i Injection wells are used for injection of hydrocarbons which are of pipeline quality and are gasses at standard temperature and pressure for the purpose of storage.

NOTE: The specification of exclusions under paragraph 1.1.i of this section shall not relieve any person of any requirements imposed under the State Act and rules, other than this Series, including State permit requirements.

1.2 Authority - W. Va. Code 20-5A-3(b)(2).

1.3 Filing Date - ~~January 6, 1986.~~

1.4 Effective Date - ~~January 6, 1986.~~

1.5 Repeal of Former Rule - This legislative rule repeals West Virginia Administrative Regulations, "State Water Resources Board, Chapter 20-5A, Series IX (1983) Regulations for the West Virginia Underground Injection Control Program", filed April 12, 1984.

Section 2. Definitions

The definitions set forth in Chapter 20, Article 5A, Section 2 of the Code of West Virginia shall apply to these rules along with the following definitions unless the context clearly indicates otherwise:

2.1 "Abandoned well" means a well whose use has been permanently discontinued or which is in a state of disrepair such that it cannot be used for its intended purpose or for observation purposes.

2.2 "Acidizing" means the injection of acid through the borehole or "well" into a "formation" to increase permeability and porosity by dissolving the acid-soluble portion of the rock constituents.

2.3 "Administrator" means the Administrator of the Gas and Oil Division of the Department of Mines.

2.4 "Application" means the State standard forms for applying for a permit or permit modification, including any additions, revisions or modifications to the forms.

2.5 "Aquifer" means a geological "formation", group of formations, or part of a formation that is capable of yielding a usable amount of water to a well or spring.

2.6 "Area of review" means the area surrounding an injection well described according to the criteria set forth in Section 5.2, or in the case of an area permit, the project area plus a circumscribing area the width of which is either 1/4 of a mile or a number calculated according to the criteria set forth in Section 5.3.

2.7 "Authorized representatives of the Chief" means Water Resources Division personnel, the "Commissioner" and the "Administrator".

2.8 "Casing" means a pipe or tubing of appropriate material, of varying diameter and weight, lowered into a borehole during or after drilling in order to support the sides of the hole and thus prevent the walls from caving, to prevent loss of drilling mud into porous ground, or to prevent water, gas, or other fluid from entering or leaving the hole.

2.9 "Catastrophic collapse" means the sudden and utter failure of overlying "strata" caused by removal of underlying materials.

2.10 "Cementing" means the operation whereby a cement slurry is pumped into a drilled hole and/or forced behind the casing.

2.11 "Chief" means the Chief of the Water Resources Division of the West Virginia Department of Natural Resources.

2.12 "Commissioner" means the Commissioner of the West Virginia Oil and Gas Conservation Commission.

2.13 "Confining bed" means a body of impermeable or distinctly less permeable material stratigraphically adjacent to one or more aquifers.

2.14 "Confining zone" means a geological formation, group of formations, or part of a formation that is capable of limiting fluid movement above an injection zone.

2.15 "Contaminant" means any man induced physical, chemical, biological or radiological substance or matter in water.

EMERGENCY

WRB

Leg. Rule, 20-5A
Series IX, Sec. 2.16

2.16 "Conventional mine" means an open pit or underground excavation for the production of minerals.

2.17 "Draft permit" means a document indicating the Chief's tentative decision to issue, modify, suspend, revoke, revoke and reissue, or reissue a "permit". A notice of intent to revoke a permit is a type "draft permit". A denial of a request for modification, suspension, revocation, or revocation and reissuance, is not a "draft permit".

2.18 "Drilling mud" means a heavy suspension used in drilling an "injection well", introduced down the drill pipe and through the drill bit.

2.19 "Environmental Protection Agency" ("EPA") means the United States Environmental Protection Agency.

2.20 "Exempted aquifer" means an "aquifer" or its portion that meets the criteria in the definition of "underground source of drinking water" but which has been exempted according to the procedures in Section 3.1.

2.21 "Existing injection well" means an "injection well" other than a "new injection well".

2.22 "Experimental technology" means a technology which has not been proven feasible under the conditions in which it is being tested.

2.23 "Facility or activity" means any "injection well" that is subject to rule under the UIC program.

2.24 "Fault" means a surface or zone of rock fracture along which there has been displacement.

2.25 "Flow rate" means the volume per time unit given to the flow of gasses or other fluid substance which emerges from an orifice, pump, turbine, or passes along a conduit or channel.

2.26 "Fluid" means any material or substance which flows or moves whether in a semisolid, liquid, sludge, gas, or any other form or state.

2.27 "Formation" means a body of rock characterized by a degree of lithologic homogeneity which is prevailing, but not necessarily, tabular and is mappable on the earth's surface or traceable in the subsurface.

2.28 "Formation fluid" means "fluid" present in a "formation" under natural conditions as opposed to introduced fluids, such as "drilling mud".

2.29 "Generator" means any person, by site location, whose act or process produces hazardous waste identified or listed in Section 3, Series XV, West Virginia Legislative Rules (Chapter 20-5E), or whose act first causes a hazardous waste to become subject to these rules.

2.30 "Groundwater" means water below the land surface in a zone of saturation.

2.31 "Hazardous waste" means a hazardous waste as defined in Section 3.1.2, Series XV, West Virginia Legislative Rules (Chapter 20-5E).

2.32 "Hazardous Waste Management facility" ("HWM facility") means all contiguous land, and structures, other appurtenances, and improvements on the land, used for treating, storing, or disposing of "hazardous waste". A facility may consist of several "treatment", "storage", or "disposal" operational units.

2.33 "Injection well" means a geological "formation", group of formations or part of a formation receiving fluids through a "well".

2.34 "Injection zone" means a geological "formation", group of formations or part of a formation receiving fluids through a "well".

2.35 "Lithology" means the description of rocks on the basis of their physical and chemical characteristics.

2.36 "Manifest" means the form used for identifying the quantity, composition and the origin, routing and destination of the hazardous waste during its transportation off-site from the point of generation to the point of disposal, treatment or storage.

2.37 "New injection well" means a "well" which began injection after the effective date of these regulations.

2.38 "Owner or operator" means the owner or operator of a facility or activity subject to regulation under the UIC program.

2.39 "Packer" means a device lowered into a "well" to produce a fluid-tight seal.

EMERGENCY

WRB

Leg. Rule, 20-5A
Series IX, Sec. 2.40

2.40 "Permit" means an authorization, license, or equivalent control document issued by the State to implement the requirements of the UIC Program. "Permit" includes an area permit and a UIC Emergency Permit. "Permit" does not include UIC authorization by rule or any permit which has not yet been the subject of final agency action, such as a "draft permit".

2.41 "Plugging" means the act or process of stopping the flow of water, oil or gas into or out of a "formation" through a borehole or well penetrating that formation.

2.42 "Pressure" means the total load or force per unit area acting on a surface.

2.43 "Project" means a group of "wells" in a single operation.

2.44 "Public water system" means a system for the provision to be public of piped water for human consumption, if such system has at least 15 service connections or regularly services at least 25 individuals. Such term includes (a) any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system.

2.45 "Radioactive waste" means any waste which contains radioactive material in concentrations which exceed those listed in 10 CFR Part 20, Appendix B, Table II, Column 2.

2.46 "RCRA" means the Solid Waste Disposal Act as amended by the Resource Conservation and Recovery Act of 1976 (Pub. L. 94-580, as amended by Pub. L. 95-609, 42 USC 6901 et seq.)

2.47 "Regional Administrator" means the Regional Administrator of Region III of the U.S. Environmental Protection Agency or the authorized representative of the Regional Administrator.

2.48 "Safe Drinking Water Act" (SDWA) means the Safe Drinking Water Act (Pub. L. 95-523 as amended by Pub. L. 95-1900; 42 USC Section 3000 et seq.)

2.49 "Schedule of compliance" means a schedule of remedial measures included in a "permit", including an enforceable sequence of interim requirements (for example,

actions, operations, or milestone events) leading to compliance with the SDWA and State Act rules.

2.50 "Site" means the land or water where any facility or activity" is physically located or conducted, including adjacent land used in connection with the facility or activity.

2.51 "State" means the State of West Virginia.

2.52 "State Act" means the State Water Pollution Control Act, Chapter 20-5A-1 et seq. of the West Virginia Code, 1931 as amended.

2.53 "Stratum" (plural strata) means a single sedimentary bed or layer, regardless of thickness, that consists of generally the same kind of rock material.

2.54 "Subsidence" means the lowering of the natural land surface in response to: Earth movements; lowering of fluid pressure; removal of underlying supporting material by mining or solution of solids, either artificially or from natural causes; compaction due to wetting (Hydrocompaction); oxidation of organic matter in soils; or added load on the land surface.

2.55 "Surface casing" means the first string of well casing to be installed in the well.

2.56 "Total dissolved solids" means the total dissolved (filterable) solids as determined by use of the method specified in 40 CFR Part 136.

2.57 "UIC" means the Underground Injection Control program under Part C of the Safe Drinking Water Act, including an approved State program.

2.58 "Underground injection" means a well injection".

2.59 "Underground source of drinking water" (USDW) means an "aquifer" or its portion:

2.59.a.1 which supplies any public water system; or

2.59.a.2 which contains a sufficient quantity of groundwater to supply a public system; and

2.59.a.2.i currently supplies drinking water for human consumption; or

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 2.59.a.2.ii

2.59.a.2.ii contains fewer than 10,000 mg/l total dissolved solids; and

2.59.b Which is not an exempted qualifier.

2.60 "Well" for the purpose of the State UIC Program, means a bored, drilled or driven shaft, or a dug hole whose depth is greater than the largest surface dimension.

2.61 "Well plug" means a watertight and gastight seal installed in a borehole or well to prevent movement of fluids.

2.62 "Well stimulation" means several processes used to clean the well bore, enlarge channels, and increase pore space in the interval to be injected thus making it possible for wastewater to move more readily into the formation, and includes (1) surging, (2) jetting, (3) blasting, (4) acidizing, (5) hydraulic fracturing.

2.63 "Well monitoring" means the measurement, by on-site instruments or laboratory methods, of the quality of water in a well.

2.64 "Wetlands" means those areas that are inundated and saturated by surface groundwater at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs and similar areas such as sloughs, wet meadows, mudflats, sandflats and natural ponds.

Section 3. Criteria for Exempted Aquifer Status

3. An aquifer or a portion thereof which meets the criteria for an "underground source of drinking water" in Section 2. may be determined to be an exempted aquifer if it meets the following criteria:

3.1.a It does not currently serve as a source of drinking water; and

3.1.b It cannot now and will not in the future serve as a source of drinking water because:

3.1.b.1 It is a mineral, hydrocarbon or geothermal energy producing, or can be demonstrated by a permit applicant as

part of a permit application for a Class II or III operation to contain minerals or hydrocarbons that are considering their quantity and location are expected to be commercially producible;

3.1.b.2 It is situated at a depth or location which makes recovery of water for drinking water purposes economically or technologically impractical;

3.1.b.3 It is so contaminated that it would be economically or technologically impractical to render the water fit for human consumption; or

3.1.b.4 It located over a Class III well mining area subject to subsidence or catastrophic collapse; or

3.1.c The Total Dissolved Solids content of the groundwater is more than 3,000 and less than 10,000 mg/l and it is not reasonably expected to supply a public water system.

Section 4. Classes of Wells

Injection wells are classified as follows:

4.1 Class I

Left of here →
4.1.a Wells used by generators of hazardous waste or owners or operators of hazardous waste management facilities to inject hazardous waste beneath the lowermost formation containing, within 1/4 mile of the well bore, an underground source of drinking water.

4.1.b Other industrial and municipal disposal wells which inject fluids beneath the lowermost formation containing, within 1/4 mile of the well bore, an underground source of drinking water.

4.2 Class II. Wells injecting fluids:

4.2.a Which are brought to the surface in connection with conventional oil or natural gas production and maybe commingled with waste waters from gas plants which are an integral part of production operations, unless those waters are classified as a hazardous waste at the time of injection;

4.2.b For enhanced recovery of oil or natural gas; and

4.2.c For storage of hydrocarbons which are liquid at standard temperature and pressure.

EMERGENCY

WRB

Leg. Rule, 20-5A
Series IX, Sec. 4.3

4.3 Class III. Wells which inject for extraction of minerals including:

4.3.a Mining of sulphur by the Frasch process;

4.3.b In situ production of uranium or other metals. This category includes only in situ production from ore bodies which have not been conventionally mined. Solution mining of conventional mines such as stopes leaching is included in Class IV;

4.3.c Solution mining of salts or potash;

4.3.d In situ combustion of fossil fuel.

4.3.e Recovery of geothermal energy to produce electric power.

4.4 Class IV.

4.4.a Wells used by generators of hazardous wastes or by owners or operators of hazardous waste management facilities, to dispose of hazardous wastes which cannot be classified under Section 4.1.a and Section 4.4.a and 4.4.b (e.g. wells used to dispose of hazardous wastes into or above a formation which contains an aquifer which has been exempted pursuant to Section 3.)

4.5 Class V. Injection wells not included in Classes I,II,III, or IV. Class V wells include, but are not limited to:

4.5.a Cesspools, including multiple dwelling, community or regional cesspools, or other devices that receive wastes, which have an open bottom and sometimes have perforated sides. The UIC requirements do not apply to single family residential cesspools nor to nonresidential cesspools which receive solely sanitary wastes and have the capacity to serve fewer than 20 persons a day.

4.5.b Sand backfill and other backfill wells used to inject a mixture of water and sand, mill tailings or other solids into mined out portions of subsurface mines whether what is injected is a radioactive waste or not.

4.5.c Septic system wells used to inject the waste or effluent from a multiple dwelling, business establishment, community or regional business establishment septic tank. The UIC requirements do not apply to single family

EMERGENCY
WRB
Leg. Rule, 20-5A
Series IX, Sec. 4.5.c

residential septic system wells, nor to nonresidential septic system wells which are used solely for the disposal of sanitary waste and have the capacity to serve fewer than 20 persons a day.

4.5.d Injection wells associated with the recovery of geothermal energy for heating, aquaculture and production of electric power.

4.5.e Radioactive waste disposal wells other than Class IV.

4.5.f Wells used for solution mining of conventional mines such as stopes leaching.

4.5.g Injection wells used for situ recovery of lignite, coal, tar sands, and oil shale.

4.5.h Wells used to inject spent brine into the same formation from which it was withdrawn after extraction of halogens or their salts.

4.5.i Injection wells used in experimental technologies.

4.5.j Wells for waste disposal into solution cavities in carbonate formations.

4.5.k Sinkholes used for the disposal of sewage or any other waste.

4.5.l Air conditioning return flow wells used to return to the supply aquifer the water used for heating or cooling in a heat pump.

4.5.m Cooling water return flow wells used to inject water previously used for cooling.

4.5.n Drainage wells used to drain surface fluid, primarily storm runoff, into a subsurface formation.

4.5.o Dry wells used for the injection of wastes into a subsurface formation.

4.5.p Recharge wells used to replenish the water in an aquifer.

4.5.q Salt water intrusion barrier wells used to inject water into a fresh water aquifer to prevent the intrusion of salt water into the fresh water.

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 4.5.r

4.5.r Subsidence control wells (not used for the purpose of oil or natural gas production) used to inject fluids into a non-oil or gas producing zone to reduce or eliminate subsidence associated with the overdraft of fresh water.

Section 5. Area of Review

5.1 The Chief shall select the methods by which the area of review shall be established for each injection well or each field, project, or area of the State.

5.2 The area of review may be defined as either:

5.2.a The zone of endangering influence as determined in accordance with Section 5.3.a; or

5.2.b An area within a fixed radius around each injection well as determined in accordance with Section 5.3.c.

5.3 Zone of endangering influence. The zone of endangering influence shall be:

5.3.a In case of application(s) for well permit(s) under Section 13.1, that area the radius of which is the horizontal distance from the injection well in which the pressures in the injection zone may cause the migration of the injection and/or formation into an underground source of drinking water; or

5.3.b In the case of an application for an area permit under Section 13.4, the area of the project plus a circumscribing area, the width of which is the horizontal distance from the perimeter of the project, in which the pressures in the injection zone may cause the migration of the injection and/or formation fluid into an underground source of drinking water. Computation of the zone of endangering influence should be based upon but not limited to, the parameters listed below and should be calculated for an injection time period equal to the expected life of the facility. The Theis equation is an example of one possible objective method:

$$r = \frac{2.25 K H t^{1/2}}{S 10^X}$$

where:

$$X = \frac{4 \pi K H h_w - h_{b_0} \times S p G b}{\dots}$$

2.3 Q

r	=	Radius of endangering influence from injection well (length)
K	=	Hydraulic conductivity of the injection zone (length/time)
H	=	Thickness of injection (length)
t	=	Time of injection (time)
S	=	Storage coefficient (dimensionless)
Q	=	Injection rate (volume/time)
h_{b_0}	=	Observed original hydrostatic head of injection zone (length) measured from the base of the lowest underground source of drinking water.
h_w	=	Hydrostatic head of underground source of drinking water (length) measured from the base of the lowest underground source of drinking water.
SpG_b	=	Specific gravity of fluid in the injection zone (dimensionless)
π	=	3.142 (dimensionless)

The above equation is based on the following assumptions:

- 5.3.b.1 The injection zone is homogenous and isotropic;
- 5.3.b.2 The injection zone has infinite area extent;
- 5.3.b.3 The injection well penetrates the entire thickness of the injection zone;
- 5.3.b.4 The well diameter is infinitesimal compared to "r" when injection time is longer than a few minutes; and
- 5.3.b.5 The emplacement of fluid into the injection zone creates instantaneous increase on pressure.
- 5.3.c Fixed radius:

5.3.c.1 In the case of application(s) for well permit(s), a fixed radius around the well may be used but not less than 1/4 mile.

5.3.c.2 In the case of an application for an area permit, a fixed width may be used but not less than 1/4 mile for the circumscribing area.

5.3.c.3 In determining the fixed radius, the following factors shall be taken into consideration: the chemistry of the injected and formation fluids; geology; hydrogeology; population and groundwater use and dependence; and historical practices in the area.

Section 6. Corrective Action and Mechanical Integrity

6.1 Corrective Action. In determining the adequacy of corrective action proposed by the applicant and in determining the additional steps needed to prevent fluid migration into underground sources of drinking water, the Chief shall consider the following criteria and factors:

- 6.1.a Nature and volume of injected fluid;
- 6.1.b Nature of native fluids or by-products of injection;
- 6.1.c Geology;
- 6.1.d Hydrology;
- 6.1.e History of the injection operation;
- 6.1.f Completion and plugging reports;
- 6.1.g Abandonment procedures in effect at the time the well was abandoned;
- 6.1.h Hydraulic connections with underground sources of drinking water; and
- 6.1.i Potentially effected population.
- 6.2 Mechanical Integrity.
- 6.2.a An injection well has mechanical integrity if:
 - 6.2.a.1 There is no significant leak in the casing, tubing, or packer; and

EMERGENCY

WRB

Leg. Rule, 20-5A
Series IX, Sec. 6.2.a.2

6.2.a.2 There is no significant fluid movement into an underground source of drinking water through vertical channels adjacent to the injection well bore.

6.2.b One of the following methods must be used to evaluate the absence of significant leaks under paragraph 6.2.a.1 of this section:

e

6.2.b.1 Monitoring of annulus pressure; or

6.2.b.2 Pressure test with liquid or gas.

6.2.c The absence of significant fluid movement under paragraph 6.2.a.2 of this section may be demonstrated by:

6.2.c.1 For Class II wells, any requirements determined necessary under Section 9.1.a;

6.2.c.2 For Class II wells where the nature of the casing precludes the use of logging techniques prescribed at 6.2.c.3 of this section, cementing records demonstrating the presence of adequate cement to prevent such migration;

6.2.c.3 The results of a temperature or noise log;

6.2.c.4 For Class III wells where the Chief elects to rely on cementing records to demonstrate the absence of significant fluid movement, the monitoring program prescribed by Section 10,4 shall be designed to verify the absence of significant fluid movement; or

6.2.d The Chief may allow the use of a test to demonstrate mechanical integrity other than those listed in paragraphs 6.2.b and 6.2.c of this section with the written approval of the Administrator of the U.S. Environmental Protection Agency.

6.2.e In conducting and evaluating the tests enumerated in this section or others to be allowed by the Chief, the owner or operator and the Chief shall apply methods and standards generally accepted in the industry. When the owner or operator reports the results of mechanical integrity tests to the Chief, he shall include a description of the test(s) and the method(s) used. In making his/her evaluation, he Chief shall review monitoring and other test data submitted since the previous evaluation.

Section 7.

Requirements for Wells Injecting Hazardous Waste

EMERGENCY

WRB

Leg. Rule, 20-5A
Series IX, Sec. 7.1

7.1 Applicability. The rules in this section and Section 8 apply to all generators of hazardous waste, and to the owners or operators of all hazardous waste management facilities, using any Class I well to inject hazardous waste accompanied by a manifest.

7.2 Authorization. The owner or operator of any Class I well that is used to inject hazardous wastes accompanied by a manifest or delivery document shall apply for authorization to inject within six (6) months of the effective date of these rules.

7.3 Requirements. In addition to requiring compliance with the applicable requirements of Section 8, the Chief shall, for each facility meeting the requirements of Section 7.2 require that the owner or operator comply with the following:

7.3.a Notification. The owner or operator shall comply with the notification requirements in Section 4, Series XV, West Virginia Administrative Regulations (Chapter 20-5E).

7.3.b Identification number. The owner or operator shall comply with the requirements in Section 8.02.02, Series XV, West Virginia Administrative Regulations (Chapter 20-5E).

7.3.c Manifest system. The owner or operator shall comply with the applicable record keeping and reporting requirements for manifested wastes in Section 8.05.02, Series XV, West Virginia Administrative Regulations (Chapter 20-5E).

7.3.d Manifest discrepancies. The owner or operator shall comply with Section 8.05.03, Series XV, West Virginia Administrative Regulations (Chapter 20-5E).

7.3.e Operating record. The owner or operator shall comply with Section 8.05.04(a), (b)(1) and (b)(2), Series XV, West Virginia Administrative Regulations (Chapter 20-5E).

7.3.f Annual report. The owner or operator shall comply with Section 8.05.06, Series XV, West Virginia Administrative Regulations (Chapter 20-5E).

7.3.g Unmanifested waste report. The owner or operator shall comply with Section 8.05.07, Series XV, West Virginia Administrative Regulations (Chapter 20-5E).

7.3.h Personnel training. The owner or operator shall comply with the applicable personnel training requirements

in Section 8.02.07, Series XV, West Virginia Administrative Regulations (Chapter 20-5E).

7.3.i Certificate of closure. When abandonment is completed, the owner or operator must submit to the Chief certification by the owner or operator and certification by an independent registered professional engineer that the facility has been closed in accordance with the specifications in Section 13.7 of these rules.

7.4 Location Standards. Owners and operators of all new hazardous waste injection wells shall comply with the following location standards:

7.4.a Seismic Risk Zones. Wells shall not be located in Seismic Risk Zone 2 (Expected Moderate Damage). The following counties are located in Seismic Risk Zone 2: Jefferson, Berkley, Morgan (east of Cacapon District), Hampshire (Bloomery, Capon Districts), Hardy (Capon, Lost River Districts), Pendleton (Bethel, Sugar Grove Districts), Pocahontas (south of the Green Bank District), Greenbrier, Monroe, Summers, Mercer, Raleigh (Slab Fork, Shady Spring, and Richmond Districts), McDowell and Wyoming (south of Ocean District).

7.4.b Subsurface Mining Districts. The borehole of any hazardous waste injection well shall not pass through a cavity created by subsurface mining.

7.4.c Carbonate Formations. The borehole of any hazardous waste injection well shall not pass through any cavity created by solution of carbonate rock above the injection zone.

7.4.d Inundation Danger Zone. Hazardous waste injection wells shall not be located where inundation from dam failure or a 100 year flood could occur.

7.4.e Designated Wetlands. Hazardous waste injection wells shall not be located in wetlands.

Section 8. Criteria and Standards Applicable to Class I Wells

8.1 General. This section sets forth requirements for underground injection control programs to regulate Class I wells.

8.2 Construction Requirements. The Chief shall prescribe requirements for the construction of Class I injection wells. Existing wells shall achieve compliance with such requirements according to a specific compliance schedule

EMERGENCY

WRB

Leg. Rule, 20-5A
Series IX, Sec. 8.2

established by the Chief as a condition of the permit. New wells shall be in compliance with construction requirements before injection operations begin. The owner or operator of a proposed injection well shall submit plans to the Chief for testing, drilling, and construction and obtain the approval of the Chief of the initial plans as a condition of the permit. The Chief's approval of any modifications of the plan shall be obtained before incorporating them into the construction of the injection well. At a minimum, such requirements shall prescribe that:

8.2.a Each Class I well shall be sited in such a fashion that it injects into a formation which is below the lowermost formation containing within 1/4 mile of the well bore, an underground source of drinking water, and which has an overlying confining bed that is free of known faults or fractures within the area of review.

8.2.b Each Class I well shall be cased, and cemented to prevent the movement of fluids into or between underground sources of drinking water. The casing and cement used in the construction of each newly drilled well shall be designed for the life expectancy of the well. In determining and specifying casing and cementing requirements, the Chief shall consider the following factors:

8.2.b.1 Depth to the injection zone;

8.2.b.2 Injection pressure (external pressure, internal pressure, axial loading, etc.);

8.2.b.3 Hole size;

8.2.b.4 Size and grade all casing strings (wall thickness, diameter, nominal weight, length, joint specification, construction material, etc.);

8.2.b.5 Corrosiveness of injected fluid, formation fluids, and temperatures;

8.2.b.6 Lithology of possible injection and confining intervals; and

8.2.b.7 Type or grade of cement.

8.2.c All Class I injection wells, except for those municipal wells injecting only non-corrosive wastes, shall inject fluids through tubing and packer set immediately above the injection zone. The tubing and packer shall be designed for the expected service.

8.2.c.1 The use of other alternatives to a packer may be allowed with the written approval of the Chief. To obtain approval, the operator shall submit a written request to the Chief, which shall set forth the proposed alternative and all technical data supporting its use. The Chief shall approve the request only if the alternative method will reliably provide a comparable level of protection to underground sources of drinking water. The Chief may approve an alternative method solely for an individual well or for general use.

8.2.c.2 In determining and specifying requirements for tubing and packer, the Chief shall consider the following factors:

8.2.c.2.i Depth of setting;

8.2.c.2.ii Characteristics of injection fluid (chemical content, density, etc.);

8.2.c.2.iii Injection pressure;

8.2.c.2.iv Annular pressure;

8.2.c.2.v Rate, temperature and volume of injected fluid; and

8.2.c.2.vi Size of casing.

8.2.d All parts of Class I wells which will come into contact with corrosive fluids (whether injected or in the native environment) shall be constructed of corrosion resistant material.

8.2.e Logs and other tests shall be conducted during the drilling and construction of new Class I wells. A descriptive report interpreting the results of such logs and tests shall be prepared by a knowledgeable log analyst and submitted to the Chief. At a minimum such logs and tests shall include:

8.2.e.1 Directional surveys conducted on all holes, including pilot holes, at sufficiently frequent intervals to assure that vertical avenues for fluid migration in the form of diverging holes are not created during drilling;

8.2.e.2 For surface casing intended to protect underground sources of drinking water:

8.2.e.2.i Resistivity, spontaneous potential and caliper logs before the casing is installed; and

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 8.2.e.2.ii

8.2.e.2.ii A cement bond, temperature, or density log after the casing is set and cemented.

8.2.e.3 For intermediate and long strings of casing intended to facilitate injection:

8.2.e.3.i Resistivity, spontaneous potential, porosity, and gamma ray logs before the casing is installed;

8.2.e.3.ii Fracture finder logs in appropriate situations as prescribed by the Chief; and

8.2.e.3.iii A cement bond, temperature, or density log after the casing is set and cemented.

8.2.f At a minimum, the following information concerning the injection formation shall be determined for the new Class I wells, and submitted to the Chief:

8.2.f.1 Fluid pressure;

8.2.f.2 Temperature;

8.2.f.3 Fracture pressure;

8.2.f.4 Other physical and chemical characteristics of the injection matrix;

8.2.f.5 Physical and chemical characteristics of the formation fluids; and

8.2.f.6 Compatibility of injected fluids with formation fluids.

8.3 Abandonment of Class I Wells.

8.3.a Class I wells shall be abandoned in a manner to be prescribed by the Chief under Section 13.7.f. At a minimum, the well shall be plugged with cement in a manner which will not allow the movement of fluids either into or between underground sources of drinking water.

8.3.b Placement of cement plugs shall be accomplished by one of the following:

8.3.b.1 The Balance Method;

8.3.b.2 The Dump Bailer Method;

8.3.b.3 The Two-Plug Method; or

EMERGENCY

WRB

Leg. Rule, 20-5A
Series IX, Sec. 8.3.b.4

8.3.b.4 An alternative method approved by the Chief which will reliably provide a comparable level of protection to USDW's.

8.3.c The well to be abandoned shall be in a state of static equilibrium with the mud weight equalized top to bottom, either by circulating the mud in the well at least once or a comparable method prescribed by the Chief, prior to the placement of the cement plug(s).

8.3.d The owner or operator shall assure, through a performance bond or other appropriate means, the availability of resources necessary for the proper abandonment of the well as required in Section 13.7.g.

8.4 Operating, Monitoring, and Reporting Requirements

8.4.a Operating Requirements: The Chief shall, under Section 13.7.c prescribe requirements governing the operation of injection wells in the permit. Requirements for Class I shall, at a minimum, specify that:

8.4.a.1 Except during stimulation, injection pressure at the wellhead shall not exceed a maximum which shall be calculated so as to assure that the pressure in the injection zone during injection does not initiate new fractures or propagate existing fractures in the injection zone. In no case shall injection pressure initiate fractures in the confining zone or cause to movement of injection or formation fluids into an underground source of drinking water;

8.4.a.2 Injection between the outermost casing protecting underground sources of drinking water and the well bore is prohibited; and

8.4.a.3 Unless alternative to tubing and packer has been approved, the annulus between the tubing and the long string of casings shall be filled with a fluid approved by the Chief and a pressure, also approved by the Chief, shall be maintained on the annulus.

8.4.b Monitoring Requirements: The Chief shall prescribe requirements for the monitoring of the underground injection fluids, the injection well, and the underground sources of drinking water that could potentially be affected by the injection. Monitoring requirements shall, at a minimum, include:

EMERGENCY

WRB

Leg. Rule, 20-5A
Series IX, Sec. 8.4.b.1

8.4.b.1 Testing of the injected fluids with sufficient frequency to yield representative data on its characteristics;

8.4.b.2 Continuous recording devices to monitor injection pressure, flow rate and volume, and the pressure on the annulus between the tubing and the long strings of casing.

8.4.b.3 Demonstration of mechanical integrity at least every five (5) years during the life of the well;

8.4.b.4 Type, number and location of wells within the area of review to monitor any migration of fluids into and pressure in the underground sources of drinking water with the parameters to be measured and the frequency of monitoring specified; and

8.4.b.5 The maintenance of the results of required monitoring for at least three (3) years.

8.4.c Reporting requirements: The Chief shall prescribe the form, manner, content and frequency of reporting by the operator. The operator shall be required to identify the types of tests and methods used to generate the monitoring data. At a minimum, requirements shall include:

8.4.c.1 Quarterly reports to the Chief on:

8.4.c.1.i The physical, chemical, and other relevant characteristics of injection fluids;

8.4.c.1.ii Monthly average, maximum, and minimum values for injection pressure, flow rate and volume, and annular pressure; and

8.4.c.1.iii Monitoring of pressure and quality in underground sources of drinking water.

8.4.c.2 Reporting with the first quarterly report after the completion of:

8.4.c.2.i Periodic demonstration of mechanical integrity; and

8.4.c.2.ii Any other test of injection well conducted by the permittee if required by the Chief.

8.4.c.3 Written notice to the Chief within 30 days after any compliance schedule date whether the permittee has or has not complied with the requirement in question;

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 8.4.c.4

8.4.c.4 Immediate reports to the Chief of any violation of a permit condition or malfunction of the injection system which may cause fluid migration into or between underground sources of drinking water.

8.5 Information to be Considered by the Chief Prior to the Issuance of a Permit

8.5.a Prior to the issuance of a permit for an existing or new Class I well, the Chief shall consider the following information: For an existing Class I well the Chief may rely on the existing State permit file for those items of information listed below which are current and accurate in the State file. For a new Class I well, the Chief shall require the submission of all the information listed below. For both existing and new Class I wells, paragraphs 8.5.a.3, 8.5.a.4, and 8.5.a.6 of this section may be included in the application by reference if the reference is specific in identifying the maps in question and the maps are readily available to the Chief. The following information is required:

8.5.a.1 Any increase in the amount of hazardous waste or change in the type of hazardous waste injected;

8.5.a.2 A map showing the injection well(s) for which a permit is sought and the applicable area of review. Within the area of review, the map must show the number of name, and location of all producing wells, injection wells, abandoned wells, dry holes, surface bodies of water, mines (surface and subsurface), quarries, water wells and other pertinent surface features including residences and roads. The map should also show faults, if known or suspected. Only information of public record is required to be included on this map;

8.5.a.3 A tabulation of data on all wells within the area of review which penetrate into the proposed injection zone. Such data shall include a description of each well's type, location, depth, record of plugging and/or completion, and any additional information on these wells as the Chief may require;

8.5.a.4 Maps and cross sections indicating the general vertical and lateral limits of all underground source of drinking water within the area as review, their position relative to the injection formation and the direction of water movement, where known, in each underground source of drinking water which may be affected by the proposed injection;

8.5.a.5 Maps and cross sections detailing the geologic structure of the local area;

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 8.5.a.6

8.5.a.6 Generalized maps and cross sections illustrating the regional geologic setting;

8.5.a.7 Operating data:

8.5.a.7.i The anticipated average and maximum pressure and flow rate at which the permittee will operate; and

8.5.a.7.ii Source and an analysis of the chemical, physical, radiological and biological characteristics of injection fluids;

8.5.a.8 Formation testing program to obtain analysis of the chemical, physical, and radiological characteristics of and other information on the receiving formation;

8.5.a.9 Stimulation program;

8.5.a.10 Injection procedure;

8.5.a.11 Schematic or other appropriate drawings of the surface and subsurface construction details of the well;

8.5.a.12 Contingency plans to cope with all shut-ins or well failures so as to prevent migration of contaminating fluids into any underground source of drinking water;

8.5.a.13 All available logging and testing program data on the well;

8.5.a.14 Plans for meeting the monitoring requirements;

8.5.a.15 For wells within the area of review which penetrate the injection zone but are not properly completed or plugged, the corrosive action proposed to be taken under Sections 6.1 and 13.9;

8.5.a.16 Construction procedures including a cementing and casing program logging procedures, directional survey, and a drilling, testing, and coring program;

8.5.a.17 Feasibility of monitoring permeable strata located between the injection zone and underground sources of drinking water;

8.5.a.18 Compatibility of injected waste with fluids in the injection zone and minerals in both the injection zone and the confining strata;

8.5.a.19 A certificate that the applicant has assured, through a performance bond or other appropriate means, the resources necessary to close, plug or abandon the well under Section 13.7.g;

8.5.a.20 A satisfactory demonstration of mechanical integrity under Section 13.7.h and Section 6.2; and

8.5.a.21 Such other information as the Chief may reasonably require.

8.5.b Prior to granting approval for the plugging and abandonment of a Class I well the Chief shall consider the following information:

8.5.b.1 The type and number of plugs to be used;

8.5.b.2 The placement of each plug including the elevation of the top and bottom;

8.5.b.3 The type and grade and quantity of cement to be used;

8.5.b.4 The method for placement of the plugs; and

8.5.b.5 The procedure to be used to meet the requirements of Section 8.3.

Section 9. Criteria and Standards Applicable to Class II Wells

9.1 General.

9.1.a The criteria and standards applicable to Class II wells shall be those which are required pursuant to Chapter 22-4-1 et seq. and Chapter 22-4A-1 et seq. and the regulations thereunder, and any other requirements that the Chief considers reasonably necessary to ensure that no pollution of USDW's occurs.

9.1.b Owners and operators of Class II wells shall either be authorized by rule or obtain permits in accordance with the requirements of Section 13 of these rules.

Section 10. Criteria and Standards Applicable to Class III Wells

EMERGENCY

WRB

Leg. Rule, 20-5A
Series IX, Sec. 10.1

10.1 General. This section sets forth requirements for underground injection control programs to regulate Class III wells.

10.2 Construction Requirements. The Chief shall prescribe requirements for the construction of Class III injection wells. Existing wells shall achieve compliance with such requirements according to a specific compliance schedule established by the Chief as a condition of the permit. New wells shall be in compliance with construction requirements before operations begin. The owner or operator of a proposed injection well shall submit plans for testing, drilling and construction to the Chief and obtain the approval of the Chief of the initial plans as a condition of the permit. The Chief's approval of any modifications of the plans shall be obtained before incorporating them into the construction of the injection well. At a minimum, such requirements shall specify that:

10.2.a All new Class III wells shall be cased and cemented to prevent the migration of fluids into or between underground sources of drinking water. The Chief may waive the cementing requirement for new wells in existing projects or portions of existing projects where he has substantial evidence that no contamination of underground sources of drinking water would result. The casing and cement used in the construction of each newly drilled well shall be designed for the life expectancy of the well. In determining and specifying casing and cementing requirements, the Chief shall consider the following factors:

10.2.a.1 Depth to the injection zone;

10.2.a.2 Injection pressure (external pressure, internal pressure, axial loading, etc.);

10.2.a.3 Hole size;

10.2.a.4 Size and grade of all casing strings (wall thickness, diameter, nominal weight, length, joint specification, construction material, etc.);

10.2.a.5 Corrosiveness of injected and formation fields;

10.2.a.6 Lithology of possible injection and confining zones; and

10.2.a.7 Type and grade of cement.

10.2.b All parts of Class III wells which will come into contact with corrosive fluids (whether injected or in

the natural environment) shall be constructed of corrosive resistant material.

10.2.c Appropriate logs and other tests shall be conducted during the drilling and construction of new Class III wells. A descriptive report interpreting the results of such logs and tests shall be prepared by a knowledgeable log analyst and submitted to the Chief. The Chief shall specify the logs and tests appropriate to each type of Class III well based on the intended function, depth, construction and other characteristics of the well, availability of similar data in the area of the drilling site and the need for additional information that may arise from time to time as the construction of the well progresses. At a minimum, such logs and tests, shall, as appropriate, include:

10.2.c.1 Deviation checks conducted on all holes where pilot holes and reaming are used, unless the hole will be cased and cemented by circulating cement to the surface. Where deviation checks are necessary they shall be conducted at sufficiently frequent intervals to assure that vertical avenues for fluid migration in the form of diverging holes are not created during drilling;

10.2.c.2 For surface casing intended to protect underground sources of drinking water:

10.2.c.2.i Resistivity, spontaneous potential, and caliper logs before the casing is installed; and

10.2.c.2.ii A cement bond, temperature, or density log after the casing is set and cemented.

10.2.c.3 For intermediate and long strings of casing intended to facilitate injection:

10.2.c.3.i Resistivity, spontaneous potential, porosity, and gamma ray logs before the casing is installed;

10.2.c.3.ii Fracture finder logs in appropriate situations as prescribed by the Chief; and

10.2.c.3.iii A cement bond, temperature, or density log after the casing is set and cemented.

10.2.d Where the injection zone is a formation which is naturally waterbearing the following information concerning the injection zone shall be determined or calculated for new Class III wells or projects:

- 10.2.d.1 Fluid pressure;
- 10.2.d.2 Fracture pressure;
- 10.2.d.3 Physical and chemical characteristics of the formation fluids; and
- 10.2.d.4 The nature and volume of the injected fluid, the formation water and the process by-products.
- 10.2.e Where the injection formation is not a water bearing formation, the information in paragraph 10.2.d.2 of this section must be submitted.
- 10.2.f Where injection is into a formation which contains water with less than 10,000 mg/l TDS monitoring wells shall be completed into the injection zone and into any underground sources of drinking water above the injection zone which could be affected by the mining operation. These wells shall be located in such a fashion as to detect any excursion of injection fluids, process by-products, or formation fluids outside the mining area or zone. If the operation may be affected by subsidence or catastrophic collapse the monitoring wells shall be located so that they will not be physically affected.
- 10.2.g Where injection is into a formation which does not contain water with less than 10,000 mg/l TDS, no monitoring wells are necessary in the injection stratum.
- 10.2.h Where the injection wells penetrate an USDW in an area to subsidence or catastrophic collapse an adequate number of monitoring wells shall be completed into the USDW to detect any movement of injected fluids, process by-products or formation fluids into the USDW. The monitoring wells shall be located outside the physical influence of the subsidence or catastrophic collapse.
- 10.2.i Determining the number, location, construction and frequency of monitoring of the monitoring wells the following criteria shall be considered:
- 10.2.i.1 The population relying on the USDW affected or potentially affected by the injection operation;
- 10.2.i.2 The proximity of the injection operation to points of withdrawal of drinking water;
- 10.2.i.3 The local hydrology and hydrology;

10.2.i.4 The operating pressures and whether a negative pressure gradient is being maintained;

10.2.i.5 The nature and volume of the injected fluid, the formation water, and the process by-products; and

10.2.i.6 The injection well density.

10.3 Abandonment of Class III Wells

10.3.a Class III wells shall be abandoned in a manner, prescribed by the Chief, under Section 13.7.f. At a minimum the well shall be plugged with cement in a manner which will not allow movement of fluids either into or between sources of drinking water. The Chief may allow Class III wells to use other plugging materials if he is satisfied that such materials will prevent movement of fluids into or between underground sources of drinking water.

10.3.b Placement of the cement plugs shall be accomplished by one of the following:

10.3.b.1 The Balance Method;

10.3.b.2 The Dump Bailer Method;

10.3.b.3 The Two-Plug Method; or

10.3.b.4 An alternative method approved by the Chief, which will reliably provide a comparable level of protection to underground sources of drinking water.

10.3.c The well to be abandoned shall be in a state of static equilibrium with the mud weight equalized top to bottom, either by circulating the mud in the well at least once or a comparable method prescribed by the Chief, prior to the placement of the cement plug(s).

10.3.d The owners and operators shall assure, through a performance bond or other appropriate means, the availability of resources necessary for the proper abandonment of the well as required under Section 13.7.g.

10.3.e The plugging and abandonment plan requires in Section 13.7.f shall, in the case of a Class III project which underlies or is in an aquifer which has been exempted under Section 3., also demonstrate adequate protection of USDWs. The Chief shall prescribe aquifer cleanup and monitoring where he deems it necessary and feasible to insure adequate protection of USDWs.

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 10.4

10.4 Operating, Monitoring, and Reporting Requirements

10.4.a Operating Requirements: The Chief shall prescribe requirements governing the operation of injection wells in the permit. Requirements for Class III wells shall, at a minimum, include that:

10.4.a.1 Except during well stimulation the injection pressure at the wellhead shall be calculated so as to assure that the pressure in the injection zone during injection does not initiate new fractures or propagate existing fractures in the injection zone. In no case shall injection pressure initiate fractures in the confining zone or cause the migration of injection or formation fluids into an underground source of drinking water; and

10.4.a.2 Injection between the outermost casing protecting underground sources of drinking water and the well bore shall be prohibited.

10.4.b Monitoring Requirements:

10.4.b.1 Monitoring of the nature of injected fluids with sufficient frequency to yield representative data on its characteristics. Whenever the injection fluid is modified to the extent that the analysis required by Section 10.5.a.6.ii is incorrect or incomplete, a new analysis shall be provided to the Chief;

10.4.b.2 Monitoring of injection pressure and either flow rate or volume semi-monthly, or metering and daily recording of injected and produced fluid volumes as appropriate;

10.4.b.3 Demonstration of mechanical integrity pursuant to Section 6.2 at least every five (5) years during the life of the well for salt solution mining;

10.4.b.4 Monitoring of the fluid level in the injection zone semi-monthly, where appropriate and monitoring of the parameters chosen to measure water quantity in the monitoring wells required by Section 10.2.f semi-monthly;

10.4.b.5 Quarterly monitoring of wells required by Section 10.2.h;

10.4.b.6 All Class III wells may be monitored on a field or project basis rather than an individual well basis by manifold monitoring. Manifold monitoring may be used in cases of facilities consisting of more than one injection well, operating

with a common manifold. Separate monitoring systems for each well are not required provided the owner/operator demonstrates that manifold monitoring is comparable to individual well monitoring.

10.4.c Reporting Requirements: The Chief shall prescribe the form, manner, content, and frequency of reporting by the permittee. The permittee shall be required to identify the types of tests and methods used to generate the monitoring data. At a minimum, requirements shall include:

10.4.c.1 Quarterly monitoring of wells;

10.4.c.2 Results of mechanical integrity and any other periodic test required by the Chief reported with the first regular quarterly report after the completion of the test;

10.4.c.3 Written notice to the Chief within 30 days of any compliance schedule date of whether the permittee has or has not complied with the requirement in question; and

10.4.c.4 Immediate reports to the Chief on any violation of a permit condition or malfunction of the injection system which may cause fluid migration into underground sources of drinking water.

10.5 Information to be Considered by the Chief Prior to the Issuance of a Permit

10.5.a Prior to the issuance of a permit for an existing or new Class III well, the Chief shall consider the following information. For an existing Class III injection operation the Chief may rely upon the existing permit file for these items of information listed below which are current and accurate in the State file. For a new Class III injection well the Chief shall require the submission of all the information listed below. For both existing and new Class III wells, paragraphs 10.5.a.2, 10.5.a.3 and 10.5.a.6 of this section may be included by reference if the maps are specifically identified and readily available to the Chief:

10.5.a.1 A map showing the injection well or project area for which a permit is sought and the applicable area of review. Within the area of review, the map must show the number or name and location of all existing producing wells, injection wells, abandoned wells, and dry holes. The map may also show surface bodies of water, mines (surface and subsurface), quarries and other pertinent surface features including residences and roads, and faults if known or suspected.

EMERGENCY
WRB
Leg. Rule, 20-5A
Series IX, Sec. 10.5.a.1

Only information of public record and pertinent information known to the applicant is required to be included on this map;

10.5.a.2 Maps and cross sections indicating the vertical and lateral limits of all underground sources of drinking water within the area of review, their position relative to the injection formation, and the direction of water movement, where known, in every underground source of drinking water which may be affected by the proposed injection.;

10.5.a.3 Maps and cross sections detailing the geologic structure of the local area;

10.5.a.4 Generalized maps and cross sections illustrating the regional geologic setting;

10.5.a.5 A tabulation of data reasonably available for public records or otherwise known to the applicant on all wells within the area of review included on the map which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of plugging and completion, and any additional information the Chief may require. In cases where the information may be repetitive and the wells are of similar age, type and construction the Chief may elect to only require data on a representative number of wells;

10.5.a.6 Operating data:

10.5.a.6.i The anticipated average and maximum pressure and flow rate at which the permittee will operate;

10.5.a.6.ii Qualitative analysis and ranges in concentrations of all constituents of injected fluids. The applicant may request confidentiality.

If the information is proprietary an applicant may, in lieu of the ranges in concentrations, choose to submit maximum concentrations which shall not be exceeded. In such a case the applicant shall retain records of the undisclosed concentrations and provide them upon request to the Chief as part of any enforcement investigation; and

10.5.a.6.iii An analysis of the physical and chemical characteristics of the formation.

10.5.a.7 Formation testing program;

10.5.a.8 Stimulation program;

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 10.5.a.9

- 10.5.a.9 Injection procedure;
- 10.5.a.10 Schematic or other appropriate drawings of the surface and subsurface construction details of the well;
- 10.5.a.11 Plans (including maps) for meeting the monitoring requirements of Section 10.4.b;
- 10.5.a.12 Expected changes in pressure, native fluid displacement, direction of movement of injection fluid;
- 10.5.a.13 Contingency plans to cope with all shut-ins or well failures so as to prevent the migration of contaminating fluids into underground sources of drinking water;
- 10.5.a.14 All available logging and testing data on the well;
- 10.5.a.15 The corrective action proposed to be taken under Section 6.1;
- 10.5.a.16 A certificate that the applicant has assured, through a performance bond or other appropriate means, the resources necessary to close, plug or abandon the well under Section 13.7.g; and
- 10.5.a.17 A satisfactory demonstration of mechanical integrity for all new wells and for all existing salt solution wells as required by Section 6.2.
- 10.5.b Prior to granting approval for the plugging and abandonment of a Class III well the Chief shall consider the following information:
- 10.5.b.1 The type and number of plugs to be used;
- 10.5.b.2 The placement of each plug including the elevation of the top and bottom;
- 10.5.b.3 The type, grade and quantity of cement to be used;
- 10.5.b.4 The method of placement of the plugs; and
- 10.5.b.5 The procedure to be used to meet the requirements of Section 10.3.

Section 11.

Criteria and Standards Applicable to Class IV Wells

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 11.1

11.1 General

11.1.a This section sets forth criteria and standards for underground injection control programs to regulate wells, including non-residential septic system wells, used by generators of hazardous wastes or owners and operators of hazardous waste management facilities to inject into or above strata that contain an underground source of drinking water.

11.1.b All new Class IV wells are prohibited.

11.2 Notification by Owners and Operators. The owner or operator of an existing Class IV well shall submit to the Chief:

11.2.a Notice of the existence of any Class IV well under his control; and

11.2.b Information regarding the well.

11.3 Closure of Class IV Wells

11.3.a The operation of any Class IV well shall be prohibited six (6) months after the effective date of these regulations.

11.3.b In determining the enforcement strategy and time allowed for closure, the Chief shall consider the following criteria:

11.3.b.1 Population relying on the underground source of drinking water affected or potentially affected by the injection;

11.3.b.2 Local geology and hydrology;

11.3.b.3 Toxicity and volume of injected fluid; and

11.3.b.4 Injection of well density.

11.3.c The owners and operators of Class IV wells shall be notified by certified mail of the time by which closure must be accomplished as decided upon by the Chief and, if appropriate, of a compliance schedule leading to closure.

11.3.d Nothing in this section is intended to limit the Chief in taking immediate action necessary to protect the health of persons.

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 11.4

11.4 Monitoring and Reporting Requirements. The Chief shall prescribe monitoring and reporting requirements for existing Class IV wells while they are operating.

11.4.a Monitoring requirements shall, at a minimum include:

11.4.a.1 Record keeping as required in Chapter 20-5E of the West Virginia Code and regulations thereunder.

11.4.a.2 Weekly monitoring of existing water supply wells in the vicinity for parameters based upon the characteristics of the injection fluids.

11.4.a.3 Maintenance of the results of monitoring under Section 13.6.b and 13.12.j.2.

11.4.b Reporting requirements shall prescribe the form, manner, content and frequency of reports to the Chief. The permittee shall be required to identify the types of tests and methods used to generate the monitoring data. At a minimum, the requirements shall include:

11.4.b.1 Quarterly reporting of the results of monitoring required under paragraph 11.4.a of this section;

11.4.b.2 Immediate notification to the Chief of any change in the concentration of any parameter measured at an existing water supply well; and

11.4.b.3 Written notification to the Chief within 30 days after any compliance schedule date of whether the owner or operator has or has not complied with the requirement in question.

Section 12. Criteria and Standards Applicable to Class V Injection Wells

12.1 General. This section sets forth requirements for underground injection control programs to regulate all injection not regulated in Sections 8., 9., 10. and 11. Generally, wells covered in this section inject non-hazardous fluids into strata that contain underground sources of drinking water. It includes, but is not limited to, the following types of injection wells: waste, disposal wells, such as drainage wells, cooling water return flow wells, air conditioning return flow wells, salt water barrier wells and subsidence control wells (not associated with oil and gas production). It also includes wells not covered in Class IV that

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 12.1

inject radioactive material listed in 10 CFR Part 20, Appendix B, Table II, Column 2.

12.2 Inventory and Assessment

12.2.a The owner or operator of any Class V well shall within one (1) year of the effective date of these rules notify the Chief of the existence of any well meeting the definition of Class V under his control, and submit a description of:

12.2.a.1 The construction features of the well;

12.2.a.2 The nature and volume of injected fluids;

12.2.a.3 The alternative means of disposal available to the operator;

12.2.a.4 The environmental and economic consequences of well disposal and its alternatives;

12.2.a.5 Facility name and location;

12.2.a.6 Name and address of legal contact;

12.2.a.7 Ownership of facility;

12.2.a.8 Nature and type of injection wells; and

12.2.a.9 Operating status of injection wells.

12.3 Requirement. If at any time the Chief gains knowledge of a Class V well which presents a significant risk to the health of persons, he/she shall prescribe such action as necessary (including the immediate closure of the injection well) to remove such risk.

12.4 Wells Regulated by Rule and Permit

12.4.a All Class V wells shall be authorized by rule pursuant to Section 13.2 unless the Chief requires an individual permit.

12.4.b Information to be considered by the Chief prior to issuance of a permit.

12.4.b.1 [Reserved].

Section 13. Injection Well Permitting Program

EMERGENCY

WRB

Leg. Rule, 20-5A
Series IX, Sec. 13.1

13.1 General Prohibition and Prohibition of
Movement of Fluid into Underground
Sources of Drinking Water

13.1.a Underground injection is prohibited unless authorized by permit or rule. The construction of any well required to have a permit is prohibited until the permit has been issued.

13.1.b No owner or operator shall construct, operate, maintain, convert, plug, abandon or conduct any other underground injection activity in a manner which causes or allows the movement of fluid containing any contaminant into underground sources of drinking water, if the presence of that contaminant may cause a violation of any primary drinking water regulation under 40 CFR Part 142 or promulgated pursuant to West Virginia Code, Chapter 16-1-1- et seq., or may otherwise adversely affect the health of persons. The applicant for a permit shall have the burden of showing that the requirements of this paragraph are met.

13.1.c For Class I, II, and III wells, if any water quality monitoring of an USDW indicates the movement of any contaminant into USDW except as authorized under these regulations, the Chief shall prescribe such additional requirements for construction, corrective action, operation, monitoring, or reporting (including closure of the injection well) as are necessary to prevent such movement. In the case of wells authorized by permit, these additional requirements shall be imposed by modifying the permit or the permit may be revoked if cause exists, or appropriate enforcement action may be taken if the permit has been violated. In the case of wells authorized by rule, see Section 13.2.

13.1.d For Class V wells, if at any time the Chief learns that a Class V well may cause a violation of primary drinking water regulations under 40 CFR Part 142 or West Virginia Code, Chapter 16-1-1 et seq., he or she shall:

13.1.d.1 Require the injector to obtain an individual permit;

13.1.d.2 Order the injector to take such actions (including where required closure of the injection well) as may be necessary to prevent the violation; or

13.1.d.3 Take enforcement action.

13.1.e Whenever the Chief learns that a Class V well may be otherwise adversely affecting the health of persons,

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 13.1.e

he or she may prescribe such actions as may be necessary to prevent the adverse effect, including any action authorized under paragraph 13.2.d of this section.

13.1.f Notwithstanding any other provision of this section, the Chief may take emergency action under Section 12a of the State Act upon receipt of information that a contaminant which is present in or is likely to enter a public water system may present an imminent and substantial endangerment to health of persons.

13.2 Authorization of Underground Injection by Rule

13.2.a Types of underground injection which may be authorized by rule. Facilities may be authorized by rule under these regulations as outlined in this paragraph. Underground injections not authorized by rule or permit are prohibited:

13.2.a.1 Injection into existing Class I, II, and III wells may be authorized by rule for periods up to five (5) years from the effective date of these regulations. All such wells must be issued permits within the five (5) year period of close down at its end, unless the rule is continued under Section 13.2.a.2;

13.2.a.2 Notwithstanding the prohibition in Section 13.1.a rules under paragraph 13.2.a.1 of this section authorizing Class II and III wells or projects in existing fields or projects may allow them to continue normal operations until permitted, including construction, operation, and plugging and abandonment of wells provided the owner or operator maintains compliance with all applicable requirements;

13.2.a.3 Injection into existing Class IV wells as defined in Section 4.4 may be authorized for a period not to exceed six (6) months after the effective date of these rules. Such rules shall apply the requirements of Section 7.4 and Section 11.4;

13.2.a.4 Injections into Class V wells may be authorized for a period of five (5) years, subject to the requirements of 13.2.b and 13.2.d of this section and Section 12. However, the Chief has authority to withdraw the authorization if required under this section.

13.2.b Requirements of Rules. Any facility authorized by rule pursuant to this section shall meet the

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 13.2.b

following requirements no later than one (1) year after authorization by such rules:

- 13.2.b.1 Section 13.6.a - (exemption form rule where authorized by temporary permits);
- 13.2.b.2 Section 13.6.b - (retention of records);
- 13.2.b.3 Section 13.6.d - (immediate reporting);
- 13.2.b.4 Section 13.6.e - (notice of abandonment);
- 13.2.b.5 Sections 13.7.f, 8.3, 10.3 - (plugging and abandonment);
- 13.2.b.6 Construction requirements under Section 8.2 (Class I), Section 10.2 (Class III), and any requirements determined necessary by Section 9.1.a (Class II);
- 13.2.b.7 For Class I, II, or III wells corrective action under Section 6.1;
- 13.2.b.8 Operating, monitoring, and reporting requirements under Section 8.4 (Class I), Section 10.4 (Class III), and any requirements determined necessary under Section 9.1.a (Class II wells);
- 13.2.b.9 Section 13.7.g - (financial responsibility);
- 13.2.b.10 Mechanical integrity requirements under Section 6.2; and
- 13.2.b.11 Section 7.3 - (special requirements for wells injecting hazardous waste).
- 13.2.c Requiring a permit.
 - 13.2.c.1 The Chief may require any Class I, II, III, or V injection well authorized by rule to apply for and obtain an individual or area UIC permit. Cases where individual or area UIC permits may be required include, but are not limited to:
 - 13.2.c.1.i The injection well is not in compliance with any requirement of the rule;

(NOTE: any underground injection which violates any rule under this section is subject to appropriate enforcement action).

13.2.c.1.ii The injection well is not or no longer is within the category of wells and types of well operations authorized in the rule;

13.2.c.1.iii The protection of USDWs requires that the injection operation be regulated by requirements, such as for corrective action, monitoring and reporting, or operation, which are not contained in the rule; and

13.2.c.1.iv As a part of the orderly implementation of the UIC Program during the period of authorization by rule.

13.2.c.2 Any owner or operator authorized by a rule may request to be excluded from the coverage of the rule by applying for an individual or area UIC permit. The owner or operator shall submit an application under Section 13.3 with reasons supporting the request to the Chief. The Chief may grant any such request.

13.2.d Inventory requirements. All injection wells covered by rule shall submit inventory information to the Chief. Any rule under this section shall provide for the automatic termination of authorization for any well which fails to comply within the time specified in paragraph 13.2.d.3 of this section.

13.2.d.1 Contents. The Chief shall require:

13.2.d.1.i Information regarding pollutant loads and schedules for attaining compliance with water quality standards;

13.2.d.1.ii Facility name and location;

13.2.d.1.iii Name and address of legal contact;

13.2.d.1.iv Ownership of facility;

13.2.d.1.v Nature and type of injection wells; and

13.2.d.1.vi Operating status of injection wells.

13.2.d.2 Notice. Upon approval of the State UIC Program, the Chief shall notify owners or operators of injection wells of their duty to submit inventory information. The method of notification selected by the Chief must assure that the owners or operators will be made aware of the inventory requirement.

13.2.d.3 Deadlines. Owners and operators of injection wells must submit inventory information no later than one (1) year after authorization by rule. The Chief need not

require inventory information from any facility with interim status under Chapter 20, Article 5E of the West Virginia Code.

13.3 Application for a Permit; Authorization by Permit

13.3.a Permit application. Except as provided in Section 13.2 (authorization by rule) all underground injections into Class I, II or III wells shall be prohibited unless authorized by permit. Those authorized by a rule under Section 13.2 must still apply for a permit under this section unless authorization was for the life of the well or project. Rules authorizing well injections for which permit applications have been submitted shall lapse for a particular well injection or project upon the effective date of the permit or permit denial for that well injection or project.

13.3.b Time to apply. Any person who performs or proposes an underground injection for which a permit is or will be required shall submit an application to the Chief in accordance with the State UIC Program as follows:

13.3.b.1 For existing injection wells as expeditiously as practicable and in accordance with the schedule contained in the State UIC Program description, but no later than four (4) years from the effective date of these regulations or as required under Section 7.3 for wells injecting hazardous waste.

13.3.b.2 For new injection wells, except new wells in projects authorized under Section 13.2.a.1 or covered by an existing area permit under Section 13.4.c, a reasonable time before construction is expected to begin.

13.3.c Contents of UIC application.

[Reserved.]

13.4 Area Permits

13.4.a The Chief may issue a permit on the area basis, rather than for each well individually, provided that the permit is for injection wells:

13.4.a.1 Described and identified by location in permit application(s) if they are existing wells, except that the Chief may accept a single description of wells with substantially the same characteristics;

13.4.a.2 Within the same well field, facility site, reservoir project, or similar unit in the State;

13.4.a.3 Operated by a single owner or operator;
and

13.4.a.4 Used to inject other than hazardous waste.

13.4.b Area permits shall specify:

13.4.b.1 The area within which underground
injections are authorized; and

13.4.b.2 The requirements for construction,
monitoring, reporting, operation, and abandonment. for all wells
authorized by the permit.

13.4.c The area permit may authorize the
permittee to construct and operate, convert, or plug and abandon
wells within the permit area provided:

13.4.c.1 The permittee notifies the Chief at such
time as the permit requires;

13.4.c.2 The additional well satisfies the criteria
in paragraph 13.4.a of this section and meets the requirements
specified in the permit under paragraph 13.4.b of this section;

13.4.c.3 The cumulative effects of drilling and
operation of additional injection wells are considered by the
Chief during evaluation of the area permit application and are
acceptable to the Chief.

13.4.d If the Chief determines that any well
constructed pursuant to paragraph 13.4.c of this section does not
satisfy any of the requirements of paragraphs 13.4.c.1 and
13.4.c.2 of this section, the Chief may modify the permit under
Section 13.18, revoke under Section 13.19, or take enforcement
action. If the Chief determines that cumulative effects are
unacceptable, the permit may be modified under Section 13.18.

13.5 Emergency Permits

13.5.a Coverage. Notwithstanding any other
provision of these regulations, the Chief may temporarily permit
a specific underground injection which has not otherwise been
authorized by rule or permit if:

13.5.a.1 An imminent and substantial endangerment
to the health of persons will result unless a temporary emergency
permit is granted; or

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 13.5.a.2

13.5.a.2 A substantial or irretrievable loss of oil or gas resources will occur unless a temporary emergency permit is granted to a Class II well; and

13.5.a.2.i Timely application for a permit could not practicably have been made; and

13.5.a.2.ii The injection will not result in the movement of fluids into underground sources of drinking water; or

13.5.a.3 A substantial delay in production of oil or gas resources will occur unless a temporary emergency permit is granted to a new Class II well and the temporary authorization will not result in the movement of fluids into an underground source of drinking water.

13.5.b Requirements for issuance.

13.5.b.1 Any temporary permit under paragraph a.1 of this section shall be for no longer term than required to prevent the hazard.

13.5.b.2 Any temporary permit under paragraph a.2 of this section shall be for no longer term than ninety (90) days, except that if a permit application has been submitted prior to the expiration date of the ninety (90) day period, the Chief may extend the temporary permit until final action on the application.

13.5.b.3 Any temporary permit under paragraph 13.5.a.3 of this section shall be issued only after a complete permit application has been submitted and shall be effective until final action on the application.

13.5.b.4 Notice of any temporary permit under this paragraph shall be published within ten (10) days of the issuance of the permit.

13.5.b.5 The temporary permit under this section may be either oral or written. If oral, it must be followed within five (5) calendar days by a written temporary emergency permit.

13.5.b.6 The Chief shall condition the temporary permit in any manner he or she determines is necessary to ensure that the injection will not result in the movement of fluids into an underground source of drinking water.

13.6 Additional Conditions Applicable to all

EMERGENCY

WRB

Leg. Rule, 20-5A
Series IX, Sec. 13.6

UIC Permits. The following conditions, in addition to those set forth in Section 13.12, apply to all UIC permits and shall be incorporated into all permits either expressly or by reference. If incorporated by reference, a specific citation to these rules must be given in the permit.

13.6.a In addition to Section 13.12.a (duty to comply): the permittee need not comply with the provisions of this permit to the extent and for the duration such non-compliance is authorized in a temporary emergency permit under Section 13.5.

13.6.b In addition to Section 13.12.j.2 (monitoring and records): the permittee shall retain all records concerning the nature and composition of injected fluids until three (3) years after completion of any plugging and abandonment procedures specified under Section 13.7.f. The Chief may require the owner or operator to deliver the records to the Chief at the conclusion of the retention period.

13.6.c In addition to Section 13.12.1.1 (notice of planned changes): except for all new wells authorized by an area permit under Section 13.4.c, a new injection well may not commence injection until construction is complete, and:

13.6.c.1 The permittee has submitted notice of completion of construction to the Chief; and

13.6.c.1.i The Chief has inspected or otherwise reviewed the new injection well and finds its is in compliance with the conditions of the permit; and

13.6.c.1.ii The permittee has not received notice from the Chief of his or her intent to inspect or otherwise review the new injection well within thirteen (13) days of the date of the notice in paragraph 13.12.c.1 of this section, in which case prior inspection or review is waived and the permittee may commence injection. The Chief shall include in the notice a reasonable time period in which he or she shall inspect the well.

13.6.d The following shall be included as information which must be reported immediately under Section 13.12.1.6:

13.6.d.1 Any monitoring or other information which indicates that any contaminant may cause an endangerment to a USDWs; and

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 13.6.d.2

13.6.d.2 Any non-compliance with a permit condition or malfunction of the injection system which may cause fluid migration into or between the USDWs.

13.6.e The permittee shall notify the Chief as such times as the permit requires before conversion or abandonment of the well or in the case of area permits before closure of the project.

13.7 Establishing UIC Permit Conditions. In additions to conditions required in all permits (Sections 13.6 and 13.12), the Chief shall establish conditions in permits as required on a case-by-case basis, to provide for and assure compliance with all applicable requirements of the SDWA and State Act and regulations. An applicable requirement is a State statutory or regulatory requirement which takes effect prior to final administrative disposition of a permit and is also any requirement which takes effect prior to the modification or revocation and reissuance of a permit. Each permit shall include conditions meeting the following requirements when applicable:

13.7.a Construction requirements as set forth in Sections 8.2 and 10.2. Existing wells shall achieve compliance with such requirements according to a compliance schedule established as a permit condition. The owner or operator of a proposed new injection well shall submit plans for testing, drilling, and construction as part of the permit application. Except as authorized by an area permit, no construction may commence until a permit has been issued containing construction requirements. New wells shall be in compliance with these requirements prior to commencing injection operations. Changes in construction plans during construction may be approved by the Chief as minor modification. No such changes may be physically incorporated into construction of the well prior to approval of the modification by the Chief.

13.7.b Corrective action as set forth in Sections 6.1 and 13.9.

13.7.c Operation requirements as set forth in Sections 8.4 and 10.4. The permit shall establish any maximum injection volumes and/or pressure necessary to assure that fractures are not initiated in the confining zone, that injected fluids do not migrate into any underground source of drinking water, that formation fluids are not displaced into any underground source of drinking water, and to assure compliance with operation requirements.

13.7.d Requirements for wells managing hazardous waste, as set forth in Sections 7. and 11.

13.7.e Monitoring and reporting requirements as set forth in Sections 8.4 and 10.4. The permittee shall be required to identify types of tests and methods used to generate the monitoring data.

13.7.f Plugging and abandonment. Any Class I, II, or III permit shall include, and any Class V permit may include, conditions to ensure that plugging and abandonment of the well will not allow the movement of fluids either into an underground source of drinking water or from one underground source of drinking water to another. Any applicant for a UIC permit shall be required to submit a plan for plugging and abandonment. Where the plan meets the requirements of this paragraph, the Chief shall incorporate it into the permit as a condition. Where the Chief's review of an application indicated that the permittee's plan is inadequate, the Chief shall require the applicant to revise the plan, prescribe conditions meeting the requirements of this paragraph, or deny the application. For purposes of this paragraph, temporary intermittent cessation of injection operations is not abandonment.

13.7.g Financial responsibility. The permit shall require the permittee to maintain financial responsibility and resources to close, plug, and abandon underground injection wells in a manner prescribed by the Chief. The permittee must show evidence of financial responsibility to the Chief by submission of a surety bond, or other adequate assurance, such as a financial statement or other material acceptable to the Chief.

13.7.h Mechanical integrity. A permit for any Class I, II, or III well or injection project which lacks mechanical integrity shall include, and for any Class V well may include, a condition prohibiting injection operations until the permittee shows to the satisfaction of the Chief under Section 6.2 that the well has mechanical integrity.

13.7.i Additional conditions. The Chief shall impose on a case-by case basis such additional conditions as are necessary to prevent the migration of fluids into underground sources of drinking water.

13.8 Waiver of Requirements by the Chief

13.8.a When injection does not occur into, through, or above an underground source of drinking water, the Chief may authorize a well or project with less stringent requirements for area of review, construction, mechanical integrity, operation, monitoring, and reporting than required in Sections 8., 10., and 13.7 to the extent that the reduction in

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 13.8.a

requirements will not result in an increased risk of movement of fluids into an underground source of drinking water.

13.8.b When injection occurs through or above an underground source of drinking water, but the radius of endangering influence when computed under Section 5.3.a is smaller or equal to the radius of the well, the Chief may authorize a well or project with less stringent requirements for operation, monitoring, and reporting than required in Sections 8., 10., and 13.7 to the extent that the reduction in requirements will not result in an increased risk of movement of fluids into an underground source of drinking water.

13.8.c When reducing requirements under paragraph 13.8.a or 13.8.b of this section, the Chief shall explain the reason for the action by preparing a fact sheet under Section 13.31.

13.9 Corrective Action

13.9.a Applicants for Class I, II (other than existing wells) or III injection well permits shall identify the location of all known wells within the injection well's area of review which penetrate the injection zone. For such wells which are improperly sealed, completed, or abandoned, the applicant shall also submit a plan consisting of such steps or modifications as are necessary to prevent movement of fluid into underground sources of drinking water ("corrective action" under Section 6.17. Where the plan is adequate, the Chief shall incorporate it into the permit as a condition. Where the Chief's review of an application indicates that the permittee's plan is inadequate, he or she shall require the applicant to revise the plan, prescribe a plan for corrective action as a condition of the permit under paragraph 13.9.b of this section, or deny the application.

13.9.b Requirements.

13.9.b.1 Existing injection wells. Any permit issued for an existing injection well (other than Class II) requiring corrective action shall include a compliance schedule requiring any corrective action accepted or prescribed under paragraph (a) of this section to be completed as soon as possible.

13.9.b.2 New injection wells. No permit for a new injection well may authorize injection until all required corrective action has been taken.

EMERGENCY

WRB

Leg. Rule, 20-5A
Series IX, Sec. 13.9.b.3

13.9.b.3 Injection pressure limitation. The Chief may require as a permit condition that injection zone does not exceed hydrostatic pressure at the site of any improperly completed or abandoned well within the area of review. This pressure limitation shall satisfy the corrective action requirement. Alternatively, such injection pressure limitation can be part of a compliance schedule and last until all other required corrective action has been taken.

13.9.b.4 Class III wells only. When setting corrective action requirements the Chief shall consider the overall effect of the project on the hydraulic gradient in potentially affected USDWs, and the corresponding changes in potentiometric surface(s) and flow direction(s) rather than the discrete effect of each well. If a decision is made that corrective action is not necessary based on the determinations above, the monitoring program required in Section 10.4.b shall be designed to verify the validity of such determinations.

13.10 Application for a Permit. This section shall apply in addition to the requirements of Sections 8.5, 10.5, and 13.3.

13.10.a Permit application. Any person who is required to have a permit (including new applicants and permittees with expiring permits) shall complete, sign, and submit an application to the Chief as described in this section. Persons currently authorized with UIC authorization by rule shall apply for permits when required by the Chief.

13.10.b Who applies? When a facility or activity is owned by one person but is operated by another person, it is the operator's duty to obtain a permit.

13.10.c Completeness. The Chief shall not issue a permit under a program before receiving a complete application, except for an emergency permit. An application for a permit under a program is complete when the Chief receives an application form and any supplemental information which are completed to his or her satisfaction.

13.10.d Information requirements. All applicants for UIC permits shall provide the following information to the Chief, using application form provided by the Chief:

13.10.d.1 The activities conducted by the applicant which require it to obtain permits under UIC.

13.10.d.2 Name, mailing address, and location of the facility for which the application is submitted.

EMERGENCY
WRB
Leg. Rule, 20-5A
Series IX, Sec. 13.10.d.3

13.10.d.3 Up to four (4) SIC codes which best reflect the principal products or services provided by the facility.

13.10.d.4 The operator's name, address, telephone number, ownership status, and status as Federal, State, private, public, or other entity.

13.10.d.5 A listing of all permits or construction approvals received for under any of the following programs:

13.10.d.5.i Hazardous Waste Management Code, Chapter 20-5E-1 et seq.

13.10.d.5.ii NDPDES program under CWA and State Act.

13.10.d.5.iii Prevention of Significant Deterioration (PSD) program under the Clean Air Act.

13.10.d.5.iv Nonattainment program under the Clean Air Act.

13.10.d.5.v National Emission Standards for Hazardous Pollutants (NESHAPS) pre-construction approval under the Clean Air Act.

13.10.d.5.vi Dredge or fill permits under Section 404 of CWA.

13.10.d.5.vii Other relevant environmental permits, including State permits.

13.10.6 A topographic map (or other map if topographic map is unavailable) extending one (1) mile beyond the property boundaries of the source, depicting the facility and each well where fluids from the facility are injected underground and those wells, springs, other surface water bodies, and drinking water wells listed in public records or otherwise known to the applicant in the map area.

13.10.7 A brief description of the nature of the business.

13.10.e Record keeping. Applicants shall keep records of all data used to complete permit applications and any supplemental information submitted under Section 13.3 for a period of at least three (3) years from the date the application is signed.

13.11 Signatories to Permit Applications and

Reports

13.11.a Applications. All permit applications, except those submitted for Class II wells under the UIC program shall be signed as follows:

13.11.a.1 For a corporation by a principal officer of at least the level of vice-president;

13.11.a.2 For a partnership or sole proprietorship: by a general partner or the proprietor, respectively; or

13.11.a.3 For a municipality, State, Federal, or other public agency: by either a principal executive officer or ranking elected official.

13.11.b Reports. All reports required by permits, other information requested by the Chief, and all permit applications submitted for Class II wells shall be signed by a person described in paragraph 13.11.a above in this section, or by a duly authorized representative of that person. A person is a duly authorized representative if:

13.11.b.1 The authorization is made in writing by a person described in paragraph (a) of this section.

13.11.b.2 The authorization specifies either an individual or a position of having responsibility for the overall operation of the regulated facility or activity, such as the position of plant manager, operator of a well or a well field, superintendent, or position of equivalent responsibility. (A duly authorized representative may thus be either a named individual or any individual occupying a named position); and

13.11.b.3 The written authorization is submitted to the Chief.

13.11.c Changes to Authorization. If an authorization under paragraph 13.11.b of this section is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, a new authorization satisfying the requirements of paragraph 13.11.b of this section must be submitted to the Chief prior to or together with any reports, information, or applications to be signed by an authorized representative.

13.11.d Certification. Any person signing a document under paragraph 13.11.a or 13.11.b of this section shall make the following certification:

EMERGENCY

WRB

Leg. Rule, 20-5A
Series IX, Sec. 13.11.d

" I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."

13.12 Conditions Applicable to All Permits. The following conditions are applicable to all permits, and shall be incorporated into the permits either expressly or by reference. If incorporated by reference, a specific citation to these regulations must be given in the permit.

13.12.a Duty to comply. The permittee must comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the SWDA and the State Act and is grounds for enforcement action; for permit suspension or revocation, revocation and reissuance, or modification; or for denial of a permit renewal application.

13.12.b Duty to Reapply. If the permittee wishes to continue activity regulated by this permit after the expiration date of this permit, the permittee must apply for and obtain a new permit.

13.12.c Duty to reduce or halt activity. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

13.12.d Duty to mitigate. The permittee shall take all reasonable steps to minimize or correct any adverse impact on the environment resulting from noncompliance with this permit.

13.12.e Proper operation and maintenance. The permittee shall at all times, properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the conditions of this permit. Proper operation and maintenance includes effective performance, adequate funding, adequate operator staffing and training, and adequate laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems only when necessary to achieve compliance with the conditions of the permit.

13.12.f Permit actions. This permit may be modified, revoked and reissued, suspended, or revoked for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, suspension or revocation, or a notification of planned changes or anticipated noncompliance, does not stay any permit condition.

13.12.g Property rights. This permit does not convey any property rights of any sort, or any exclusive privilege.

13.12.h Duty to provide information. The permittee shall furnish to the Chief within a reasonable time, any information which the Chief may request to determine whether cause exists for modifying, revoking and reissuing, or revoking this permit, or to determine compliance with this permit. The permittee shall also furnish to the Chief, upon request, copies of records required to be kept by this permit.

13.12.i Inspection and entry. The permittee shall allow the Chief, or an authorized representative, upon the presentation of credentials and other documents as maybe required by law, to:

13.12.i.1 Enter upon the permittees premises where a regulated facility or activity is located or conducted, or where records must be kept under the conditions of this permit;

13.12.i.2 Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;

13.12.i.3 Inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or requires under this permit; and

13.12.i.4 Sample or monitor at reasonable times, for the purposes of assuring permit compliance or as otherwise authorized by the SWDA and State Act, any substances or parameters at any location.

13.12.j Monitoring and records.

13.12.j.1 Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity.

13.12.j.2 The permittee shall retain records of all monitoring information, including all calibration and maintenance

records and all original strip chart recordings for continuous monitoring instrumentation, copies of all reports required by this permit, and records of all data used to complete the application for this permit, for a period of at least three (3) years from the date of the sample, measurement, report or application. This period may be extended by request of the Chief at any time.

13.12.j.3 Records of monitoring information shall include:

13.12.j.3.i The date, exact place, and time of sampling or measurements;

13.12.j.3.ii The individual(s) who performed the sampling or measurements;

13.12.j.3.iii The date(s) analyses were performed;

13.12.j.3.iv The individual(s) who performed the analyses;

13.12.j.3.v The analytical techniques or methods used; and

13.12.j.3.vi The results of such analyses.

13.12.k Signatory requirement. All applications, reports, or information submitted to the Chief shall be signed and certified, as requires under Section 13.11.

13.12.1 Reporting requirements.

13.12.1.1 Planned changes. The permittee shall give notice to the Chief as soon as possible of any planned significant physical alterations or additions to the permitted facility, or any planned significant changes in the operation of the facility.

13.12.1.2 Anticipated noncompliance. The permittee shall give advance notice to the Chief of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements.

13.12.1.3 Transfers. This permit is not transferable to any person except after notice to the Chief. The Chief may require modification or revocation and reissuance of the permit to change the name of the permittee and incorporate such other requirements as may be necessary under the SWDA and

the State Act and regulations. In some cases, modification or revocation and reissuance is mandatory (see Section 13.17).

13.12.1.4 Monitoring reports. Monitoring results shall be reported at the intervals specified elsewhere in this permit.

13.12.1.5 Compliance schedules. Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this permit shall be submitted no later than 30 days following each schedule date.

13.12.1.6 Immediate reporting. The permittee shall report any noncompliance which may endanger health or the environment immediately after becoming aware of the circumstances by using the Division of Water Resources Emergency Notification Number, 1-800-642-3074. Written submission shall also be provided within five (5) days of the time the permittee becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and the steps taken or planned to reduce, eliminate, and prevent reoccurrence of the noncompliance.

13.12.1.7 Other noncompliance. The permittee shall report all instances of noncompliance not reported under paragraphs 13.12.1.1, 13.12.1.4, 13.12.1.5, and 13.12.1.6 of this section, at the time monitoring reports are submitted. The report shall contain the information listed in paragraph 13.12.1.6 of this section.

13.12.1.8 Other information. Where a permittee becomes aware that he/she failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the Chief, he/she shall promptly submit such facts or information.

13.13 Duration of Permits. UIC permits for Class I, II, III and Class V wells shall be effective for a fixed term not to exceed five (5) years.

13.13.a The term of a permit shall not be extended by modification beyond the maximum duration specified in this section.

13.13.b The Chief may issue any permit for a duration that is less than the full allowable term under this section.

13.14 Schedules of Compliance

13.14.a The permit may, when appropriate, specify a schedule of compliance leading to compliance with the SWDA, the State Act and regulations.

13.14.a.1 Time for compliance. Any schedules of compliance under this section shall require compliance as soon as possible.

13.14.a.2 In addition, schedules of compliance shall require compliance no later than three (3) years after the effective date of the permit.

13.14.a.3 Interim dates. Except as provided in paragraph 13.14.b.1.ii of this section, if a permit establishes a schedule of compliance which exceeds one (1) year from the date of permit issuance, the schedule shall set forth interim requirements and the dates for their achievement.

13.14.a.3.i The time between interim dates shall not exceed one (1) year.

13.14.a.3.ii If the time necessary for completion of any interim requirement (such as the construction of a control facility) is more than one (1) year and is not readily divisible into stages for completion, the permit shall specify interim dates for the submission of reports of progress toward completion of the interim requirements and indicate a projected completion date.

13.14.a.4 Reporting. The permit shall be written to require that no later than 30 days following each interim date and the final date of compliance, the permittee shall notify the Chief in writing of its compliance or noncompliance with the interim or final requirements.

13.14.b Alternative schedules of compliance. A UIC permit applicant or permittee may cease conducting regulated activities (by plugging and abandonment) rather than continue to operate and meet requirements as follows:

13.14.b.1 If the permittee decides to cease conducting regulated activities at a given time within the term of a permit which has already been issued:

13.14.b.1.i The permit may be modified to contain a new or additional schedule leading to times cessation of activities; or

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 13.14.b.1.ii

13.14.b.1.ii The permittee shall cease conducting permitted activities before issuance of a permit whose term will include the termination date, the permit shall contain a schedule leading to termination which will ensure timely compliance with applicable requirements.

13.14.b.2 If the decision to cease conducting regulated activities is made before issuance of a permit whose term will include the termination date, the permit shall contain a schedule leading to termination which will ensure timely compliance with applicable requirements.

13.14.b.3 If the permittee is undecided whether to cease conducting regulated activities, the Chief may issue or modify a permit to contain two schedules as follows:

13.14.b.3.i Both schedules shall contain an identical interim deadline requiring a final decision on whether to cease conducting regulated activities no later than a date which ensures sufficient time to comply with applicable requirements in a timely manner if the decision is to continue conducting regulated activities;

13.14.b.3.ii One schedule shall lead to timely compliance with applicable requirements;

13.14.b.3.iii The second schedule shall lead to cessation of regulated activities by a date which will ensure timely compliance with applicable requirements;

13.14.b.3.iv Each permit containing two (2) schedules shall include a requirements that after the permittee has made a final decision under paragraph 13.14.b.3.i of this section it shall follow the schedule leading to compliance if the decision is to continue conducting regulated activities, and follow the schedule leading to termination if the decision is to cease conducting regulated activities.

13.14.b.4 The applicant's or permittee's decision to cease conducting regulated activities shall be evidenced by a firm public commitment satisfactory to the Chief, such as a resolution of the board of directors of a corporation.

13.15 Requirements for Recording and Reporting of Monitoring Results. All permits shall specify:

13.15.a Requirements concerning the proper use, maintenance, and installation, when appropriate, of monitoring equipment or methods (including biological monitoring methods when appropriate);

13.15.b Required monitoring including type, intervals, and frequency sufficient to yield data which are representative of the monitored activity including, when appropriate, continuous monitoring; and

13.15.c Applicable reporting requirements based upon the impact of the regulated activity and as specified elsewhere by these regulations.

13.16 Effect of a Permit

13.16.a The issuance of a permit does not convey any property rights of any sort, or any exclusive privilege.

13.16.b The issuance of a permit does not authorize any injury to persons or property or invasion of other private rights, or any infringement of State or local law or regulations.

13.16.c Except for Class II and III wells, compliance with a permit during its term constitutes compliance, for purposes of enforcement, with Part C of SDWA. However, a permit may be modified, revoked, and reissued, suspended or revoked during its term for cause as set forth in Sections 13.18 and 13.19.

13.17 Transfer of Permits

13.17.a Transfers by modification. Except as provided in paragraph 13.17.b of this section, a permit may be transferred by the permittee to a new owner or operator only if the permit has been modified or revoked and reissued, or a minor modification made to identify the new permittee and incorporate such other requirements as may be necessary under the SWDA and the State Act and regulations.

13.17.b Automatic transfers. As an alternative to transfers under paragraph 13.17.a of this section, any UIC permit for a well not injecting hazardous waste may be automatically transferred to a new permittee if:

13.17.b.1 The current permittee notifies the Chief at least 30 days in advance of the proposed transfer date in paragraph 13.17.b.2 of this section.

13.17.b.2 The notice includes a written agreement between the existing and new permittees containing a specific date for transfer of permit responsibility coverage, and liability between them and, in the case of UIC permits, the notice demonstrates that the financial responsibility

requirements of Section 13.7.g will be met by the new permittee;
and

13.17.b.3 The Chief does not notify the existing permittee and the proposed new permittee of his or her intent to modify or revoke and reissue the permit. A modification under this section may also be a minor modification under Section 13.20. If this notice is not received, the transfer is effective on the date specified in the agreement mentioned in paragraph 13.17.b.2 of this section.

13.18 Modification or Revocation and Reissuance of Permits. When the Chief receives any information (for example, inspects the facility, receives information submitted by the permittee as required in the permit, receives a request for modification or revocation and reissuance, or conducts a review of the permit file) he or she may determine whether or not one or more of the causes listed in paragraphs 13.18.a and 13.18.b of this section for modification or revocation and reissuance or both exists. If cause exists, the Chief may modify or revoke and reissue the permit accordingly, subject to the limitations of paragraph (c) of this section, and may request an updated application if necessary. When a permit is modified, only the conditions subject to modification are reopened. If a permit is revoked and reissued, the entire permit is reopened and subject to revision and the permit is reissued for a new term. If cause does not exist under this section or Section 13.20, the Chief shall not modify or revoke and reissue the permit. If a permit modification satisfies the criteria in Section 13.20 for "minor modifications" the permit may be modified without a draft permit or public review. Otherwise, a draft permit must be prepared.

13.18.a Cause for modification. The following are causes for modification but not revocation and reissuance of permits, except for Class II and III wells in which case the following may be causes for revocation and reissuance as well as modification. The following may be causes for revocation and reissuance as well as modification when the permittee requests or agrees.

13.18.a.1 Alterations. There are material and substantial alterations or additions to the permitted facility or activity which occurred after permit issuance which justify the application of permit conditions that are different or absent in the existing permit.

13.18.a.2 Information. The Chief has received information. Permits other than for Class II and III wells may be modified during their terms for this cause only if the information was not available at the time of permit issuance

(other than revised regulations, guidance, or test methods) and would have justified the application of different permit conditions at the time of issuance. For UIC area permits, this cause shall include any information indicating that cumulative effects on the environment are unacceptable.

13.18.a.3 New regulations. The standards or regulations on which the permit was based have been changed by promulgation of amended standards or regulations or by judicial decision after the permit was issued. Permits other than for Class II or III wells may be modified during their terms for this cause only as follows:

13.18.a.3.i For promulgation of amended standards or regulations, when:

13.18.a.3.i.A The permit condition to be modified was based on a State regulation requiring compliance with 40 CFR Part 146; and

13.18.a.3.i.B The State has revised, withdrawn, or modified that portion of the regulation on which the permit condition was based.

13.18.a.3.ii For judicial decisions, a court of competent jurisdiction has remanded and stayed State promulgation rules if the remand and stay concern that portion of the regulations on which the permit condition was based.

13.18.a.4 Compliance schedules. The Chief determines good cause exists for modification of a compliance schedule, such as an act of God, strike, flood, or materials shortage or other events over which the permittee has little or no control and for which there is no reasonably available remedy.

13.18.b Causes for modification or revocation and reissuance. The following are causes to modify or, alternatively, revoke and reissue a permit:

13.18.b.1 Cause exists for revocation under Section 13.19 and the Chief determines that modification or revocation and reissuance is appropriate.

13.18.b.2 The Chief has received notification of a proposed transfer of the permit. A permit may also be modified to reflect a transfer after the effective due date of an automatic transfer under Section 13.17.b but will not be revoked and reissued after the effective date of the transfer except upon the request of the new permittee.

13.18.c Facility siting. Suitability of the facility location will not be considered at the time of permit modification or revocation and reissuance unless new information or standards indicate that a threat to human health or the environment exists which was unknown at the time of permit issuance.

13.19 Revocation and Suspension of Permits

13.19.a The Chief may revoke or suspend a permit during its term or deny a permit renewal application for the following causes:

13.19.a.1 Noncompliance by the permittee with any condition of the permit;

13.19.a.2 The permittee's failure in the application or during the permit issuance process to disclose fully all relevant facts, or the permittee's misrepresentation of any relevant facts at any time; or

13.19.a.3 A determination that the permitted activity endangers human health or the environment and can only be regulated to acceptable levels by permit modification or revocation.

13.20 Minor Modifications of Permits. Upon the consent of the permittee, the Chief may modify a permit to make the corrections or allowances for changes in the permitted activity listed in this section. Any permit modification not processed as a minor modification under this section must be made for cause and with a draft permit and public notice as required in Section 13.18. Minor modifications may only:

13.20.a Correct typographical errors;

13.20.b Require more frequent monitoring or reporting by the permittee.

13.20.c Change an interim compliance date in a schedule of compliance, provided the new date is not more than 120 days after the date specified in the existing permit and does not interfere with attainment of the final compliance date requirement;

13.20.d Allow for a change in ownership or operational control of a facility where the Chief determines that no other change in the permit is necessary, provided that a written agreement containing a specific date for transfer of

permit responsibility, coverage, and liability between the current and new permittees has been submitted to the Chief; or

13.20.e Allow the following:

13.20.e.1 Change quantities or types of fluids injected which are within the capacity of the facility as permitted and, and in the judgement of the Chief would not interfere with the operation of the facility or its ability to meet conditions prescribed in the permit, and would not change its classification;

13.20.e.2 Change construction requirements approved by the Chief pursuant to Section 13.7.a, provided that any such alteration shall comply with the requirements of these requirements.

13.20.e.3 Amend a plugging and abandonment plan which has been updated under Section 13.6.e.

13.21 Confidentiality of Information

13.21.a Any information submitted to the State pursuant to these regulations may be claimed as confidential by the submitter. Any such claim must be asserted at the time of submission in the manner prescribed on the application form or instructions or, in the case of other submissions, by stamping the words "CONFIDENTIAL BUSINESS INFORMATION" on each page containing such information. If no claim is made at the time of submission, the State may make the information available to the public without further notice.

13.21.b Claims of confidentiality for the following information will be denied:

13.21.b.1 The name and address of any permit applicant or permittee.

13.21.b.2 Information which deals with the existence, absence, or level of contaminants in drinking water.

13.22 Identification of Underground Sources of Drinking Water and Exempted Aquifers

13.22.a The Chief may identify (by narrative description, illustrations, maps, or other means) and shall protect, except where exempted under paragraph 13.22.b of this section, as an underground source of drinking water, all aquifers or parts of aquifer which meet the definition of an "underground source of drinking water" in Section 2. Even if an aquifer has

not been specifically identified by the Chief, it is an underground source of drinking water if it meets the definition in Section 2.

13.22.b.1 The Chief may identify (by narrative description, illustrations, maps, or other means) and describe in geographic and/or geometric terms (such as vertical and lateral limits and gradient) which are clear and definite, all aquifered or parts thereof which the Chief proposes to designate as exempted aquifers using the criteria in Section 3.

13.22.b.2 No designation of an exempted aquifer submitted as a part of a UIC Program shall be final until approved by the Administrator of the U.S. EPA as part of the State program.

13.22.c.1 For Class III wells, the Chief shall require an applicant for a permit which necessitates an aquifer exemption under Section 3.1.b.1 to furnish the data necessary to demonstrate that the aquifer is expected to be mineral or hydrocarbon producing. Information contained in the mining plan for the proposed project, such as a map and general description of the mining zone, general information on the mineralogy and geochemistry of the mining zone, analysis of the amenability of the mining zone to the proposed mining method, and a time-table of planned development of the mining zone shall be considered by the Chief in addition to the information required by Section 13.3.

13.22.c.2 For Class II wells, a demonstration of commercial producibility shall be made as follows:

13.22.c.2.i For a Class II well to be used for enhanced oil recovery processes in a field or project containing aquifers from which hydrocarbons were previously produced, commercial producibility shall be presumed by the Chief upon a demonstration by the applicant of historical production having occurred in the project area or field.

13.22.c.2.ii For Class II wells not located in a field or project containing aquifers from which hydrocarbons were previously produced, information such as logs, core data, formation description, formation depth, formation thickness and formation parameters such as permeability and porosity shall be considered by the Chief, to the extent such information is available.

13.23 Public Access to Information

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 13.23.a

13.23.a Any records, reports, or information contained under these regulations and any permits, permit applications, and related documentation shall be available to the public for inspection and copying in accordance with Series VIII, West Virginia Legislative Rules (Freedom of Information Act); provided, however, that upon a satisfactory showing to the Chief that such records, reports, permit documentation, or information (other than that listed in Section 13.21.b, would, if made public, divulge methods or processes entitled to protection as trade secrets, the Chief shall consider, treat and protect such records as confidential.

13.23.b It shall be the responsibility of the person claiming any information as confidential under the provisions of Section 13.23.a above to clearly mark each page containing such information with the word "CONFIDENTIAL" and to submit an affidavit setting forth the reasons that said person believes that such information is entitled to protection.

13.23.c Any document submitted to the Chief which contains information for which claim of confidential information is made shall be submitted in a sealed envelope marked "CONFIDENTIAL" and addressed to the Chief. The document shall be submitted in two (2) separate parts. The first part shall contain all information which is not deemed by the person preparing the report as confidential and shall include appropriate cross-references to the second part which contains data, words, phrases, paragraphs, or pages and appropriate affidavits containing or relating to information which is claimed to be confidential.

13.23.d No information shall be protected as confidential information by the Chief unless it is submitted in accordance with the provisions of paragraph 13.23.c above and no information which is submitted in accordance with the provisions of paragraph 13.23.c above shall be afforded protection as confidential information unless the Chief finds that such protection is necessary to protect trade secrets and that such protection will not hide from public view the characteristics of waste materials and probable effects of the introduction of such wastes or by-products into the environment. The person who submits information claimed as confidential shall receive written notice from the Chief as to whether the information has been accepted as confidential or not.

13.23.e All information which meets the tests of paragraph (d) above shall be marked with the term "ACCEPTED" and shall be protected as confidential information. If said person fails to satisfactorily demonstrate to the Chief that such information in the form presented him meets the criteria of

paragraph 13.23.d above, the Chief shall mark the information "REJECTED" and promptly return such information to the person submitting such information.

13.23.f Nothing contained herein shall be construed so as to restrict the release of relevant confidential information during situations declared to be emergencies by the Chief or his designee.

13.23.g Nothing in this section may be construed as limiting the disclosure of information by the Division to any officer, employee or authorized representative of the State or Federal government concerned with the State UIC program.

13.24 Public Participation in Permit Process

13.24.a Scope. Public notice shall be given that the following actions have occurred:

13.24.a.1 A draft permit has been prepared; and

13.24.a.2 A hearing time has been scheduled.

13.24.b Timing.

13.24.b.1 Public notice of the preparation of the draft permit required under this section shall allow at least 30 days for public comment.

13.24.b.2 Public notice of a hearing shall be given at least 30 days before the hearing.

13.24.c Methods. Public notice of activities described in this section shall be given by the following methods:

13.24.c.1 By mailing a copy of a notice to the following persons (any person otherwise entitled to receive notice under this paragraph may waive the right to receive notice for any classes and categories of permits):

13.24.c.1.i The applicant;

13.24.c.1.ii Any other agency including EPA which the Chief knows has issued or is required to issue a RCRA, PSD, NPDES permit for the same facility or activity.

13.24.c.1.iii Federal and State and interstate agencies with jurisdiction over fish and wildlife resources, public health, the State Historic Preservation Unit of the Department of

Culture and History, and other appropriate government authorities, including any affected states;

13.24.c.1.iv Persons on a mailing list developed by:

13.24.c.1.iv.A Including those who request in writing to be on the list;

13.24.c.1.iv.B Soliciting persons for "area lists" from participants in past permit proceedings in that area; and

13.24.c.1.iv.C Notifying the public of the opportunity to be put on the mailing list through periodic publication in the public press and in appropriate publications of the State.

13.24.c.1.v By mailing a copy to each agency having authority under State law with respect to the construction or operation of such facility;

13.24.c.2 For any permit, the Chief shall send the public notice to the applicant who shall be responsible for publication of a Class I legal advertisement by a date, and in a paper specified by the Chief. Upon publication, the applicant shall send the Chief a copy of the certificate of publication. The costs of publication shall be borne by the applicant; and

13.24.c.3 Any other method reasonably calculated to give actual notice of the action in question to the persons potentially affected by it, including press releases or any other forum or medium to elicit public participation.

13.25 Contents of a Public Notice

13.25.a All public notices issued under this section shall contain the following minimum information:

13.25.a.1 Name and address of the office processing the permit action for which notice is being given;

13.25.a.2 Name and address of the permittee or permit applicant and, if different, of the facility or activity regulated by the permit.

13.25.a.3 A brief description of the business conducted at the facility described in the permit application or the draft permit.

13.25.a.4 The name, address, and telephone number of a person from whom interested persons may obtain further

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 13.25.a.4

information, including copies of the draft permit or fact sheet, and the application.

13.25.a.5 A brief description of the comment procedures required by Sections 13.26 and 13.27 and the time and place of any hearing that will be held, including a statement of procedures to request a hearing unless already scheduled, and other procedures by which the public may participate in the final permit decision.

13.25.b In addition to the general public notice described in Section 13.25.a, the public notice of a hearing shall contain the following information:

13.25.b.1 Reference to the date of previous public notices relating to the permit.

13.25.b.2 Date, time and place of the hearing.

13.25.b.3 A brief description of the nature and purpose of the hearing, including the applicable rules and procedures.

13.25.c In addition to the general public notice, all persons identified in Section 13.24.c.1.i, 13.24.c.1.ii, and 13.24.c.1.iii shall be mailed a copy of the fact sheet, the permit application and the draft permit.

13.26 Public Comment and Requests for Public Hearings. During the public comment period provided, any interested person may submit written comments on the draft permit and may request a public hearing if no hearing has already been scheduled. A request for a public hearing shall be in writing and shall state the nature of the issues proposed to be raised in the hearing. All comments shall be considered in making the final decision and shall be answered as provided in Section 13.30.

13.27 Public Hearings

13.27.a The Chief shall hold a public hearing whenever he or she finds, on the basis of requests, a significant degree of public interest of issues relevant to the draft permit(s). The Chief also may hold a public hearing at his or her discretion, whenever, for instance, such a hearing might clarify one or more issues involved in the permit decision.

13.27.b Any person may submit oral or written statements and data concerning the draft permit. Reasonable limits may be set upon the time allowed for oral statements, and

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 13.27.b

the submission of statements in writing may be required. The public comment period under Section 13.24.b.1 shall automatically be extended to 10 days after the close of any public hearing under this section.

13.27.c A tape recording or written transcript of the hearing shall be made available to the public, upon request.

13.28 Obligation to Raise Issues and Provide During the Public Comment Period. All persons, including applicants, who believe any condition of a draft permit is inappropriate, shall raise all reasonably ascertainable issues and submit all reasonably available arguments and factual grounds supporting their position, including all support material, by the close of the public comment period. All supporting materials shall be included in full and not be incorporated by reference, unless they are already part of the administrative record in the same proceeding, or consist of State or Federal statutes and regulations, documents of general applicability, or other generally available reference materials. Submitters of comments shall make supporting material not already included in the administrative record available to the State as directed by the Chief.

13.29 Reopening of the Public Comment Period

13.29.a If any data, information or arguments submitted during the public comment period appear to raise substantial new questions concerning a permit, the Chief may take one or more of the following actions:

13.29.a.1 Prepare a new draft permit, appropriately modified;

13.29.a.2 Prepare a revised fact sheet and reopen the comment period under this section; or

13.29.a.3 Reopen or extend the comment period to give interested persons an opportunity to comment on the information or arguments submitted.

13.29.b Comments filed during the reopened comment period shall be limited to the substantial new questions that caused its reopening. The public notice shall define the scope of the reopening.

13.30 Response to Comments

EMERGENCY

WRB

Leg. Rule, 20-5A

Series IX, Sec. 13.30.a

13.30.a Any time that any final permit is issued, the Chief shall prepare a response to comments. This response shall:

13.30.a.1 Specify which provisions, if any, of the draft permit have been changed in the final permit decision, and the reasons for the change; and

13.30.a.2 Briefly describe and respond to all significant comments on the draft permit raised during the public comment period, or during any hearing.

13.30.b The response to comments shall be available to the public.

13.31 Fact Sheet

13.31.a A fact sheet shall be prepared for every draft permit for a major facility or activity and for every draft permit which the Chief finds is the subject of widespread public interest or raises major issues. The fact sheet shall briefly set forth the principal facts and the significant factual, legal, methodological and policy questions considered in preparing the draft permit. The Chief shall send this fact sheet to the applicant and, on request, to any other person and to the persons required under Section 13.24.c.1.i, Section 13.24.c.1.ii, and 13.24.c.1.iii.

13.31.b The fact sheet shall include, when applicable:

13.31.b.1 A brief description of the type of facility or activity which is the subject of the draft permit;

13.31.b.2 The type and quantity of fluids, which are proposed to be or are being injected;

13.31.b.3 A brief summary of the basis for the draft permit conditions including references to applicable statutory or regulatory provisions;

13.31.b.4 A description of the procedures for reaching a final decision on the draft permit including:

13.31.b.4.i The beginning and ending dates of the public comment period and the address where comments will be received;

13.31.b.4.ii Procedures for requesting a hearing and the nature of that hearing;

13.31.b.4.iii Any other procedures by which the public may participate in the final decision;

13.31.b.5 Name and telephone number of a person to contact for additional information.

13.32 Draft Permits

13.32.a Once an application is complete, the Chief shall tentatively decide whether to prepare a draft permit or to deny the application.

13.32.b If the Chief decides to prepare a draft permit, it shall contain the following information:

13.32.b.1 All conditions under Sections 13.6, 13.7, and 13.12.

13.32.b.2 All compliance schedules; and

13.32.b.3 All monitoring requirements.

KEN HECHLER
Secretary of State

MARY P. RATLIFF
Deputy Secretary of State

BARBARA STARCHER
Deputy Secretary of State

RICHARD S. STEPHENSON
Deputy Secretary of State

Telephone: (304) 345-4000
Corporations: 342-8000



STATE OF WEST VIRGINIA
SECRETARY OF STATE

Charleston 25305

WILLIAM H. HARRINGTON
Chief of Staff

RICH O. HARTMAN
Director, Administrative Law

DONALD R. WILKES
Director, Corporations

VIRGINIA SKEEN
Special Assistant

(Plus all the volunteer
help we can get)

April 6, 1987

NOTICE OF THE EXPIRATION OF EMERGENCY RULES

THE EMERGENCY RULES LISTED BELOW FILED BY THE WEST VIRGINIA WATER RESOURCES BOARD ON JANUARY 6, 1986 WILL EXPIRE ON APRIL 6, 1987. THE FIFTEEN MONTHS ALLOWED UNDER CHAPTER 29A-3-15 FOR AN EMERGENCY RULE TO BE EFFECTIVE EXPIRES ON THIS DATE.

THE FOLLOWING WATER RESOURCES EMERGENCY RULES HAVE EXPIRED.

1. Series 1, Water Quality Standards-Filed January 6, 1986, Emergency amendment filed March 28, 1986.
2. Series 2, NPDES Rules-Filed January 6, 1986
3. Series 3, Special Rules-Filed January 6, 1986
4. Series 9, Underground Injection Control-Filed January 6, 1986

THE 1987 LEGISLATURE IN S.B. 748 HAS AUTHORIZED THE ABOVE RULES BUT S. B. 748 WILL NOT BECOME EFFECTIVE UNTIL JUNE 12, 1987. UNTIL SUCH TIME THE PRIOR RULES OF THE WATER RESOURCES BOARD FOR SERIES 1, 2, 3 AND 9 RETURN AS EFFECTIVE RULES.

A handwritten signature in black ink, appearing to read "Rich O. Hartman".

Rich O. Hartman, Director
Administrative Law Division

OFFICE OF THE SECRETARY OF STATE
1987 APR - 6 AM 10:28
FILED