



TABLE 178-1 D

**DRUG TESTING STANDARDS AND  
PRACTICES PROGRAM.**

# **Uniform Classification Guidelines for Foreign Substances**

## **Model Rule**

**January, 2020 (V.14.1)**

**© ASSOCIATION OF RACING COMMISSIONERS INTERNATIONAL – 2020.**

Association of Racing Commissioners International  
2365 Harrodsburg Road, Suite B-450, Lexington, Kentucky USA 40504  
[www.arci.com](http://www.arci.com)

---

# Preamble to the Uniform Classification Guidelines of Foreign Substances

The Preamble to the Uniform Classification Guidelines was approved by the RCI Drug Testing and Quality Assurance Program Committee (now the Drug Testing Standards and Practices Program Committee) on August 26, 1991. Minor revisions to the Preamble were made by the Drug Classification subcommittee (now the Veterinary Pharmacologists Subcommittee) on September 3, 1991.

"The Uniform Classification Guidelines printed on the following pages are intended to assist stewards, hearing officers and racing commissioners in evaluating the seriousness of alleged violations of medication and prohibited substance rules in racing jurisdictions. Practicing equine veterinarians, state veterinarians, and equine pharmacologists are available and should be consulted to explain the pharmacological effects of the drugs listed in each class prior to any decisions with respect to penalties to be imposed. The ranking of drugs is based on their pharmacology, their ability to influence the outcome of a race, whether or not they have legitimate therapeutic uses in the racing horse, or other evidence that they may be used improperly. These classes of drugs are intended only as guidelines and should be employed only to assist persons adjudicating facts and opinions in understanding the seriousness of the alleged offenses. The facts of each case are always different and there may be mitigating circumstances which should always be considered. These drug classifications will be reviewed frequently and new drugs will be added when appropriate."

## Notes Regarding Classification Guidelines

- Where the use of a drug is specifically permitted by a jurisdiction, then the jurisdiction's rule supersedes these penalty guidelines.
- Regulators should be aware that a laboratory report may identify a drug only by the name of its metabolite. The metabolite might not be listed here, but the parent compound may be.
- These classes of drugs are intended only as guidelines and should be employed only to assist persons adjudicating facts and opinions in understanding the seriousness of the alleged offenses.
- The facts of each case are different and there may be mitigating circumstances that should be considered.
- These drug classifications will be reviewed periodically. New drugs will be added or some drugs may be reclassified when appropriate.
- Racing Commissioners International (RCI) and/or the Racing Medication and Testing Consortium (RMTC) should be consulted for found substances or drugs not included in these guidelines and treated as Class 1 violations warranting a Class A penalty unless otherwise advised.

# Classification Criteria

The RCI Drug Classification Scheme is based on 1) pharmacology, 2) drug use patterns, and 3) the appropriateness of a drug for use in the racing horse. Categorization is decided using the following general guidelines:

- **Pharmacology.** Drugs that are known to be potent stimulants or depressants are placed in higher classes, while those that have (or would be expected to have) little effect on the outcome of a race are placed in lower classes.
- **Drug Use Patterns.** Some consideration is given to placement of drugs based on practical experience with their use and the nature of positive tests. For example, procaine positives have in the past been associated primarily with the administration of procaine penicillin, and this has been taken into consideration in the placement of procaine into Class 3 instead of Class 2 with other injectable local anesthetics.
- **Appropriateness of Drug Use.** Drugs that clearly are intended for use in equine therapeutics are placed in lower classes. Drugs that clearly are not intended for use in the horse are placed in higher classes, particularly if they might affect the outcome of a race. Drugs that are recognized as legitimately useful in equine therapeutics but could affect the outcome of a race are placed in the middle or higher classes.

The list includes most drugs that have been reported as detected by racing authority laboratories in the United States, Canada, the United Kingdom and other Association of Official Racing Chemists (AORC) laboratories, but does not include those which would seem to have no effect on the performance of the horse or drug detectability. For example, it does not include antibiotics, sulfonamides, vitamins, anthelmintics, or pangamic acid, all of which have been reported.

The list contains many drugs that have never been reported as detected. Usually, these are representatives of chemical classes that have the potential for producing an effect, and in many cases, for which at least one drug in that chemical class has been reported.

Most drugs have numerous effects, and each was judged on an individual basis. There are instances where there is a rather fine distinction between drugs in one category and those in the next. This is a reflection of a nearly continuous spectrum of effects from the most innocuous drug on the list to the drug that is the most offensive.

# Classification Definitions

- **Class 1:** Stimulant and depressant drugs that have the highest potential to affect performance and that have no generally accepted medical use in the racing horse. Many of these agents are Drug Enforcement Agency (DEA) schedule II substances. These include the following drugs and their metabolites: Opiates, opium derivatives, synthetic opioids and psychoactive drugs, amphetamines and amphetamine-like drugs as well as related drugs, including but not limited to apomorphine, nikethamide, mazindol, pemoline, and pentylentetrazol. Though not used as therapeutic agents, all DEA Schedule 1 agents are included in Class 1 because they are potent stimulant or depressant substances with psychotropic and often habituating actions. This class also includes all erythropoietin stimulating substances and their analogues.
- **Class 2:** Drugs that have a high potential to affect performance, but less of a potential than drugs in Class 1. These drugs are 1) not generally accepted as therapeutic agents in racing horses, or 2) they are therapeutic agents that have a high potential for abuse. Drugs in this class include: psychotropic drugs, certain nervous system and cardiovascular system stimulants, depressants, and neuromuscular blocking agents. Injectable local anesthetics are included in this class because of their high potential for abuse as nerve blocking agents.
- **Class 3:** Drugs that may or may not have generally accepted medical use in the racing horse, but the pharmacology of which suggests less potential to affect performance than drugs in Class 2. Drugs in this class include bronchodilators, anabolic steroids and other drugs with primary effects on the autonomic nervous system, procaine, antihistamines with sedative properties and the high-ceiling diuretics.
- **Class 4:** This class includes therapeutic medications that would be expected to have less potential to affect performance than those in Class 3. Drugs in this class includes less potent diuretics; corticosteroids; antihistamines and skeletal muscle relaxants without prominent central nervous system (CNS) effects; expectorants and mucolytics; hemostatics; cardiac glycosides and anti-arrhythmics; topical anesthetics; antidiarrheals and mild analgesics. This class also includes the non-steroidal anti-inflammatory drugs (NSAIDs), at concentrations greater than established limits.
- **Class 5:** This class includes those therapeutic medications that have very localized actions only, such as anti-ulcer drugs, and certain anti-allergic drugs. The anticoagulant drugs are also included.

- **Prohibited Practices:**

- A) The possession and/or use of a drug, substance or medication, specified below, on the premises of a facility under the jurisdiction of the regulatory body for which a recognized analytical method has not been developed to detect and confirm the administration of such substance; or the use of which may endanger the health and welfare of the horse or endanger the safety of the rider or driver; or the use of which may adversely affect the integrity of racing:
  - 1) Erythropoietin
  - 2) Darbepoetin
  - 3) Oxyglobin
  - 4) Hemopure
- B) The possession and/or use of a drug, substance, or medication on the premises of a facility under the jurisdiction of the regulatory body that has not been approved by the United States Food and Drug Administration (FDA) for use in the United States.
- C) The practice, administration, or application of a treatment, procedure, therapy or method identified below, which is performed on the premises of a facility under jurisdiction of a regulatory body and which may endanger the health and welfare of the horse or endanger the safety of the rider or driver, or the use of which may adversely affect the integrity of racing:

## Drug Classification Scheme

- **Class 1:** Opiates, opium derivatives, synthetic opioids, psychoactive drugs, amphetamines, and all DEA Schedule I substances (see <http://www.deadiversion.usdoj.gov/schedules/#list>), and many DEA Schedule II drugs. Also found in this class are drugs that are potent stimulants of the CNS. Drugs in this class have no generally accepted medical use in the racing horse and their pharmacologic potential for altering the performance of a racing horse is very high. This class also includes all erythropoietin stimulating substances and their analogues.
  
  - **Class 2:** Drugs placed in this category have a high potential for affecting the outcome of a race. Most are not generally accepted as therapeutic agents in the racing horse. Many are products intended to alter consciousness or the psychic state of humans, and have no approved or indicated use in the horse. Some, such as injectable local anesthetics, have legitimate use in equine medicine, but should not be found in a racing horse. The following groups of drugs are placed in this class:
    - A. Opiate partial agonists, or agonist-antagonists.
    - B. Non-opiate psychotropic drugs. These drugs may have stimulant, depressant, analgesic or neuroleptic effects.
    - C. Miscellaneous drugs, which might have a stimulant effect on the CNS.
    - D. Drugs with prominent CNS depressant action.
    - E. Anti-depressant and antipsychotic drugs, with or without prominent CNS stimulatory or depressant effects.
    - F. Muscle blocking drugs - those that have a direct neuromuscular blocking action.
    - G. Local anesthetics that have a reasonable potential for use as nerve-blocking agents (except procaine).
    - H. Snake venoms and other biologic substances that may be used as nerve-blocking agents.
  
  - **Class 3:** Drugs placed in this class may or may not have an accepted therapeutic use in the horse. Many are drugs that affect the cardiovascular, pulmonary and autonomic nervous systems. They all have the potential of affecting the performance of a racing horse. The following groups of drugs are placed in this class:
    - A. Drugs affecting the autonomic nervous system that do not have prominent CNS effects, but which do have prominent cardiovascular or respiratory system effects. Bronchodilators are included in this class.
    - B. A local anesthetic that has nerve-blocking potential but also has a high potential for producing urine residue levels from a method of use not related to the anesthetic effect of the drug (procaine).
    - C. Miscellaneous drugs with mild sedative action, such as the sleep-inducing antihistamines.
    - D. Primary vasodilating/hypotensive agents.
    - E. Potent diuretics affecting renal function and body fluid composition.
    - F. Anabolic and/or androgenic steroids and other drugs.
-

- **Class 4:** Drugs in this category comprise primarily therapeutic medications routinely used in racehorses. These may influence performance, but generally have a more limited ability to do so. Groups of drugs assigned to this category include the following:
  - A. Non-opiate drugs that have a mild central antipyretic effect.
  - B. Drugs affecting the autonomic nervous system that do not have prominent CNS, cardiovascular, or respiratory effects:
    1. Drugs used solely as topical vasoconstrictors or decongestants.
    2. Drugs used as gastrointestinal antispasmodics.
    3. Drugs used to void the urinary bladder.
    4. Drugs with a major effect on CNS vasculature or smooth muscle of visceral organs.
  - C. Antihistamines that do not have a significant CNS depressant effect. This does not include the H2 blocking agents, which are in Class 5.
  - D. Mineralocorticoid drugs.
  - E. Skeletal muscle relaxants.
  - F. Anti-inflammatory drugs. These drugs may reduce pain as a consequence of their anti-inflammatory action.
    1. Non-steroidal anti-inflammatory drugs (NSAIDs). (Aspirin-like drugs).
    2. Corticosteroids (glucocorticoids).
    3. Miscellaneous anti-inflammatory agents.
  - G. Less potent diuretics.
  - H. Cardiac glycosides and antiarrhythmic agents.
    1. Cardiac glycosides.
    2. Antiarrhythmic agents (exclusive of lidocaine, bretylium, and propranolol).
    3. Miscellaneous cardiotonic drugs.
  - I. Topical Anesthetics - agents not available in injectable formulations.
  - J. Antidiarrheal drugs.
  - K. Miscellaneous drugs:
    1. Expectorants with little or no other pharmacologic action.
    2. Stomachics.
    3. Mucolytic agents.
  
- **Class 5:** Drugs in this category are therapeutic medications that have very localized actions only, such as anti-ulcer drugs, and certain antiallergic drugs. The anticoagulant drugs are also included.

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Δ-1-androstene-3, 17-diol</b>		3	A		
<b>Δ-1-androstene-3, 17-dione</b>		3	A		
<b>Δ-1-dihydrotestosterone</b>		3	A		
<b>1-androstenediol (5α-androst-1-ene-3β, 17β-diol)</b>		3	B	Steroid - endogenous weak androgen steroid hormone and intermediate in the biosynthesis of testosterone from dehydroepiandrosterone (DHEA) and of estrone.	Endogenous AAS
<b>1-androstenedione (5α-androst-1-ene-3, 17-dione)</b>		3	B	Steroid - endogenous weak androgen steroid hormone and intermediate in the biosynthesis of testosterone from dehydroepiandrosterone (DHEA) and of estrone.	Endogenous AAS
<b>1-testosterone (17β-hydroxy-5α-androst-1-en-3-one)</b>		3	A	Steroid - chemically related to anabolic steroids.	AAS lacking FDA approval
<b>19-Norandrostenediol</b>		3	B		
<b>19-Norandrostenedione</b>		3	B		
<i>19-noretiocholanolone.</i>		3	B	Nandrolene Link - a metabolite of nandrolone (19-nortestosterone) and bolandione (19-norandrostenedione).	Metabolite of a B substance
<b>2-Aminoheptane</b>	<i>Tuamine</i>	4	B		
<b>3-Methoxytyramine</b>	<i>3-MT</i>	2	A		
<b>3,4-methylenedioxypropylamphetamine</b>	<i>MDPV, "bath salts"</i>	1	A		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<i>4-androstene-3,6,17-trione (6-oxo)</i>		3	B	Hormone and Metabolic effects, same classification as Testolactone on Human Olympic Guidelines - Aromatase inhibitors.	Testolactone has B classification
<i>4-androstenediol (androst-4-ene-3<math>\beta</math>,17<math>\beta</math>-diol)</i>		3	B	Testosterone Link - androstenediol that is converted to testosterone.	Metabolized to a B substance
<b>4-Hydroxytestosterone</b>		3	B		
<i>5-androstenedione (androst-5-ene-3,17-dione)</i>		3	B	Testosterone Link - prohormone of testosterone.	Metabolized to a B substance
<i>5<math>\alpha</math>-androstane-3<math>\alpha</math>,17<math>\alpha</math>-diol</i>		3	B	Testosterone Link - testosterone metabolite.	Metabolite of a B substance
<i>5<math>\alpha</math>-androstane-3<math>\alpha</math>,17<math>\beta</math>-diol</i>		3	B	Testosterone Link - testosterone metabolite.	Metabolite of a B substance
<i>5<math>\alpha</math>-androstane-3<math>\beta</math>,17<math>\alpha</math>-diol</i>		3	B	Testosterone Link - testosterone metabolite.	Metabolite of a B substance
<i>5<math>\alpha</math>-androstane-3<math>\beta</math>,17<math>\beta</math>-diol</i>		3	B	Testosterone Link - testosterone metabolite.	Metabolite of a B substance
<i>5<math>\beta</math>-androstane-3<math>\alpha</math>,17<math>\beta</math>-diol, androst-4-ene-3<math>\alpha</math>,17<math>\alpha</math>-diol</i>		3	B	Testosterone Link - androstenediol that is converted to testosterone.	Metabolized to a B substance
<i>7-keto-dhea;19-</i>		3	B	DHEA Link - a steroid produced by metabolism of the prohormone dehydroepiandrosterone (DHEA).	Metabolite of a B substance
<i>7<math>\alpha</math>-hydroxy-dhea</i>		3	B	DHEA Link - naturally occurring steroid and a major metabolite of dehydroepiandrosterone (DHEA).	Metabolite of a B substance
<i>7<math>\beta</math>-hydroxy-dhea</i>		3	B	DHEA Link - naturally occurring steroid and a major metabolite of dehydroepiandrosterone (DHEA).	Metabolite of a B substance
<b>a-Cobratoxin</b>		1	A		
<b>Acebutolol</b>	<i>Sectral</i>	3	B		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note.
<b>Accecarbromal</b>		2	A		
<b>Acenocoumarol</b>		5	C		
<b>Acepromazine</b>	<i>Atrovet, Notensil, PromAce®</i>	3	B		
<b>Acetaminophen (Paracetamol)</b>	<i>Tylenol, Tempra, etc.</i>	4	C		
<b>Acetanilid</b>		4	B		
<b>Acetazolamide</b>	<i>Diamox, Vetamox</i>	4	C		
<b>Acetophenazine</b>	<i>Tindal</i>	2	A		
<b>Acetophenetidin (Phenacetin)</b>		4	B		
<b>Acetylcysteine</b>		4	C		
<b>Acetylsalicylic acid (Aspirin)</b>		4	C		
<i>Activators of the AMP-activated protein kinase (AMPK) - E.g., AICAR, and Peroxisome Proliferator Activated Receptor <math>\delta</math> (ppar<math>\delta</math>) agonists (e.g., GW 1516).</i>	<i>AICAR</i>	2	A	Hormone and Metabolic effects, same classification as Testolactone on Human Olympic Guidelines.	PPARs are experimental drugs without FDA approval
<b>Adinazolam</b>		2	A		
<b>Adrenochrome monosemicarbazone salicylate</b>		4	B		
<b>Albuterol (Salbutamol)</b>	<i>Proventil, Ventolin</i>	3	B	NOTE: "A" penalty for quarter horse races.	
<b>Alclofenac</b>		2	B		
<b>Alclometasone</b>	<i>Aclovate</i>	4	C		
<b>Alcuronium</b>	<i>Alloferin</i>	2	A		
<b>Aldosterone</b>	<i>Aldocortin, Electro cortin</i>	4	B		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Alfentanil</b>	<i>Alfenta</i>	1	A		
<b>Almotriptan</b>	<i>Axert</i>	3	A		
<b>Alphaprodine</b>	<i>Nisentil</i>	2	A		
<b>Alpidem</b>	<i>Anaxyl</i>	2	A		
<b>Alprazolam</b>	<i>Xanax</i>	2	A		
<b>Alprenolol</b>		2	A		
<b>Althesin</b>	<i>Saffan</i>	2	A		
<b>Altrenogest</b>	<i>Regumate</i>	4	C	*Classification for geldings, colts, adult intact males, spayed females only.	
<b>Ambenonium</b>	<i>Mytelase, Myeuran</i>	3	B		
<b>Ambroxol</b>	<i>Ambriol, etc.</i>	4	B		
<b>Amcinonide</b>	<i>Cyclocort</i>	4	C		
<b>Amiloride</b>	<i>Moduretic; Midamor</i>	4	B		
<b>Aminocaproic acid</b>	<i>Amicar, Caprocid</i>	4	C		
<b>Aminoglutethimide</b>		3	B	Hormone and Metabolic effects, same classification as Testolactone on Human Olympic Guidelines.	Testolactone has B classification
<b>Aminophylline</b>	<i>Aminophyllin, etc.</i>	3	B		
<b>Aminopyrine</b>		4	B		
<b>Aminorex</b>	<i>Aminoxafen, Aminoxaphen, Apique!, McN-742, Menocil</i>	1	A		
<b>Amiodarone</b>		4	B		
<b>Amisometradine</b>	<i>Rolictron</i>	4	B		
<b>Amisulpride</b>	<i>Solian</i>	2	A		
<b>Amitraz</b>	<i>Mitaban</i>	3	B		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Amitriptyline</b>	<i>Elavil, Amitril, Endep</i>	2	A		
<b>Amlodipine</b>	<i>Ammivin, Norvasc</i>	3	B		
<b>Amobarbital</b>	<i>Amytal</i>	2	A		
<b>Amoxapine</b>	<i>Asendin</i>	2	A		
<b>Amperozide</b>		2	A		
<b>Amphetamine</b>		1	A		
<b>Amrinone</b>		4	B		
<b>Amyl nitrite</b>		2	A		
<b>Anastrozole</b>		3	B	Hormone and Metabolic effects, same classification as Testolactone on Human Olympic Guidelines - Aromatase inhibitors.	Testolactone has B classification
<b>Andarine</b>		2	A		SARM
<b>Androst-4-ene-3<math>\alpha</math>,17<math>\beta</math>-diol</b>		3	B	Testosterone Link - an androstenediol that is converted to testosterone.	Metabolized to a B substance
<i>Androst-4-ene-3<math>\beta</math>,17<math>\alpha</math>-diol</i>		3	B	Testosterone Link - an androstenediol that is converted to testosterone.	Metabolized to a B substance
<i>Androst-5-ene-3<math>\alpha</math>,17<math>\alpha</math>-diol</i>		3	B	Testosterone Link - androstenediol that is converted to testosterone.	Metabolized to a B substance
<i>Androst-5-ene-3<math>\alpha</math>,17<math>\beta</math>-diol</i>		3	B	Testosterone Link - prohormone of testosterone.	Metabolized to a B substance
<i>Androst-5-ene-3<math>\beta</math>,17<math>\alpha</math>-diol</i>		3	B	Testosterone Link - prohormone of testosterone.	Metabolized to a B substance
<i>Androsta-1,4,6-triene-3,17-dione (androstatrienedione)</i>		3	B	Hormone and Metabolic effects, same classification as Testolactone on Human Olympic Guidelines - Aromatase inhibitors.	Testolactone has B classification

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Androstenediol (androst-5-ene-3<math>\beta</math>, 17<math>\beta</math>-diol)</b>		3	B	Steroid: weak androgen and estrogen steroid hormone and intermediate in the biosynthesis of testosterone from dehydroepiandrosterone (DHEA)	Metabolite of a B substance
<b>Androstenedione (androst-4-ene-3, 17-dione)</b>		3	B	Steroid: endogenous weak androgen steroid hormone and intermediate in the biosynthesis of testosterone from dehydroepiandrosterone (DHEA) and of estrone.	Endogenous AAS
<i>Androsterone (3 <math>\beta</math>-hydroxy-5 <math>\alpha</math>-androstan-17-one)</i>		3	B	Testosterone Link - a metabolite of testosterone and dihydrotestosterone (DHT).	Metabolite of a B substance
<b>Anileridine</b>	<i>Leritine</i>	1	A		
<b>Anilopam</b>	<i>Anisine</i>	2	A		
<b>Anisindione</b>		5	D		
<b>Anisotropine</b>	<i>Valpin</i>	4	B		
<b>Antipyrine</b>		4	B		
<b>Apazone (Azapropazone)</b>	<i>Rheumox</i>	4	B		
<b>Apomorphine</b>		1	A		
<b>Aprindine</b>		4	B		
<b>Aprobarbital</b>	<i>Alurate</i>	2	A		
<b>ARA-290</b>		1	A	Erythropoietin Link - a nonerythropoietic peptide engineered from erythropoietin.	Blood doping agent
<b>Arecoline</b>		3	A		
<b>Arformoterol</b>		3	B		

<b>Drug/Substance</b>	<b>Trade Name(s)</b>	<b>Drug Class</b>	<b>Penalty Class</b>	<b>Special Notation</b>	<b>Note</b>
<i>Aromatase inhibitors listed:</i>					
<b>Articaine</b>	<i>Septocaine; Ultracaine</i>	2	B		
<i>Asialo EPO</i>		1	A	Erythropoietin Link - desialylated form of human glycoprotein hormone erythropoietin (EPO), which has been reported to be neuro-, cardio-, and renoprotective in animal models of organ injuries.	Blood doping agent
<b>Atenolol</b>	<i>Tenormin</i>	3	B		
<b>Atipamazole</b>		2	B		
<b>Atomoxetine</b>	<i>Strattera</i>	2	A		
<b>Atracurium</b>	<i>Tracrium</i>	2	A		
<b>Atropine</b>		3	B		
<b>Azacylonol</b>	<i>Frenque</i>	2	A		
<b>Azaperone</b>	<i>Stresnil, Suicalm, Fentaz (with Fentanyl)</i>	2	A		
<b>Baclofen</b>	<i>Lioresal</i>	4	B		
<b>Barbital</b>	<i>Veronal</i>	2	A		
<b>Barbiturates</b>		2	A		
<b>Beclomethasone</b>	<i>Propaderm</i>	4	C		
<b>Bemegrade</b>	<i>Megimide, Mike dimide</i>	2	A		
<b>Benazepril</b>	<i>Lotrel, Lotensin</i>	3	A		
<b>Bendroflumethiazide</b>	<i>Naturetin</i>	4	B		
<b>Benoxaprofen</b>		2	B		
<b>Benoxinate</b>	<i>Dorsacaine</i>	4	C		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Benperidol</b>	<i>Anquil</i>	2	A		
<b>Bentazepam</b>	<i>Tiadipona</i>	2	A		
<b>Benzactizine</b>	<i>Deprol, Bronchodiletten</i>	2	A		
<b>Benzocaine</b>		4	B		
<b>Benzoctamine</b>		2	A		
<b>Benzodiazepines</b>		2	A		
<b>Benzonatate</b>	<i>Tessalon, Tessalon Perles, Zonatuss</i>	2	A		
<b>Benzphetamine</b>	<i>Didrex</i>	2	A		
<b>Benzthiazide</b>		4	B		
<b>Benztropine</b>	<i>Cogentin</i>	2	A		
<b>Benzylpiperazine (BZP)</b>		1	A		
<b>Bepriidil</b>	<i>Bepadin</i>	4	B		
<b>Betamethasone</b>	<i>Betasone, etc.</i>	4	C		
<b>Betaxolol</b>	<i>Kerlone</i>	3	B		
<b>Bethanechol</b>	<i>Urecholine, Duvoid</i>	4	C		
<b>Bethanidine</b>	<i>Esbatal</i>	3	A		
<b>Biperiden</b>	<i>Akimeton</i>	3	A		
<b>Biriperone</b>		2	A		
<b>Bisoprolol</b>	<i>Zebeta, Bisobloc, etc.</i>	3	B		
<b>Bisphosphonates (any)</b>		3	A		
<b>Bitolterol</b>	<i>Effectin</i>	3	A		
<b>Bolandiol (estr-4-ene-3<math>\beta</math>, 17<math>\beta</math>-diol)</b>		3	A	Steroid	AAS lacking FDA approval

<b>Drug/Substance</b>	<b>Trade Name(s)</b>	<b>Drug Class</b>	<b>Penalty Class</b>	<b>Special Notation</b>	<b>Note</b>
<b>Bolasterone</b>		3	A		
<b>Boldenone</b>	<i>Equipoise</i>	3	B		
<b>Boldione</b>		3	A		
<b>Botulinum toxin</b>		2	A		
<b>Bretylum</b>	<i>Bretylol</i>	3	B		
<b>Brimonidine</b>	<i>Alphagan</i>	2	A		
<b>Bromazepam</b>	<i>Lexotan, Lectopam</i>	2	A		
<b>Bromfenac</b>	<i>Duract</i>	3	A		
<b>Bromhexine</b>	<i>Oleto, etc.</i>	4	B		
<b>Bromisovalum</b>	<i>Diffucord, etc.</i>	2	A		
<b>Bromocriptine</b>	<i>Parlodel</i>	2	A		
<b>Bromodiphenhydramine</b>		3	B		
<b>Bromperidol</b>	<i>Bromidol</i>	2	A		
<b>Brompheniramine</b>	<i>Dimetane, Disomer</i>	3	B		
<b>Brotizolam</b>	<i>Brotocol</i>	2	A		
<b>Budesonide</b>	<i>Pulmacort, Rhinocort</i>	4	C		
<b>Bufexamac</b>		3	A		
<b>Bumetanide</b>	<i>Bumex</i>	3	B		
<b>Bupivacaine</b>	<i>Marcaine</i>	2	A		
<b>Buprenorphine</b>	<i>Temgesic</i>	2	A		
<b>Bupropion</b>	<i>Wellbutrin</i>	2	A		
<b>Buspirone</b>	<i>Buspar</i>	2	A		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note.
<b>Butabarbital (Secbutobarbitone)</b>	<i>Butacaps, Butasol, etc.</i>	2	A		
<b>Butacaine</b>	<i>Butyn</i>	2	A		
<b>Butalbital (Talbutal)</b>	<i>Fiornal</i>	2	A		
<b>Butamben (butyl aminobenzoate)</b>	<i>Butesin</i>	4	C		
<b>Butanilicaine</b>	<i>Hostacam</i>	2	A		
<b>Butaperazine</b>	<i>Repoise</i>	2	A		
<b>Butoctamide</b>	<i>Listomin</i>	2	A		
<b>Butorphanol</b>	<i>Stadol, Torbugesic</i>	3	B		
<b>Butoxycaine</b>	<i>Stadacain</i>	4	B		
<b>Caffeine</b>		2	B		
<b>Calusterone</b>	<i>Methosorb</i>	3	A		
<b>Camazepam</b>	<i>Paxor</i>	2	A		
<b>Camphor</b>		4	C		
<b>Candesartan</b>	<i>Atcand</i>	3	B		
Cannabidiol (CBD) <sup>1</sup>	Anti-epileptic, analgesic	2	B		
<b>Canrenone</b>		4	C	Metabololite of a C substance - steroidal antiminerlocorticoid, active metabolite of spironolactone (a diuretic).	
<b>Capsaicin</b>		2	B		
<b>Captodiamine</b>	<i>Covatine</i>	2	A		
<b>Captopril</b>	<i>Capoten</i>	3	B		
<b>Carazolol</b>	<i>Carbacel, Conductor</i>	3	A		
<b>Carbachol</b>	<i>Lentin, Doryl</i>	3	B		
<b>Carbamezapine</b>	<i>Tegretol</i>	3	B		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Carbamylated EPO</b>		1	A	Erythropoietin Link - may be a beneficial tissue-protective cytokine.	Blood doping agent
<b>Carbazochrome</b>		4	B		
<b>Carbidopa + levodopa</b>	<i>Sinemet</i>	2	A		
<b>Carbinoxamine</b>	<i>Chistin</i>	3	B		
<b>Carbromol</b>	<i>Mifudorm</i>	2	A		
Cardarine (GW-501516)		2	A	No legit use in the racehorse. Lacks FDA approval	
<b>Carfentanil</b>		1	A		
<b>Carisoprodol</b>	<i>Rela, Soma</i>	2	B		
<b>Carphenazine</b>	<i>Proketazine</i>	2	A		
<b>Carpipramine</b>	<i>Prazinil</i>	2	A		
<b>Carprofen</b>	<i>Rimadyl</i>	4	B		
<b>Carteolol</b>	<i>Cartrol</i>	3	B		
<b>Carticaine (see articaine)</b>	<i>Septocaine; Ultracaine, etc.</i>	2	B		
<b>Carvedilol</b>	<i>Coreg</i>	3	B		
<b>Cathinone</b>	<i>khat, kat, qat, quat, chat, catha, Abyssinian tea, African tea</i>	1	A		
<b>Celecoxib</b>	<i>Celebrex</i>	3	B		
<b>Cetirizine</b>	<i>Zyrtec</i>	4	C		
<b>Chloral betaine</b>	<i>Beta-Chlor</i>	2	A		
<b>Chloral hydrate</b>	<i>Nactec, Oridrate, etc.</i>	2	A		
<b>Chloraldehyde (chloral)</b>		2	A		
<b>Chloralose (Alpha-Chloralose)</b>		2	A		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Chlordiazepoxide</b>	<i>Librium</i>	2	A		
<b>Chlorhexidol</b>		2	A		
<b>Chlormerodrin</b>	<i>Neohydrin</i>	4	B		
<b>Chlormezanone</b>	<i>Trancopal</i>	2	A		
<b>Chloroform</b>		2	A		
<b>Chlorophenesin</b>	<i>Maolate</i>	4	C		
<b>Chloroprocaine</b>	<i>Nesacaine</i>	2	A		
<b>Chloroquine</b>	<i>Avloclor</i>	4	C		
<b>Chlorothiazide</b>	<i>Diuril</i>	4	B		
<b>Chlorpheniramine</b>	<i>Chlortrimeton, etc.</i>	4	B		
<b>Chlorproethazine</b>	<i>Newiplege</i>	2	A		
<b>Chlorpromazine</b>	<i>Thorazine, Largactil</i>	1	A		
<b>Chlorprothixene</b>	<i>Taractan</i>	2	A		
<b>Chlorthalidone</b>	<i>Hydroton</i>	4	B		
<b>Chlorzoxazone</b>	<i>Paraflex</i>	4	B		
<b>Chorionic Gonadotropin (CG)</b>		3	B		Hormone and behavioral effects - a water soluble glycoprotein derived from human pregnancy urine. Used for behavior modification in colts / horses. There should be no restriction/regulation in fillies and mares.
<b>Ciclesonide</b>		4	C		
<b>Cilostazol</b>	<i>Pletal</i>	4	B		
<b>Cimeterol</b>		3	A		
<b>Cimetidine</b>	<i>Tagamet</i>	5	D		
<b>Cinchocaine</b>	<i>Nupercaine</i>	2	B		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Citalopram</b>	<i>Celex</i>	2	A		
<b>Clanobutin</b>		4	B		
<b>Clemastine</b>	<i>Tavist</i>	3	B		
<b>Clenbuterol</b>	<i>Ventipulmin</i>	3	B	NOTE: "A" penalty for quarter horse races.	
<b>Clibucaine</b>	<i>Batrax</i>	2	A		
<b>Clidinium</b>	<i>Quarezan, Clindex, etc.</i>	3	B		
<b>Clobazam</b>	<i>Urbanyl</i>	2	A		
<b>Clobetasol</b>	<i>Temovate</i>	4	C		
<b>Clocapramine</b>		2	A		
<b>Clocortolone</b>	<i>Cloderm</i>	4	C		
<b>Clodronate</b>	<i>OsPhos</i>	3	A	Bisphosphonate	
<b>Clofenamide</b>		4	B		
<b>Clomethiazole (Chlormethiazole)</b>		2	A		
<b>Clomiphene</b>		3	B	Hormone and Metabolic effects, same classification as Testolactone on Human Olympic Guidelines - Estrogen modulator.	Testolactone has B classification
<b>Clomipramine</b>	<i>Anafranil</i>	2	A		
<b>Clonazepam</b>	<i>Klonopin</i>	2	A		
<b>Clonidine</b>	<i>Catapres</i>	3	B		
<b>Clorazepate</b>	<i>Tranxene</i>	2	A		
<b>Clormecaine</b>	<i>Placacid</i>	2	A		
<b>Clostebol</b>		3	A		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Clothiapine</b>	<i>Entermin</i>	2	A		
<b>Clotiazepam</b>	<i>Trecalmo, Rize</i>	2	A		
<b>Cloxacolam</b>	<i>Enadel, Sepazon, Tolestan</i>	2	A		
<b>Clozapine</b>	<i>Clozaril, Leponex</i>	2	A		
<b>CNTO 530</b>		1	A	Erythropoietin Link - a biopharmaceutical consisting of a novel peptide that mimics the actions of erythropoietin, CNTO 530 produced sustained increases in red blood cell parameters.	Blood doping agent
<b>Cobalt (check note)</b>		3	B1	For cobalt concentrations of less than 25 parts per billion (ppb) of blood serum or plasma no penalty is recommended. For concentrations of 25 ppb or greater but less than 50 ppb of blood plasma or serum the recommended penalty is a written warning, the placement of the horse on the Veterinarians List with removal from list only after a blood test confirms that the concentration is below 25 ppb of blood plasma or serum. Testing shall be paid by the owner(s) of the horse. Concentrations of 50 ppb or greater in blood plasma or serum have a recommended "B" penalty.	
<b>Cocaine</b>		1	A3	If it is determined by the State Veterinarian/Equine Medical Director; the Stewards, or the Racing Authority that the finding of cocaine or morphine was unintentional and not based upon an attempt to affect the outcome of a race, the Stewards or Racing Authority may elect to assign a Class B penalty to the trainer.	
<b>Codeine</b>		1	A		
<b>Colchicine</b>		4	B		
<b>Conorphone</b>		2	A		
<b>Corticaine</b>	<i>Ultracain</i>	2	A		
<b>Corticotrophind</b>		3	B	Peptide hormone involved in the stress response.	
<b>Cortisone</b>	<i>Cortone, etc.</i>	4	C		
<b>Cromolyn</b>	<i>Intel</i>	5	D		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Crotetamide</b>		2	A		
<b>Cyamemazine</b>	<i>Tercian</i>	2	A		
<b>Cyclandelate</b>	<i>Cyclospasmol</i>	3	A		
<b>Cyclizine</b>	<i>Merazine</i>	3	B		
<b>Cyclobarbital</b>	<i>Phanodorm</i>	2	A		
<b>Cyclobenzaprine</b>	<i>Flexeril</i>	4	B		
<b>Cyclofenil</b>		3	B	Hormone and Metabolic effects, same classification as Testolactone on Human Olympic Guidelines - selective estrogen receptor modulator (SERM).	Testolactone has B classification
<b>Cyclomethycaine</b>	<i>Surfacaine</i>	4	C		
<b>Cyclothiazide</b>	<i>Anhydron, Renazide</i>	4	B		
<b>Cycrimine</b>	<i>Pagitane</i>	3	B		
<b>Cyproheptadine</b>	<i>Periactin</i>	3	B		
<b>Danazol</b>	<i>Danocrine</i>	3	B		
<b>Dantrolene</b>	<i>Dantrium</i>	4	C		
<b>Darbepoetin</b>	<i>Aranesp</i>	1	A		
<b>Darbepoetin (depo)</b>		1	A	Erythropoietin Link - Bone marrow stimulant (Erythropoiesis-stimulating agents are medications which stimulates the bone marrow to make red blood cells).	Blood doping agent
<b>Decamethonium</b>	<i>Syncurine</i>	2	A		
<b>Dehydrochloromethyltestosterone</b>		3	A		

<b>Drug/Substance</b>	<b>Trade Name(s)</b>	<b>Drug Class</b>	<b>Penalty Class</b>	<b>Special Notation</b>	<b>Note</b>
<b>Dembroxol (Dembrexine)</b>	<i>Sputolysin</i>	4	C		
<b>Demoxepam</b>		2	A		
<b>Deoxycorticosterone</b>	<i>Percortin, DOCA, Descotone, Dorcostrin</i>	4	C		
<b>Deracoxib</b>	<i>Deremaxx</i>	3	B		
<b>Dermorphin</b>		1	A		
<b>Desipramine</b>	<i>Norpromine, Pertofrane</i>	2	A		
<b>Desonide</b>	<i>Des Owen</i>	4	C		
<b>Desoximetasone</b>	<i>Topicort</i>	4	C		
<b>Desoxymethyltestosterone</b>		3	A		
<b>Detomidine</b>	<i>Dormosedan</i>	3	B		
<b>Dexamethasone</b>	<i>Azium, etc.</i>	4	C		
<b>Dextromethorphan</b>		4	B		
<b>Dextromoramide</b>	<i>Palfum, Narcolo</i>	1	A		
<b>Dextropropoxyphene</b>	<i>Darvon</i>	3	B		
<b>Dezocine</b>	<i>Dalgan</i>	2	A		
<b>Diamorphine</b>		1	A		
<b>Diazepam</b>	<i>Valium</i>	3	B		
<b>Diazoxide</b>	<i>Proglycem</i>	3	B		
<b>Dibucaine</b>	<i>Nupercainal, Cinchocaine</i>	2	B		
<b>Dichloralphenazone</b>	<i>Febenol, Isocom</i>	2	A		
<b>Dichlorphenamide</b>	<i>Daramide</i>	4	C		
<b>Diclofenac</b>	<i>Voltaren, Voltarol</i>	4	C		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Dicumarol</b>	<i>Dicumarol</i>	5	D		
<b>Diethylpropion</b>	<i>Tepamil, etc.</i>	2	A		
<b>Diethylthiambutene</b>	<i>Themalon</i>	2	A		
<b>Diflorasone</b>	<i>Florone, Maxiflor</i>	4	C		
<b>Diflucortolone</b>	<i>Flu-Cortinest, etc.</i>	4	C		
<b>Diflunisal</b>		3	B		
<b>Digitoxin</b>	<i>Crystodigin</i>	4	B		
<b>Digoxin</b>	<i>Lanoxin</i>	4	B		
<b>Dihydrocodeine</b>	<i>Parcodin</i>	2	A		
<b>Dihydroergotamine</b>		4	B		
<b>Dihydrotestosterone (17<math>\beta</math>-hydroxy-5<math>\alpha</math>-androstan-3-one)</b>		3	B	Steroid - endogenous androgen sex steroid and hormone.	Endogenous AAS
<b>Dilorazepam</b>	<i>Briantum</i>	2	A		
<b>Diltiazem</b>	<i>Cardizem</i>	4	B		
<b>Dimefline</b>		3	A		
<b>Dimethisoquin</b>	<i>Quotane</i>	4	B		
<b>Dimethylsulfoxide (DMSO)</b>	<i>Domoso</i>	4	C		
<b>Diphenadione</b>		5	C		
<b>Diphenhydramine</b>	<i>Benadryl</i>	3	B		
<b>Diphenoxylate</b>	<i>Difenaxin, Lomotil</i>	4	B		
<b>Diprenorphine</b>	<i>M50/50</i>	2	A		
<b>Dipyridamole</b>	<i>Persantine</i>	3	B		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Dipyron</b>	<i>Novin, Methampyrone</i>	4	B		
<b>Disopyramide</b>	<i>Norpace</i>	4	B		
<b>Divalproex</b>	<i>Depakote</i>	3	A		
<b>Dixyrazine</b>	<i>Esucos</i>	2	A		
<b>Dobutamine</b>	<i>Dobutrex</i>	3	B		
<b>Donepezil</b>	<i>Aricept</i>	1	A		
<b>Dopamine</b>	<i>Intropin</i>	2	A		
<b>Doxacurium</b>	<i>Nuromax</i>	2	A		
<b>Doxapram</b>	<i>Dopram</i>	2	A		
<b>Doxazosin</b>		3	A		
<b>Doxefazepam</b>	<i>Doxans</i>	2	A		
<b>Doxepin</b>	<i>Adapin, Sinequan</i>	2	A		
<b>Doxylamine</b>	<i>Decapryn</i>	3	B		
<b>Dromostanolone</b>	<i>Drolban</i>	3	B		
<b>Droperidol</b>	<i>Inapsine, Droleptan, Immovar-Vet (with Fentanyl)</i>	2	A		
<b>Drostanolone</b>		3	A	Steroid	AAS lacking FDA approval
<b>Duloxetine</b>		2	A		
<b>Dyclonine</b>	<i>Dyclone</i>	4	C		
<b>Dyphylline</b>		3	B		
<b>Edrophonium</b>	<i>Tensilon</i>	3	B		
<b>Eletripan</b>	<i>Relpax</i>	3	A		
<b>Eltenac</b>		4	B		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Enalapril (metabolite enalaprilat)</b>	<i>Vasotec</i>	3	A		
<b>Enciprazine</b>		2	A		
<b>Endorphins</b>		1	A		
<b>Enkephalins</b>		1	A		
<b>Ephedrine</b>		2	A		
<b>Epi-dihydrotestosterone</b>		3	B	Testosterone Link - androgenic metabolite of testosterone.	Metabolite of a B substance
<b>Epibatidine</b>		2	A		
<b>Epinephrine</b>		2	A		
<b>Epitestosterone</b>		3	B	Testosterone Link - endogenous steroid and an epimer of the androgen sex hormone testosterone.	Endogenous, stereoisomer of a B substance.
<b>EPO-Fc</b>		1	A	Erythropoietin Link - fusion protein in human blood.	Blood doping agent
<i>EPO-mimetic peptides (EMP):</i>		1	A		
<b>Ergoloid mesylates (dihydroergocornine mesylate, dihydroergocristine mesylate, and dihydroergocryptine mesylate)</b>		2	A		
<b>Ergonovine</b>	<i>Ergotrate</i>	4	C		
<b>Ergotamine</b>	<i>Gynergen, Cafergot, etc.</i>	4	B		
<b>Erthrityl tetranitrate</b>	<i>Cardilate</i>	3	A		
<b>Erythropoietin (EPO)</b>	<i>Epogen, Procrit, etc.</i>	1	A		
<b>Esmolol</b>	<i>Brevibloc</i>	3	B		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Esomeprazole</b>	<i>Nexium</i>	5	D		
<b>Estazolam</b>	<i>Domnamid, Eurodin, Nuctalon</i>	2	A		
<b>Eszopiclone</b>		2	A		
<b>Etacrynic acid</b>		3	C		
<b>Etamiphylline</b>		3	B		
<b>Etanercept</b>	<i>Enbrel</i>	4	B		
<b>Ethacrynic acid</b>	<i>Edecrin</i>	3	B		
<b>Ethamivan</b>		2	A		
<b>Ethanol</b>		2	A		
<b>Ethchlorvynol</b>	<i>Placidyl</i>	2	A		
<b>Ethinamate</b>	<i>Valmid</i>	2	A		
<b>Ethoheptazine</b>	<i>Zactane</i>	2	A		
<b>Ethopropazine</b>	<i>Parsidol</i>	2	A		
<b>Ethosuximide</b>	<i>Zarontin</i>	3	A		
<b>Ethotoin</b>	<i>Peganone</i>	4	B		
<b>Ethoxzolamide</b>	<i>Cardrase, Ethamide</i>	4	C		
<b>Ethylaminobenzoate (Benzocaine)</b>	<i>Semets, etc.</i>	4	C		
<b>Ethylestrenol</b>	<i>Maxibolin, Organon</i>	3	B		
<b>Ethylisobutrazine</b>	<i>Diquel</i>	2	A		
<b>Ethylmorphine</b>	<i>Dionin</i>	1	A		
<b>Ethylnorepinephrine</b>	<i>Bronkephrine</i>	3	A		
<b>Ethylphenidate</b>		1	A		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Etidocaine</b>	<i>Duranest</i>	2	A		
<b>Etifoxin</b>	<i>Stresam</i>	2	A		
<b>Etiocholanolone</b>		3	B	Testosterone Link - etiocholane steroid as well as an endogenous 17-ketosteroid that is produced from the metabolism of testosterone.	Metabolite of a B substance
<b>Etizolam</b>	<i>Depas, Pasaden</i>	2	A		
<b>Ethamsylate</b>		4	B		
<b>Etodolac</b>	<i>Lodine</i>	3	B		
<b>Etodroxizine</b>	<i>Indunox</i>	2	A		
<b>Etomidate</b>		2	A		
<b>Etorphine HCl</b>	<i>M99</i>	1	A		
<b>Exemestane</b>	Aromatase inhibitors	3	B	Hormone and Metabolic effects, same classification as Testolactone on Human Olympic Guidelines - Aromatase inhibitors.	Testolactone has B classification
<b>Famotidine</b>	<i>Gaster, etc.</i>	5	D		
<b>Felbamate</b>	<i>Felbatol</i>	3	B		
<b>Felodipine</b>	<i>Plendil</i>	4	B		
<b>Fenarbamate</b>	<i>Tymium</i>	2	A		
<b>Fenbufen</b>	<i>Cincopal</i>	3	B		
<b>Fenclozic acid</b>	<i>Myalex</i>	2	B		
<b>Fenfluramine</b>	<i>Pondimin</i>	2	A		
<b>Fenoldopam</b>	<i>Corlopam</i>	3	B		
<b>Fenopropfen</b>	<i>Nalfon</i>	3	B		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Fenoterol</b>	<i>Berotec</i>	3	B		
<b>Fenspiride</b>	<i>Respiride, Respan, etc</i>	3	B		
<b>Fentanyl</b>	<i>Sublimaze</i>	1	A		
<b>Fentiazac</b>		3	B		
<b>Fexofenadine</b>	<i>Allegra</i>	4	C		
<b>Fibroblast Growth Factors (fgfs), Hepatocyte Growth Factor (HGF), Insulin-like Growth Factor-1 (IGF-1) and its analogues, Mechano Growth Factors (mgfs), Platelet-Derived Growth Factor (PDGF), Vascular-Endothelial Growth Factor (VEGF) and any other growth factor affecting muscle, tendon or ligament protein synthesis/degradation, vascularization, energy utilization, regenerative capacity or fiber type switching.</b>		3	A	Cardiac, Muscle effects - a family of peptide cytokines that are important in the regulation of many tissues.	Lack FDA approval; no legitimate use in race horse.
<b>Firocoxib</b>		4	C		
<b>Flecainide</b>	<i>Idalon</i>	4	B		
<b>Floctafenine</b>	<i>Idalon, Idarac</i>	4	B		
<b>Fluanisone</b>	<i>Sedalande</i>	2	A		
<b>Fludiazepam</b>	<i>Erispam</i>	2	A		
<b>Fludrocortisone</b>	<i>Alforone, etc.</i>	4	C		
<b>Flufenamic acid</b>		3	B		

<b>Drug/Substance</b>	<b>Trade Name(s)</b>	<b>Drug Class</b>	<b>Penalty Class</b>	<b>Special Notation</b>	<b>Note</b>
<b>Flumethasone</b>	<i>Flucort, etc.</i>	4	C		
<b>Flumethiazide</b>	<i>Ademol</i>	4	B		
<b>Flunarizine</b>	<i>Sibelium</i>	4	B		
<b>Flunisolide</b>	<i>Bronhlide, etc.</i>	4	C		
<b>Flunitrazepam</b>	<i>Rohypnol, Narcozep, Darkene, Hypnodorm</i>	2	A		
<b>Flunixin</b>	<i>Banamine</i>	4	C*		
<b>Fluocinolone</b>	<i>Synalar</i>	4	C		
<b>Fluocinonide</b>	<i>Licon, Lidex</i>	4	C		
<b>Fluopromazine</b>	<i>Psyquil, Siquil</i>	2	A		
<b>Fluoresone</b>	<i>Caducid</i>	2	A		
<b>Fluorometholone</b>	<i>FML</i>	4	C		
<b>Fluoroprednisolone</b>		4	B		
<b>Fluoxetine</b>	<i>Prozac</i>	2	A		
<b>Fluoxymesterone</b>	<i>Halotestin</i>	3	B		
<b>Flupenthixol</b>	<i>Depixol, Fluanxol</i>	2	A		
<b>Fluphenazine</b>	<i>Prolixm, Permitil, Anatensol, etc.</i>	2	B		
<b>Flupirtine</b>	<i>Katadolone</i>	3	A		
<b>Fluprednisolone</b>	<i>Alphadrol</i>	4	C		
<b>Flurandrenolide</b>	<i>Cordran</i>	4	C		
<b>Flurazepam</b>	<i>Dalmane</i>	2	A		
<b>Flurbiprofen</b>	<i>Froben</i>	3	B		
<b>Fluspirilene</b>	<i>Imap, Redeptin</i>	2	A		

<b>Drug/Substance</b>	<b>Trade Name(s)</b>	<b>Drug Class</b>	<b>Penalty Class</b>	<b>Special Notation</b>	<b>Note</b>
<b>Fluticasone</b>	<i>Flixonase, Flutide</i>	4	C		
<b>Flutoprazepam</b>	<i>Restas</i>	2	A		
<b>Fluvoxamine</b>	<i>Dumirox, Faverin, etc.</i>	2	A		
<b>Formebolone</b>		3	A		
<i>Formestane</i>	Aromatase inhibitors	3	B	Hormone and Metabolic effects, same classification as Testolactone on Human Olympic Guidelines - Aromatase inhibitors.	Testolactone has B classification
<b>Formoterol</b>	<i>Altram</i>	3	B		
<b>Fosinopril</b>	<i>Monopril</i>	3	A		
<b>Fosphenytoin</b>	<i>Cerebyx</i>	3	B		
<b>Fulvestrant</b>		3	B	Hormone and Metabolic effects, same classification as Testolactone on Human Olympic Guidelines - Estrogen receptor antagonist antineoplastic agent.	Testolactone has B classification
<b>Furazabol</b>		3	A		
<b>Furosemide</b>	<i>Lasix</i>	N/A			
<b>Gabapentin</b>	<i>Neurontin</i>	3	B		
<b>Galantamine</b>	<i>Reminyl</i>	2	A		
<b>Gallamine</b>	<i>Flaxedil</i>	2	A		
<b>Gamma Aminobutyric Acid (GABA)</b>	<i>Carolina Gold</i>	3	B		
<b>Gepirone</b>		2	A		
<b>Gestrinone</b>		3	A		

<b>Drug/Substance</b>	<b>Trade Name(s)</b>	<b>Drug Class</b>	<b>Penalty Class</b>	<b>Special Notation</b>	<b>Note</b>
<i>GH-Releasing Peptides (ghrps), e.g., alexamorelin, GHRP-6, hexarelin and pralmorelin (GHRP-2)</i>		3	A	Anabolic Effects - a synthetic GH secretagogue.	Anabolic agent lacking FDA approval
<b>Glutethimide</b>	<i>Doriden</i>	2	A		
<b>Glycopyrrolate</b>	<i>Robinul</i>	4	C		
<i>Growth Hormone Releasing Hormone (GHRH) and its analogues, e.g., CJC-1295, sermorelin and tesamorelin</i>		3	A	Anabolic Effects - peptide analogue of growth hormone-releasing hormone which is used as a diagnostic agent to assess growth hormone secretion for the purpose of diagnosing growth hormone deficiency.	Anabolic agent lacking FDA approval
<i>Growth Hormone Secretagogues (GHS), e.g., ghrelin and ghrelin mimetics, e.g., anamorelin and ipamorelin</i>		3	A	Anabolic Effects - hunger hormone, appetite-enhancing and anabolic effects.	Anabolic agent lacking FDA approval
<b>Guaifenesin (glycerol guaiacolate)</b>	<i>Gecolate</i>	4	C		
<b>Guanabenz</b>	<i>Wytensin</i>	3	B		
<b>Guanadrel</b>	<i>Hylorel</i>	3	A		
<b>Guanethidine</b>	<i>Ismelin</i>	3	A		
<b>Halazepam</b>	<i>Paxipam</i>	2	A		
<b>Halcinonide</b>	<i>Halog</i>	4	C		
<b>Halobetasol</b>	<i>Ultravate</i>	4	C		
<b>Haloperidol</b>	<i>Haldol</i>	2	A		
<b>Haloxazolam</b>	<i>Somelin</i>	2	A		

<b>Drug/Substance</b>	<b>Trade Name(s)</b>	<b>Drug Class</b>	<b>Penalty Class</b>	<b>Special Notation</b>	<b>Note</b>
<b>Hemoglobin glutamers</b>	<i>Oxyglobin Hemopure</i>	2	A		
<b>Heptaminol</b>	<i>Corofundol</i>	3	B		
<b>Heroin</b>		1	A		
<b>Hexafluorenum</b>	<i>Myalexen</i>	2	A		
<b>Hexobarbital</b>	<i>Evipal</i>	2	A		
<b>Hexocyclium</b>	<i>Tral</i>	4	B		
<b>Hexylcaine</b>	<i>Cyclame</i>	2	B		
<b>HIF activators (e.g. Argon, xenon)</b>		3	A	Cardiovascular Effects - a key mediator of oxygen homeostasis that was first identified as a transcription factor that is induced and activated by decreased oxygen tension.	Blood doping agent
<b>Homatropine</b>	<i>Homapin</i>	3	B		
<b>Homophenazine</b>	<i>Pelvichthol</i>	2	A		
<b>Hydralazine</b>	<i>Apresoline</i>	3	B		
<b>Hydrochlorthiazide</b>	<i>Hydrodiuril</i>	4	B		
<b>Hydrocodone (dihydrocodienone)</b>	<i>Hycodan</i>	1	A		
<b>Hydrocortisone (Cortisol)</b>	<i>Cortef, etc.</i>	4	C		
<b>Hydroflumethiazide</b>	<i>Sahuron</i>	4	B		
<b>Hydromorphone</b>	<i>Dilaudid</i>	1	A		
<b>Hydroxyamphetamine</b>	<i>Paradrine</i>	1	A		
<b>Hydroxyzine</b>	<i>Atarax</i>	2	B		
<b>Ibomal</b>	<i>Noctal</i>	2	A		

<b>Drug/Substance</b>	<b>Trade Name(s)</b>	<b>Drug Class</b>	<b>Penalty Class</b>	<b>Special Notation</b>	<b>Note</b>
<b>Ibuprofen</b>	<i>Motrin, Advil, Nurpin, etc.</i>	4	C		
<b>Ibutilide</b>	<i>Corvert</i>	3	B		
<b>Iloprost</b>	<i>Ventavis</i>	3	A		
<b>Imipramine</b>	<i>Imavate, Presamine, Tofranil</i>	2	A		
<b>Indapamide</b>	Diuretic	3	C		
<b>Indomethacin</b>	<i>Indocin</i>	3	B		
<b>Infliximab</b>	<i>Remicade</i>	4	B		
<b>Insulins</b>		3	B	Hormone and Metabolic effects, same classification as Testolactone on Human Olympic Guidelines - protein hormone that is used as a medication to treat high blood sugar.	
<b>Ipratropium</b>		3	B		
<b>Irbesarten</b>	<i>Avapro</i>	3	A		
<b>Isapirone</b>		2	A		
<b>Isocarboxazid</b>	<i>Marplan</i>	2	A		
<b>Isoetharine</b>	<i>Bronkosol</i>	3	B		
<b>Isoflupredone</b>	<i>Predef 2x</i>	4	C		
<b>Isomethadone</b>		2	A		
<b>Isometheptene</b>	<i>Octin, Octon</i>	4	B		
<b>Isopropamide</b>	<i>Darbid</i>	4	B		
<b>Isoproterenol</b>	<i>Isoprel</i>	2	A		
<b>Isosorbide dinitrate</b>	<i>Isordil</i>	3	B		
<b>Isoxicam</b>	<i>Maxicam</i>	2	B		
<b>Isoxsuprine</b>	<i>Vasodilan</i>	4	D		
<b>Isradipine</b>	<i>DynaCirc</i>	4	B		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Kebuzone</b>		3	B		
<b>Ketamine</b>	<i>Ketalar, Ketaset, Vetalar</i>	2	B		
<b>Ketazolam</b>	<i>Anxon, Lafiram, Solatran, Loftran</i>	2	A		
<b>Ketoprofen</b>	<i>Orudis</i>	4	C*		
<b>Ketorolac</b>	<i>Toradol</i>	3	A		
<b>Labetalol</b>	<i>Normodyne</i>	3	B		
<b>Lamotrigine</b>	<i>Lamictal</i>	3	A		
<b>Lansoprazole</b>		5	D		
<b>Lenperone</b>	<i>Elanone-V</i>	2	A		
<b>Letosteine</b>	<i>Viscotol, Visiotal</i>	4	B		
<b>Letrozole</b>		3	A		
<b>Levamisole</b>		2	B		
<b>Levobunolol</b>	<i>Betagan</i>	3	B		
<b>Levomethorphan</b>		2	A		
<b>Levorphanol</b>	<i>Levo-Dremoran</i>	1	A		
<b>Lidocaine</b>	<i>Xylocaine</i>	2	B		
<b>Ligandrol</b>		2	A		SARM
<b>Lisinopril</b>	<i>Prinivil, Zestril</i>	3	A		
<b>Lithium</b>	<i>Lithizine, Duralith, etc.</i>	2	A		
<b>Lobeline</b>		2	A		
<b>Lofentanil</b>		1	A		
<b>Loflazepate, Ethyl</b>	<i>Victan</i>	2	A		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Loperamide</b>	<i>Imodium</i>	3	B		
<b>Loprazolam</b>	<i>Dormonort, Havlane</i>	2	A		
<b>Loratidine</b>	<i>Claritin</i>	4	C		
<b>Lorazepam</b>	<i>Ativan</i>	2	A		
<b>Lormetazepam</b>	<i>Noctamid</i>	2	A		
<b>Losartan</b>	<i>Hyzaar</i>	3	B		
<b>Loxapine</b>	<i>Laxitane</i>	2	A		
<b>Luteinizing Hormone (LH)</b>		3	B		Hormone and behavioral effects - a hormone produced by gonadotropic cells in the anterior pituitary gland. In females, an acute rise of LH triggers ovulation and development of the corpus luteum. Used for behavior modification in colts / horses. There should be no restriction/regulation in fillies and mares.
<b>Mabuterol</b>		3	A		
<b>Maprotiline</b>	<i>Ludiomil</i>	2	A		
<b>Mazindol</b>	<i>Sanorex</i>	1	A		
<b>Mebutamate</b>	<i>Axiten, Dormate, Capla</i>	2	A		
<b>Mecamylamine</b>	<i>Inversine</i>	3	B		
<b>Meclizine</b>	<i>Antivert, Bonine</i>	3	B		
<b>Meclofenamic acid</b>	<i>Arquel</i>	4	C		
<b>Meclofenoxate</b>	<i>Lucidril, etc.</i>	2	A		
<b>Medazepam</b>	<i>Nobrium, etc.</i>	2	A		
<b>Medetomidine</b>	<i>Domitor</i>	3	B		
<b>Medrysone</b>	<i>Medriusar, etc.</i>	4	C		
<b>Mefenamic acid</b>	<i>Ponstel</i>	3	B		
<b>Meldonium</b>	<i>Mildronate, et al</i>	1	A		

<b>Drug/Substance</b>	<b>Trade Name(s)</b>	<b>Drug Class</b>	<b>Penalty Class</b>	<b>Special Notation</b>	<b>Note</b>
<b>Meloxicam</b>	<i>Mobic</i>	4	B		
<b>Melperone</b>	<i>Eumerpan</i>	2	A		
<b>Memantine</b>	<i>Namenda</i>	2	A		
<b>Meparfynol</b>	<i>Oblivon</i>	2	A		
<b>Mepazine</b>	<i>Pacatal</i>	2	A		
<b>Mepenzolate</b>	<i>Cantil</i>	3	B		
<b>Meperidine</b>	<i>Demerol</i>	1	A		
<b>Mephesisin</b>	<i>Tolserol</i>	4	B		
<b>Mephenoalone</b>	<i>Control, etc.</i>	2	A		
<b>Mephentermine</b>	<i>Wyamine</i>	1	A		
<b>Mephénytoin</b>	<i>Mesantoin</i>	2	A		
<b>Mephobarbital (Methylphenobarbital)</b>	<i>Mebaral</i>	2	A		
<b>Mepivacaine</b>	<i>Carbocaine</i>	2	B		
<b>Meproamate</b>	<i>Equanil, Miltown</i>	2	A		
<b>Meralluride</b>	<i>Mercurhydrin</i>	4	B		
<b>Merbaphen</b>	<i>Novasural</i>	4	B		
<b>Mercaptomerin</b>	<i>Thiomerin</i>	4	B		
<b>Mercumatilin</b>	<i>Cumertilin</i>	4	B		
<b>Mersalyl</b>	<i>Sabyrgan</i>	4	B		
<b>Mesalamine</b>	<i>Asacol</i>	5	C		
<b>Mesoridazine</b>	<i>Serentil</i>	2	A		
<b>Mestanolone</b>		3	A		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Mesterolone</b>		3	A		
<b>Metaclazepam</b>	<i>Talis</i>	2	A		
<b>Metandienone</b>		3	A	Steroid	AAS lacking FDA approval
<b>Metaproterenol</b>	<i>Alupent, Metaprel</i>	3	B		
<b>Metaraminol</b>	<i>Aramine</i>	1	A		
<b>Metaxalone</b>	<i>Skelaxin</i>	4	B		
<b>Metazocine</b>		2	A		
<b>Metenolone</b>		3	A	Steroid	AAS lacking FDA approval
<b>Metformin</b>		2	B		
<b>Methacholine</b>		3	A		
<b>Methadone</b>	<i>Dolophine</i>	1	A		
<b>Methamphetamine</b>	<i>Desoxyn</i>	1	A4	Recommended Penalty B if testing can prove presence of only levo-methamphetamine is present in sample.	
<b>Methandriol (Methylandrostenediol)</b>	<i>Probolis</i>	3	A		
<b>Methandrostenolone</b>	<i>Dianabol</i>	3	A		
<b>Methantheline</b>	<i>Banthine</i>	3	B		
<b>Methapyrilene</b>	<i>Histadyl, etc.</i>	3	B		
<b>Methaqualone</b>	<i>Quaalude</i>	1	A		
<b>Metharbital</b>	<i>Gemoni</i>	2	A		
<b>Methasterone</b>		3	A		
<b>Methazolamide</b>	<i>Naptazane</i>	4	C		
<b>Methcathinone</b>		1	A		
<b>Methdilazine</b>	<i>Tacaryl</i>	3	B		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Methenolone</b>	<i>Primobolan</i>	3	A		
<b>Methixene</b>	<i>Trest</i>	3	A		
<b>Methocarbamol</b>	<i>Robaxin</i>	4	C		
<b>Methohexital</b>	<i>Brevital</i>	2	A		
<b>Methotrexate</b>	<i>Folex, Nexate, etc.</i>	4	B		
<b>Methotrimeprazine</b>	<i>Levoprome, Neurocil, etc.</i>	2	A		
<b>Methoxamine</b>	<i>Vasoxyl</i>	3	A		
<b>Methoxyphenamine</b>	<i>Orthoxide</i>	3	A		
<b><i>Methoxypolyethylene glycol-epoetin beta (CERA)</i></b>		1	A	Erythropoietin Link - an erythropoiesis-stimulating agent (ESA) indicated for the treatment of anemia associated with chronic kidney disease (CKD in adult patients on dialysis and patients not on dialysis.	Blood doping agent
<b>Methoxyprogesterone</b>		4	C	*Classification for geldings, colts, adult intact males, spayed females only.	
<b>Methscopolamine</b>	<i>Pamine</i>	4	B		
<b>Methsuximide</b>	<i>Celontin</i>	4	B		
<b>Methyclothiazide</b>	<i>Enduron</i>	4	B		
<b>Methyl-1-testosterone</b>		3	A		
<b>Methylatropine</b>		3	B		
<b>Methyldienolone</b>		3	A		
<b>Methyldopa</b>	<i>Aldomet</i>	3	A		
<b>Methylergonovine</b>	<i>Methergine</i>	4	C		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Methylhexanamine (Methylhexaneamine)</b>	<i>Geranamine</i>	1	A		
<b>Methylnortestosterone (Trestolone)</b>		3	A		
<b>Methylphenidate</b>	<i>Ritalin</i>	1	A		
<b>Methylprednisolone</b>	<i>Medrol</i>	4	C		
<b>Methyltestosterone</b>	<i>Metandren</i>	3	B		
<b>Methyprylon</b>	<i>Noludar</i>	2	A		
<b>Methysergide</b>	<i>Sansert</i>	4	B		
<b>Metiamide</b>		4	B		
<b>Metoclopramide</b>	<i>Reglan</i>	4	C		
<b>Metocurine</b>	<i>Metubine</i>	2	A		
<b>Metolazone</b>		3	B		
<b>Metomidate</b>	<i>Hypnodil</i>	2	A		
<b>Metopon (methyldihydromorphinone)</b>		1	A		
<b>Metoprolol</b>	<i>Lopressor</i>	3	B		
<b>Metribolone</b>		3	A	Steroid	AAS lacking FDA approval
<b>Mexazolam</b>	<i>Melex</i>	2	A		
<b>Mexiletine</b>	<i>Mexitil</i>	4	B		
<b>Mibefradil</b>	<i>Posicor</i>	3	B		
<b>Mibolerone</b>		3	B		
<b>Midazolam</b>	<i>Versed</i>	3	B		
<b>Midodrine</b>	<i>Pro-Amilne</i>	3	B		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Milrinone</b>		4	B		
<b>Minoxidil</b>	<i>Loniten</i>	3	B		
<b>Mirtazepine</b>	<i>Remeron</i>	2	A		
<b>Misoprostol</b>	<i>Cytotec</i>	5	D		
<b>Mitragynine</b>	<i>Kratom</i>	1	A		
<b>Mivacurium</b>	<i>Mivacron</i>	2	A		
<b>Modafinil</b>	<i>Provigil</i>	2	A		
<b>Moexipril (metabolite, moexiprilat)</b>	<i>Uniretic</i>	3	B		
<b>Molindone</b>	<i>Moban</i>	2	A		
<b>Mometasone</b>	<i>Elocon</i>	4	C		
<b>Montelukast</b>	<i>Singulair</i>	4	C		
<b>Moperone</b>	<i>Luvatron</i>	2	A		
<b>Morphine</b>		1	A6		If it is determined by the State Veterinarian/Equine Medical Director; the Stewards, or the Racing Authority that the finding of cocaine or morphine was unintentional and not based upon an attempt to affect the outcome of a race, the Stewards or Racing Authority may elect to assign a Class B penalty to the trainer.
<b>Mosaprimine</b>		2	A		
<b>Muscarine</b>		3	A		
<b>myo-inositol trispyrophosphate (ITPP)</b>		1	A		
<b>N-Butylscopolamine</b>		4	C		
<b>Nabumetone</b>	<i>Anthraxon, Relafen, Reliflex</i>	3	A		
<b>Nadolol</b>	<i>Corgard</i>	3	B		
<b>Naepaine</b>	<i>Amylsine</i>	2	A		

<b>Drug/Substance</b>	<b>Trade Name(s)</b>	<b>Drug Class</b>	<b>Penalty Class</b>	<b>Special Notation</b>	<b>Note</b>
<b>Nalbuphine</b>	<i>Nubain</i>	2	A		
<b>Nalorphine</b>	<i>Nalline, Lethidrone</i>	2	A		
<b>Naloxone</b>	<i>Narcan</i>	3	B		
<b>Naltrexone</b>	<i>Revia</i>	3	B		
<b>Nandrolone</b>	<i>Nandrolin, Laurabolin, Durabolin</i>	3	B		
<b>Naphazoline</b>	<i>Privine</i>	4	B		
<b>Naproxen</b>	<i>Equiproxen, Naprosyn</i>	4	C		
<b>Naratriptan</b>	<i>Amerge</i>	3	B		
<b>Nebivolol</b>		3	A		
<b>Nedocromil</b>	<i>Tilade</i>	5	D		
<b>Nefazodone</b>	<i>Serzone</i>	2	A		
<b>Nefopam</b>		3	A		
<b>Neostigmine</b>	<i>Prostigmine</i>	3	B		
<b>Nicardipine</b>	<i>Cardine</i>	4	B		
<b>Nifedipine</b>	<i>Procardia</i>	4	B		
<b>Niflumic acid</b>	<i>Nifluril</i>	3	B		
<b>Nikethamide</b>	<i>Coramine</i>	1	A		
<b>Nimesulide</b>		3	B		
<b>Nimetazepam</b>	<i>Erimin</i>	2	A		
<b>Nimodipine</b>	<i>Nemotop</i>	4	B		
<b>Nitrazepam</b>	<i>Mogadon</i>	2	A		
<b>Nitroglycerin</b>		2	B		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Nizatidine</b>	<i>Axid</i>	5	D		
<b>Norandrosterone</b>		3	B	Nandrolone Link - a detectable metabolite of nandrolone, an anabolic-androgenic steroid.	Metabolite of a B substance
<b>Norbolethone/Norboletone</b>		3	A		
<b>Norclostebol</b>		3	A		
<b>Nordiazepam</b>	<i>Calmday, Nordaz, etc.</i>	2	A		
<b>Norepinephrine</b>		2	A		
<b>Norethandrolone</b>		3	A		
<b>Nortestosterone</b>		3	B		
<b>Nortriptyline</b>	<i>Aventyl, Pamelor</i>	2	A		
<b>Nylidrine</b>	<i>Arlidin</i>	3	A		
<b>Olanzapine</b>	<i>Zyprexa</i>	2	A		
<b>Olmesartan</b>	<i>Bemcar</i>	3	A		
<b>Olsalazine</b>	<i>Dipentum</i>	5	C		
<b>Omeprazole</b>	<i>Prilosec, Losec</i>	5	D		
<b>Orphenadrine</b>	<i>Norflex</i>	4	B		
<b>Ostarine</b>		2	A		SARM
<b>Oxabolone</b>		3	A		
<b>Oxandrolone</b>	<i>Anavar</i>	3	B		
<b>Oxaprozin</b>	<i>Daypro, Deflam</i>	4	B		
<b>Oxazepam</b>	<i>Serax</i>	2	A		
<b>Oxazolam</b>	<i>Serenal</i>	2	A		

<b>Drug/Substance</b>	<b>Trade Name(s)</b>	<b>Drug Class</b>	<b>Penalty Class</b>	<b>Special Notation</b>	<b>Note</b>
<b>Oxcarbazepine</b>	<i>Trileptal</i>	3	A		
<b>Oxilofrine (hydroxyephedrine)</b>		2	A		
<b>Oxprenolol</b>	<i>Trasicor</i>	3	A		
<b>Oxycodone</b>	<i>Percodan</i>	1	A		
<b>Oxymesterone</b>		3	A		
<b>Oxymetazoline</b>	<i>Afrin</i>	4	B		
<b>Oxymetholone</b>	<i>Adroyd, Anadrol</i>	3	B		
<b>Oxymorphone</b>	<i>Numorphan</i>	1	A		
<b>Oxyperitine</b>	<i>Forit, Integrin</i>	2	A		
<b>Oxyphenbutazone</b>	<i>Tandearil</i>	4	C		
<b>Oxyphencyclimine</b>	<i>Daricon</i>	4	B		
<b>Oxyphenonium</b>	<i>Antrenyl</i>	4	B		
<b>Paliperidone</b>		2	A		
<b>Pancuronium</b>	<i>Pavulon</i>	2	A		
<b>Pantoprazole</b>	<i>Protonix</i>	5	D		
<b>Papaverine</b>	<i>Pavagen, etc.</i>	3	A		
<b>Paraldehyde</b>	<i>Paral</i>	2	A		
<b>Paramethadione</b>	<i>Paradione</i>	3	A		
<b>Paramethasone</b>	<i>Haldrone</i>	4	C		
<b>Pargyline</b>	<i>Eutonyl</i>	3	A		
<b>Paroxetine</b>	<i>Paxil, Seroxat</i>	2	A		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Peginesatide</b>		1	A	Erythropoietin Link - an erythropoiesis-stimulating agent (ESA) indicated for the treatment of anemia due to chronic kidney disease (CKD) in adult patients on dialysis.	Blood doping agent
<b>Pemoline</b>	<i>Cylert</i>	1	A		
<b>Penbutolol</b>	<i>Levatol</i>	3	B		
<b>Penfluridol</b>	<i>Cyperon</i>	2	A		
<b>Pentaerythritol tetranitrate</b>	<i>Duotrate</i>	3	A		
<b>Pentazocine</b>	<i>Talwin</i>	3	B		
<b>Pentobarbital</b>	<i>Nembutal</i>	2	A		
<b>Pentoxyfylline</b>	<i>Trental, Vazofirin</i>	4	D		
<b>Pentylentetrazol</b>	<i>Metrazol, Nioric</i>	1	A		
<b>Perazine</b>	<i>Taxilan</i>	2	A		
<b>Perfluorocarbons</b>		2	A		
<b>Perfluorodecahydronophthalene</b>		2	A		
<b>Perfluorodecolin</b>		2	A		
<b>Perfluorooctylbromide</b>		2	A		
<b>Perfluorotripropylamine</b>		2	A		
<b>Pergolide</b>	<i>Permax</i>	3	B		
<b>Periciazine</b>	<i>Alodept, etc.</i>	2	A		
<b>Perindopril</b>	<i>Biprel</i>	3	A		
<b>Perlapine</b>	<i>Hypnodin</i>	2	A		

<b>Drug/Substance</b>	<b>Trade Name(s)</b>	<b>Drug Class</b>	<b>Penalty Class</b>	<b>Special Notation</b>	<b>Note</b>
<b>Perphenazine</b>	<i>Trilafon</i>	2	A		
<b>Phenacemide</b>	<i>Phenurone</i>	4	B		
<b>Phenaglycodol</b>	<i>Acalo, Alcamid, etc.</i>	2	A		
<b>Phenazocine</b>	<i>Narphen</i>	1	A		
<b>Phencyclidine (PCP)</b>	<i>Sernylan</i>	1	A		
<b>Phendimetrazine</b>	<i>Bontril, etc.</i>	1	A		
<b>Phenelzine</b>	<i>Nardelzine, Nardil</i>	2	A		
<b>Phenindione</b>	<i>Hedulin</i>	5	D		
<b>Phenmetrazine</b>	<i>Preludin</i>	1	A		
<b>Phenobarbital</b>	<i>Luminal</i>	2	A		
<b>Phenoxybenzamine</b>	<i>Dibenzyline</i>	3	B		
<b>Phenprocoumon</b>	<i>Liquamar</i>	5	D		
<b>Phensuximide</b>	<i>Milontin</i>	4	B		
<b>Phentermine</b>	<i>Iomamin</i>	2	A		
<b>Phentolamine</b>	<i>Regitine</i>	3	B		
<b>Phenylbutazone</b>	<i>Butazolidin</i>	4	C*		
<b>Phenylephrine</b>	<i>Isophrin, Neo-Synephrine</i>	3	B		
<b>Phenylpropanolamine</b>	<i>Propadrine</i>	3	B		
<b>Phenytoin</b>	<i>Dilantin</i>	4	B		
<b>Physostigmine</b>	<i>Eserine</i>	3	A		
<b>Picrotoxin</b>		1	A		
<b>Piminodine</b>	<i>Alvodine, Cimadon</i>	2	A		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Pimobendan</b>		2	B		
<b>Pimozide</b>	<i>Orap</i>	2	A		
<b>Pinazepam</b>	<i>Domar</i>	2	A		
<b>Pindolol</b>	<i>Viskin</i>	3	B		
<b>Pipamperone</b>	<i>Dipiperon</i>	2	A		
<b>Pipecuronium</b>	<i>Arduan</i>	2	A		
<b>Pipequaline</b>		2	A		
<b>Piperacetazine</b>	<i>Psymod, Quide</i>	2	A		
<b>Piperocaine</b>	<i>Metycaine</i>	2	A		
<b>Pipotiazine</b>	<i>Lonseren, Piportil</i>	2	A		
<b>Pipradrol</b>	<i>Dataril, Gerondyl, etc.</i>	2	A		
<b>Piquindone</b>		2	A		
<b>Pirbuterol</b>	<i>Maxair</i>	3	B		
<b>Pirenzepine</b>	<i>Gastrozepin</i>	5	C		
<b>Piretanide</b>	<i>Arelix, Tauliz</i>	3	B		
<b>Piritramide</b>		1	A		
<b>Piroxicam</b>	<i>Feldene</i>	4	B		
<b>Plasma expanders (e.g. Bycerol; intravenous administration of albumin, dextran, hydroxyethyl starch and mannitol)</b>		3	A	No legit use in the racehorse	Lacks FDA approval
<b>Polyethylene glycol</b>		5	D		
<b>Polythiazide</b>	<i>Renese</i>	4	B		

<b>Drug/Substance</b>	<b>Trade Name(s)</b>	<b>Drug Class</b>	<b>Penalty Class</b>	<b>Special Notation</b>	<b>Note</b>
<b>Pramoxine</b>	<i>Tronothaine</i>	4	C		
<b>Prasterone (dehydroepiandrosterone, DHEA, 3<math>\beta</math>-hydroxyandrost-5-en-17-one)</b>		3	B	Steroid - inactive endogenous steroid.	Endogenous AAS
<b>Prazepam</b>	<i>Verstran, Centrax</i>	2	A		
<b>Prazosin</b>	<i>Mmmpress</i>	3	B		
<b>Prednisolone</b>	<i>Delta-Cortef, etc.</i>	4	C		
<b>Prednisone</b>	<i>Meticorten, etc.</i>	4	C		
<b>Prilocaine</b>	<i>Citanest</i>	2	B		
<b>Primidone</b>	<i>Mysoline</i>	3	B		
<b>Probenecid</b>		4	C		
<b>Procainamide</b>	<i>Pronestyl</i>	4	B		
<b>Procaine</b>		3	B		
<b>Procatenol</b>	<i>Pro Air</i>	3	A		
<b>Prochlorperazine</b>	<i>Darbazine, Compazine</i>	2	A		
<b>Procyclidine</b>	<i>Kemadrin</i>	3	B		
<b>Promazine</b>	<i>Sparine</i>	3	B		
<b>Promethazine</b>	<i>Phenergan</i>	3	B		
<b>Propafenone</b>	<i>Rythmol</i>	4	B		
<b>Propanidid</b>		2	A		
<b>Propantheline</b>	<i>Pro-Banthine</i>	3	B		
<b>Proparacaine</b>	<i>Ophthame</i>	4	C		

<b>Drug/Substance</b>	<b>Trade Name(s)</b>	<b>Drug Class</b>	<b>Penalty Class</b>	<b>Special Notation</b>	<b>Note</b>
<b>Propentophylline</b>	<i>Karsivan</i>	3	B		
<b>Propiomazine</b>	<i>Largon</i>	2	A		
<b>Propionylpromazine</b>	<i>Tranvet</i>	2	A		
<b>Propiram</b>		2	A		
<b>Propofol</b>	<i>Diprivan, Disoprivan</i>	2	A		
<b>Propoxycaine</b>	<i>Ravocaine</i>	2	A		
<b>Propranolol</b>	<i>Inderal</i>	3	B		
<b>Propylhexedrine</b>	<i>Benzedrex</i>	4	B		
<b>Prostanazol</b>		3	A		
<b>Prothipendyl</b>	<i>Dominal</i>	2	A		
<b>Protokylol</b>	<i>Ventaire</i>	3	A		
<b>Protriptyline</b>	<i>Concordin, Triptil</i>	2	A		
<b>Proxibarbital</b>	<i>Axeen, Centralgol</i>	2	A		
<b>Pseudoephedrine</b>	<i>Cenafed, Novafed</i>	3	B		
<b>Pyridostigmine</b>	<i>Mestinon, Regonol</i>	3	B		
<b>Pyrilamine</b>	<i>Neoantergan, Equihist</i>	3	B		
<b>Pyrithyldione</b>	<i>Hybersulfan, Sonodor</i>	2	A		
<b>Quazipam</b>	<i>Doral</i>	2	A		
<b>Quetiapine</b>	<i>Seroquel</i>	2	A		
<b>Quinapril, Quinaprilat</b>	<i>Accupril</i>	3	A		
<b>Quinbolone</b>		3	A		
<b>Quinidine</b>	<i>Quimidex, Quimicardine</i>	4	B		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Rabeprazole</b>	<i>Aciphex</i>	5	D		
<b>Racemethorphan</b>		2	A		
<b>Racemorphan</b>		2	A		
<b>Raclopride</b>		2	A		
<b>Ractopamine</b>	<i>Paylean</i>	2	A		
<b>Raloxifene</b>		3	B	Estrogen effects, same classification as Testolactone on Human Olympic Guidelines - selective estrogen receptor modulators-SERMs.	Testolactone has B classification
<b>Ramipril, metabolite Ramiprilat</b>	<i>Altace</i>	3	A		
<b>Ranitidine</b>	<i>Zantac</i>	5	D		
<b>Remifentanyl</b>	<i>Ultiva</i>	1	A		
<b>Remoxipride</b>	<i>Roxiam</i>	2	A		
<b>Reserpine</b>	<i>Serpasil</i>	2	B		
<b>Rilmazafone</b>		2	A		
<b>Risperidone</b>		2	A		
<b>Ritanserlin</b>		2	A		
<b>Ritodrine</b>	<i>Yutopar</i>	3	B		
<b>Rivastigmine</b>	<i>Exelon</i>	2	A		
<b>Rizatriptan</b>	<i>Maxalt</i>	3	B		
<b>Rocuronium</b>	<i>Zemuron</i>	2	A		
<b>Rofecoxib</b>	<i>Vioxx</i>	2	B		
<b>Romifidine</b>	<i>Sedivet</i>	3	B		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Ropivacaine</b>	<i>Naropin</i>	2	A		
<b>Roxadustat (FG-4592)</b>		1	A	Erythropoietin Link - HIF prolyl-hydroxylase inhibitor and thereby increases endogenous production of erythropoietin, which stimulates production of hemoglobin and red blood cells.	Blood doping agent
<b>Salicylamide</b>		4	C		
<b>Salicylate</b>		4	C		
<b>Salmeterol</b>		3	B		
<b>Scopolamine (Hyoscine)</b>	<i>Triptone</i>	4	C		
<b>Secobarbital (Quinalbarbitone)</b>	<i>Seconal</i>	2	A		
<b>Selective Androgen Receptor Modulators (SARMs)</b>		2	A		
<b>Selegiline</b>	<i>Eldepryl, Jumex, etc.</i>	2	A		
<b>Sertraline</b>	<i>Lustral, Zoloft</i>	2	A		
<b>Sibutramine</b>	<i>Meridia</i>	3	B		
<b>Sildenafil</b>	<i>Viagra</i>	3	A		
<b>Snake Venoms</b>		1	A		
<b>Somatrem</b>	<i>Protropin</i>	2	A		
<b>Somatropin</b>	<i>Nutropin</i>	2	A		
<b>Sotalol</b>	<i>Betapace, Sotacor</i>	3	B		
<b>Spiclomazine</b>		2	A		
<b>Spiperone</b>		2	A		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Spirapril, metabolite Spiraprilat</b>	<i>Renomax</i>	3	A		
<b>Spiro lactone</b>	<i>Aldactone</i>	4	B		
Spiro lactone	Diuretic	3	C		
<b>Stanozolol</b>	<i>Winstrol-V</i>	3	B		
<b>Stenbolone</b>		3	A		
<b>Strychnine</b>		1	A		
<b>Succinylcholine</b>	<i>Sucostrin, Quelin, etc.</i>	2	A		
<b>Sufentanil</b>	<i>Sufenta</i>	1	A		
<b>Sulfasalazine</b>	<i>Azulfidine, Azaline</i>	4	C		
<b>Sulfondiethylmethane</b>		2	A		
<b>Sulfonmethane</b>		2	A		
<b>Sulforidazine</b>	<i>Inofal</i>	2	A		
<b>Sulindac</b>	<i>Clonril</i>	3	B		
<b>Sulpiride</b>	<i>Aiglonyl, Sulpitol</i>	2	A		
<b>Sultopride</b>	<i>Barnetil</i>	2	A		
<b>Sumatriptan</b>	<i>Imitrex</i>	3	B		
<b>Synthetic cannabis</b>	<i>Spice, K2, Kronik</i>	1	A		
<b>Tadalafil</b>	<i>Cialis</i>	3	A		
<b>Talbutal</b>	<i>Lotusate</i>	2	A		
<b>Tamoxifen</b>		3	B	Hormone and Metabolic effects, same classification as Testolactone on Human Olympic Guidelines - Estrogen receptor antagonist antineoplastic agent.	Testolactone has B classification

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Tandospirone</b>		2	A		
<b>TCO2</b>		3	B		
<b>Telmisartan</b>	<i>Micardis</i>	3	B		
<b>Temazepam</b>	<i>Restoril</i>	2	A		
<b>Tenoxicam</b>	<i>Alganex, etc.</i>	3	B		
<b>Tepoxalin</b>		3	B		
<b>Terazosin</b>	<i>Hytrin</i>	3	A		
<b>Terbutaline</b>	<i>Brethine, Bricanyl</i>	3	B		
<b>Terfenadine</b>	<i>Seldane, Triludan</i>	4	C		
<b>Testolactone</b>	<i>Teslac</i>	3	B		
<b>Testolone</b>		2	A		SARM
<b>Testosterone</b>		3	B		
<b>Tetrabenazine</b>	<i>Nitoman</i>	2	A		
<b>Tetracaine</b>	<i>Pontocaine</i>	2	A		
<b>Tetrahydrogestrinone</b>		3	A		
<b>Tetrahydrozoline</b>	<i>Tyzine</i>	4	B		
<b>Tetrazepam</b>	<i>Musaril, Myolastin</i>	2	A		
THC (tetrahydrocannabinol) <sup>2</sup>	Drug of human abuse	1	A	Drug of human abuse.	
<b>Thebaine</b>		2	A		
<b>Theobromine</b>		4	B		
<b>Theophylline</b>	<i>Aqualphylin, etc.</i>	3	B		
<b>Thialbarbital</b>	<i>Kemithal</i>	2	A		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Thiamylal</b>	<i>Surital</i>	2	A		
<b>Thiethylperazine</b>	<i>Torecan</i>	2	A		
<b>Thiopental</b>	<i>Pentothal</i>	2	A		
<b>Thiopropazate</b>	<i>Dartal</i>	2	A		
<b>Thioproperazine</b>	<i>Majeptil</i>	2	A		
<b>Thioridazine</b>	<i>Mellaril</i>	2	A		
<b>Thiosalicylate</b>		4	B		
<b>Thiothixene</b>	<i>Navane</i>	2	A		
<b>Thiphenamil</b>	<i>Trocinate</i>	4	B		
<b>Thyroxine and thyroid modulators/hormones, including but not limited to those containing T4 (tetraiodothyronine/thyroxine), T3 (triiodothyronine), or combinations thereof.</b>	Levothyroxine	3	C	FDA approved but has (limited) legitimate use in care of racehorses.	
<b>Tiapride</b>	<i>Italprid, Luxoben, etc.</i>	2	A		
<b>Tiaprofenic acid</b>	<i>Surgam</i>	3	B		
<b>Tibolone</b>		3	A	Steroid - synthetic steroid.	AAS lacking FDA approval
<b>Tildronate Sodium</b>	<i>Tildren</i>	3	A	Bisphosphonate	
<b>Tiletamine</b>	<i>Component of Telazol</i>	2	A		
<b>Timiperone</b>	<i>Tolopelon</i>	2	A		
<b>Timolol</b>	<i>Blocadrin</i>	3	B		
<b>Tocainide</b>	<i>Tonocard</i>	4	B		
<b>Tofisopam</b>	<i>Grandaxain, Seriel</i>	2	A		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note
<b>Tolazoline</b>	<i>Priscoline</i>	3	B		
<b>Tolfenamic Acid</b>		4	B		
<b>Tolmetin</b>	<i>Tolectin</i>	3	B		
<b>Topiramate</b>	<i>Topamax</i>	2	A		
<b>Toremifene</b>		3	B		Hormone and Metabolic effects, same classification as Testolactone on Human Olympic Guidelines - Selective estrogen receptor modulator
<b>Torseamide (Torasemide)</b>	<i>Demadex</i>	3	A		
<b>Tramadol</b>	<i>Ultram</i>	2	B		
<b>Trandolapril (and metabolite, trandolaprilat)</b>	<i>Tarka</i>	3	B		
<b>Tranexamic acid</b>		4	C		
<b>Tranlycypromine</b>	<i>Parnate</i>	2	A		
<b>Trazodone</b>	<i>Desyrel</i>	2	A		
<b>Trenbolone</b>	<i>Finoplix</i>	3	B		
<b>Tretoquinol</b>	<i>Inolin</i>	2	A		
<b>Triamcinolone</b>	<i>Vetalog, etc.</i>	4	C		
<b>Triamterene</b>	<i>Dyrenium</i>	4	B		
<b>Triazolam</b>	<i>Halcion</i>	2	A		
<b>Tribromethanol</b>		2	A		
<b>Tricaine methanesulfonate</b>	<i>Finquel</i>	2	A		
<b>Trichlormethiazide</b>	<i>Naqua, Naquasone</i>	4	C		
<b>Trichloroethanol</b>		2	A		
<b>Trichloroethylene</b>	<i>Trilene, Trimar</i>	2	A		

Drug/Substance	Trade Name(s)	Drug Class	Penalty Class	Special Notation	Note.
<b>Triclofos</b>	<i>Triclos</i>	2	A		
<b>Tridihexethyl</b>	<i>Pathilon</i>	4	B		
<b>Trifluomeprazine</b>	<i>Nortran</i>	2	A		
<b>Trifluoperazine</b>	<i>Stelazine</i>	2	A		
<b>Trifluperidol</b>	<i>Triperidol</i>	2	A		
<b>Triflupromazine</b>	<i>Vetame, Vesprin</i>	2	A		
<b>Trihexylphenidyl</b>	<i>Artane</i>	3	A		
<b>Trimeprazine</b>	<i>Temaril</i>	4	B		
<b>Trimetazidine</b>		3	B	Hormone and Metabolic effects, same classification as Testolactone on Human Olympic Guidelines - a drug for angina pectoris, the first cytoprotective anti- ischemic agent.	
<b>Trimethadione</b>	<i>Tridione</i>	3	B		
<b>Trimethaphan</b>	<i>Arfonad</i>	3	A		
<b>Trimipramine</b>	<i>Surmontil</i>	2	A		
<b>Tripelethnamine</b>	<i>PBZ</i>	3	B		
<b>Tripolidine</b>	<i>Actidil</i>	3	B		
<b>Tubocurarine (Curare)</b>	<i>Metubin</i>	2	A		
<b>Tybamate</b>	<i>Benvil, Nospan, etc.</i>	2	A		
<b>Urethane</b>		2	A		
<b>Valdecoxib</b>		2	B		
<b>Valerenic acid</b>		3	A		
<b>Valnoctamide</b>	<i>Nirvanyl</i>	2	A		
<b>Valsartan</b>	<i>Diovan</i>	3	B		
<b>Vardenafil</b>	<i>Levitra</i>	3	A		

<b>Drug/Substance</b>	<b>Trade Name(s)</b>	<b>Drug Class</b>	<b>Penalty Class</b>	<b>Special Notation</b>	<b>Note</b>
<b>Vedaprofen</b>		4	B		
<b>Venlafaxine</b>	<i>Efflexor</i>	2	A		
<b>Veralipride</b>	<i>Accional, Veralipril</i>	2	A		
<b>Verapamil</b>	<i>Calan, Isoptin</i>	4	B		
<b>Vercuronium</b>	<i>Norcuron</i>	2	A		
<b>Viloxazine</b>	<i>Catatrol, Vivalan, etc.</i>	2	A		
<b>Vinbarbital</b>	<i>Delvinol</i>	2	A		
<b>Vinylbital</b>	<i>Optanox, Speda</i>	2	A		
<b>Warfarin</b>	<i>Coumadin, Coufarin</i>	5	D		
<b>Xylazine</b>	<i>Rompun, Bay Va 1470</i>	3	B		
<b>Xylometazoline</b>	<i>Otrivin</i>	4	B		
<b>Yohimbine</b>		2	B		
<b>Zafirlukast</b>	<i>Accolate</i>	4	C		
<b>Zaleplon</b>	<i>Sonata</i>	2	A		
<b>Zeranol</b>	<i>Ralgro</i>	4	C		
<b>Ziconotide</b>		1	A		
<b>Zileuton</b>	<i>Zyflo</i>	4	C		
<b>Zilpaterol hydrochloride</b>	<i>Zilpaterol</i>	2	A		
<b>Ziprasidone</b>	<i>Geodon</i>	2	A		
<b>Zolazepam</b>		2	A		
<b>Zolmitriptan</b>	<i>Zomig</i>	3	B		
<b>Zolpidem</b>	<i>Ambien, Stilnox</i>	2	A		

<b>Drug/Substance</b>	<b>Trade Name(s)</b>	<b>Drug Class</b>	<b>Penalty Class</b>	<b>Special Notation</b>	<b>Note</b>
<b>Zomepirac</b>	<i>Zomax</i>	2	B		
<b>Zonisamide</b>	<i>Zonegran</i>	3	B		
<b>Zopiclone</b>	<i>Imovan</i>	2	A		
<b>Zotepine</b>	<i>Lodopin</i>	2	A		
<b>Zuclopenthixol</b>	<i>Ciatyl, Cesordinol</i>	2	A		

# ARCI Controlled Therapeutic Medication Schedule for Horses - Version 4.2

TABLE 178-1 F

Revised – December, 2019

Controlled Therapeutic Medication	Threshold	Withdrawal Guideline	Dosing Specifications	Reference Notes	Note
<b>Acepromazine</b>	10 nanograms per milliliter as 2-(1-hydroxyethyl) promazine sulfoxide (HEPS) in urine	48 hours	Single intravenous dose of acepromazine at 0.05 milligrams per kilogram	University of California at Davis project	Applicable analyte is metabolite HEPS
<b>Albuterol</b>	1 nanogram per milliliter of urine <sup>1</sup>	72 hours	720 micrograms total dose intra-nasal only <sup>2</sup> . Based upon dosing up to 4 times per day	European Horseracing Scientific Liaison Committee Data	See Endnote
<b>Betamethasone</b> <i>Harness Racing Only.</i>	10 picograms per milliliter of plasma or serum <i>SEE NOTE BELOW</i>	7 days	Intra-articular administration of 9 milligrams of Betamethasone Sodium Phosphate and Betamethasone Acetate Injectable Suspension, USP (American Regent product #0517-0720-01) <sup>3</sup>	RMTC study	Intra-articular dosing only - applicable analyte is betamethasone in plasma or serum
<b>Butorphanol</b>	300 nanograms per milliliter of total butorphanol in urine or 2 nanograms of free butorphanol per milliliter per milliliter of plasma or serum	48 hours	Single intravenous dose of butorphanol as Torbugesic® (butorphanol tartrate) at 0.1 milligrams per kilogram	<i>Journal of Veterinary Pharmacology and Therapeutics</i> doi: 10.1111/j.1365-2885.2012.01385.x	Applicable analytes are total butorphanol (drug and conjugates) in urine and butorphanol in plasma (the drug itself, not any conjugate)

<sup>1</sup> For Quarter Horses: Level of Detection in any permitted biological sample.

<sup>2</sup> Administration of albuterol by any means other than intra-nasally has a high likelihood in resulting in a positive finding. This specifically includes oral administration. Trainers and veterinarians are cautioned against using oral albuterol.

<sup>3</sup> Intramuscular administration of betamethasone acetate will result in plasma or serum concentrations that will exceed the Regulatory Threshold for weeks or even months, making the horse ineligible to race for an extended period.

Controlled Therapeutic Medication	Threshold	Withdrawal Guideline	Dosing Specifications	Reference Notes	Note
<b>Cetirizine</b>	6 nanograms per milliliter of plasma or serum	48 hours	0.4 milligrams per kilogram twice daily for 5 doses	Kentucky Equine Drug Research Council/University of California at Davis study	Do not administer ivermectin within 48 hours of a race if the horse has been administered cetirizine.
<b>Cimetidine</b>	400 nanograms per milliliter of plasma or serum	24 hours	20 milligrams per kilogram twice daily for 7 doses	Kentucky Equine Drug Research Council/University of California at Davis study	
<b>Clenbuterol</b>	140 picograms per milliliter of urine or Level of Detection in plasma or serum <sup>4</sup>	14 days <sup>5</sup>	Oral administration of clenbuterol as Ventipulmin <sup>®</sup> syrup (Boehringer-Ingelheim Vetmedica Inc., NADA 140-973) at 0.8 mcg/kg twice a day	University of California at Davis; Boehringer-Ingelheim Vetmedica, Inc.	Applicable analyte is clenbuterol
<b>Dantrolene</b>	100 picograms per milliliter of 5-hydroxydantrolene in plasma or serum	48 hours	Oral administration of 500 milligrams of dantrolene as paste (compounding pharmacy) or capsule formulation (Proctor and Gamble)	<i>Journal of Veterinary Pharmacology and Therapeutics</i> 34, 238–246	
<b>Detomidine</b>	2 nanograms per milliliter of carboxydetomidine in urine or 1 nanogram per milliliter of detomidine in blood.	48 hours	5 mg IV (once)	<i>KYEDRC, UC Davis/UF Study.</i>	Dormosedan <sup>™</sup> used in study.

<sup>4</sup> For Quarter Horses: Level of Detection in any permitted biological sample.

<sup>5</sup> Clenbuterol is a prohibited substance in Quarter Horses and other breeds racing with Quarter Horses; there is no applicable withdrawal guideline for such horses.

Controlled Therapeutic Medication	Threshold	Withdrawal Guideline	Dosing Specifications	Reference Notes	Note
<b>Dexamethasone</b> <i>Harness Racing Only.</i>	5 picograms per milliliter of plasma or serum SEE NOTE BELOW	72 hours	Intramuscular and intravenous administration of dexamethasone sodium phosphate or oral administration of dexamethasone at 0.05 milligrams per kilogram regardless of route	RMTC study	Applicable analyte is dexamethasone in plasma or serum
<b>Dimethyl sulfoxide (DMSO)</b>	10 micrograms per milliliter of plasma or serum	48 hours	Intravenous	ARCI model rule	Applicable analyte is DMSO in plasma or serum
<b>Furosemide</b>	100 nanogram per milliliter of plasma or serum	4 hours	Single Intravenous dose of furosemide up to 500 milligram <sup>6</sup>	ARCI model rule	Must also have urine specific gravity < 1.010 for a violation.
<b>Glycopyrrolate</b>	3 picograms per milliliter plasma or serum	48 hours	Single intravenous dose of 1 milligram of glycopyrrolate as Glycopyrrolate Injection, USP (American Regent product # 0517-4601-25)	RMTC study; <i>Journal of Veterinary Pharmacology and Therapeutics</i> doi: 10.1111/j.1365-2885.2011.01272.x	Applicable analyte is glycopyrrolate in plasma or serum

<sup>6</sup> ARCI-0110929(F)(2)(d) and ARCI-025-020(F)(2)(d) state that the dose of Furosemide “shall not exceed 500 milligrams nor be less than 150 milligrams.”

Controlled Therapeutic Medication	Threshold	Withdrawal Guideline	Dosing Specifications	Reference Notes	Note
<b>Guaifenesin</b>	12 nanograms per milliliter of plasma or serum	48 hours	2 grams twice daily for 5 doses	Kentucky Equine Drug Research Council/University of California at Davis study	
<b>Isoflupredone</b> <i>Harness Racing Only.</i>	100 picograms per milliliter of plasma or serum SEE NOTE BELOW	7 days	10 milligrams total dose subcutaneous or 20 milligrams total dose in one articular space	RMTC Study	
<b>Lidocaine</b>	20 picograms per milliliter of total 3OH-lidocaine in plasma or serum	72 hours	200 milligrams of lidocaine as its hydrochloride salt administered subcutaneously	European Horseracing Scientific Liaison Committee data; Iowa State University study.	Applies to total major hydroxylated metabolite (i.e., includes conjugates)
<b>Mepivacaine</b>	10 nanograms total hydroxymepivacaine per milliliter of urine or above Level of Detection of mepivacaine in plasma or serum	72 hours	Single 0.07 milligrams per kilogram subcutaneous dose of mepivacaine	European Horseracing Scientific Liaison Committee data	
<b>Methocarbamol</b>	1 nanogram per milliliter of plasma or serum	48 hours	Single intravenous dose of 15 milligrams per kilogram methocarbamol as Robaxin® or 5 grams orally	<i>Journal of Veterinary Pharmacology and Therapeutics</i> doi: 10.1111/jvp.12068	Applicable analyte is methocarbamol in plasma or serum

Controlled Therapeutic Medication	Threshold	Withdrawal Guideline	Dosing Specifications	Reference Notes	Note
<b>Methylprednisolone</b>	100 picograms per milliliter of plasma or serum	See Dosing Specifications	Total dose of methylprednisolone acetate suspension in one articular space <sup>7</sup> . The recommended withdrawal for methylprednisolone acetate is a minimum of 21 days at a 100 milligram dose	<i>Journal of Veterinary Pharmacology and Therapeutics</i> volume 37, Issue 2, pages 125–132, April 2014	Applicable analyte is methylprednisolone
<b>Omeprazole</b>	omeprazole sulfide - 10 nanograms per milliliter of plasma or serum	24 hours	Orally (2.2 grams) once daily for 4 doses	Kentucky Equine Drug Research Council/University of California at Davis study	GastroGuard™ used in the study
<b>Prednisolone</b> <i>Harness Racing Only.</i>	1 nanogram per milliliter of plasma or serum SEE NOTE BELOW	48 hours	1 milligram per kilogram orally		Applicable analyte is prednisolone in plasma or serum
<b>Procaine penicillin</b> <i>(administration must be reported to Commission)</i>	25 nanograms per milliliter of plasma or serum	Following entry to race	Intramuscular	RMTC – reference notes online	Mandatory surveillance of horse at owner's expense 6 hours before racing

<sup>7</sup> Intramuscular administration of methylprednisolone acetate will result in plasma or serum concentrations that will exceed the Regulatory Threshold for weeks or even months, making the horse ineligible to race for an extended period. Please see Dosing Specifications for recommended withdrawal time.

Controlled Therapeutic Medication	Threshold	Withdrawal Guideline	Dosing Specifications	Reference Notes	Note
<b>Ranitidine</b>	40 nanograms per milliliter of plasma or serum	24 hours	8 milligrams per kilogram twice daily for 7 doses	Kentucky Equine Drug Research Council/University of California at Davis study	
<b>Triamcinolone acetonide</b> <i>Harness Racing Only.</i>	100 picograms per milliliter of plasma or serum SEE NOTE BELOW	7 days	Total dose of 9 milligram in one articular space <sup>8</sup>	<i>Equine Veterinary Journal</i> , 10.1111/evj.12059 (2013)	Applicable analyte is triamcinolone acetonide in plasma or serum
<b>Xylazine</b>	200 picograms per milliliter of plasma or serum	48 hours	200 milligrams intravenously	University of California at Davis study	Applicable analyte is xylazine.

NOTE: The thresholds and withdrawal guidance for corticosteroids other than methylprednisolone do not apply to flat and jump racing which have a mandatory stand down period of 14 days following intra-articular injections and a prohibition on stacking pursuant to ARCI 011-020(F).

<sup>8</sup> Intramuscular administration of triamcinolone acetonide will result in plasma or serum concentrations that will exceed the Regulatory Threshold for weeks or even months, making the horse ineligible to race for an extended period.

## Non-Steroidal Anti-Inflammatory Drug (NSAID) Rules for Horses<sup>††</sup>

Controlled Therapeutic Medication	Threshold (Primary)	Restricted Administration Time	Dosing Specifications	Reference Notes
<b>Flunixin</b>	5.0 nanogram per milliliter of plasma or serum	48 hours	Single intravenous dose of flunixin as Banamine <sup>®</sup> (flunixin meglumine) at 1.1 milligram per kilogram	University of California at Davis/RMTC study
<b>Ketoprofen</b>	2.0 nanograms per milliliter of plasma or serum	48 hours	Single intravenous dose of ketoprofen as Ketofen <sup>®</sup> at 2.2 milligrams per kilogram	HFL Sport Sciences/ Kentucky Equine Drug and Research Council/RMTC study/University of California Davis/RMTC.
<b>Phenylbutazone</b>	0.3 micrograms per milliliter of plasma or serum	48 hours	Single intravenous dose of phenylbutazone at 4.0 milligrams per kilogram	University of California Davis/RMTC study.

<sup>††</sup> Samples collected may contain one of the NSAIDs in this chart at a concentration up to the Primary Threshold. The detection of one or more additional NSAIDs in blood and/or urine constitutes a stacking violation in addition to the violation associated with the detection of each additional NSAID.

**ARCI Endogenous, Dietary, or Environmental Substances Schedule - Version 4.1**  
**Updated December 2019**

TABLE 178-1 G

Substance	Threshold	Reason for Threshold
Arsenic	0.3 micrograms/milliliter total arsenic in urine	Feed Contaminant
Caffeine	100 nanograms/milliliter of serum or plasma	Feed Contaminant
Cobalt <sup>1</sup>	25 ppb in blood plasma or serum	Endogenous Substance and Feed Contaminant
Estradiol	0.045 micrograms/milliliter, free + conjugated 5 $\alpha$ -estrane-3 $\beta$ , 17 $\alpha$ -diol, in the urine of male horses other than geldings	Endogenous Substance
Gamma Aminobutyric Acid (GABA)	110 nanograms/milliliter of plasma or serum	Endogenous Substance
Hydrocortisone	1 microgram/milliliter of urine	Endogenous Substance
Methoxytyramine	4 micrograms/milliliter, free + conjugated in urine	Endogenous Substance
Morphine	30 ng/ml total morphine in urine	Feed Contaminant
Prednisolone	10 ng/ml free prednisolone in urine Endogenous Substance	Endogenous Substance
Salicylate Salicylic Acid	750 micrograms/milliliter of urine or 6.5 micrograms/milliliter of serum or plasma	Feed Contaminant
Theobromine	2 micrograms/milliliter of urine or 0.3 micrograms/milliliter serum or plasma	Feed Contaminant

<sup>1</sup>Penalties for cobalt vary depending on the concentration. Please see Uniform Classification Guidelines for Foreign Substances for recommended penalty for concentrations of 25 parts per billion or greater of blood plasma or serum and for concentrations of 50 parts per billion of blood plasma or serum.

# **TABLE 178-1 I ARCI PROHIBITED LIST**

## **PROHIBITED SUBSTANCES**

All substances in the categories below shall be strictly prohibited unless otherwise provided in accordance with this rule. Any reference to substances in this section does not alter the requirements for testing concentrations in race day samples.

Nothing in this list shall alter the requirements of post-race testing.

### **S0. NON-APPROVED SUBSTANCES**

Any pharmacologic substance that is not approved by any governmental regulatory health authority for human or veterinary use within the jurisdiction is prohibited. This prohibition includes drugs under pre-clinical or clinical development, discontinued drugs, and designer drugs (a synthetic analog of a drug that has been altered in a manner that may reduce its detection); but does not include vitamins, herbs and supplements for nutritional purposes that do not contain any other prohibited substance, or the administration of a substance with the prior approval of the commission in a clinical trial for which an FDA or similar exemption has been obtained.

### **S1. ANABOLIC AGENTS**

Anabolic agents are prohibited.

#### **1. Anabolic Androgenic Steroids (AAS)**

1.1. Exogenous AAS, including:

1-androstenediol (5 $\alpha$ -androst-1-ene-3 $\beta$ ,17 $\beta$ -diol ); 1-androstenedione (5 $\alpha$ - androst-1-ene-3,17-dione); bolandiol (estr-4-ene-3 $\beta$ ,17 $\beta$ -diol ); bolasterone; boldenone; boldione (androsta-1,4-diene-3,17-dione); calusterone; clostebol; danazol ([1,2]oxazolo[4',5':2,3]pregna-4-en-20-yn-17 $\alpha$ -ol); dehydrochlormethyltestosterone (4-chloro-17 $\beta$ -hydroxy-17 $\alpha$ -methylandrosta- 1,4-dien-3-one); desoxymethyltestosterone (17 $\alpha$ -methyl-5 $\alpha$ -androst-2-en-17 $\beta$ -ol); drostanolone; ethylestrenol (19-norpregna-4-en-17 $\alpha$ -ol); fluoxymesterone; formebolone; furazabol (17 $\alpha$ -methyl[1,2,5]oxadiazolo[3',4':2,3]-5 $\alpha$ -androstan-17 $\beta$ -ol); gestrinone; 4- hydroxytestosterone (4,17 $\beta$ -dihydroxyandrost-4-en-3-one); mestanolone; mesterolone; metandienone (17 $\beta$ -hydroxy-17 $\alpha$ -methylandrosta-1,4-dien-3- one); metenolone; methandriol; methasterone (17 $\beta$ -hydroxy-2 $\alpha$ ,17 $\alpha$ -dimethyl-5 $\alpha$ -androstan-3-one); methyldienolone (17 $\beta$ -hydroxy-17 $\alpha$ - methylestra-4,9-dien-3-one); methyl-1-testosterone (17 $\beta$ -hydroxy-17 $\alpha$ -methyl-5 $\alpha$ -androst-1-en-3-one); methylnortestosterone (17 $\beta$ -hydroxy-17 $\alpha$ -methylestr-4-en-3-one); methyltestosterone; metribolone (methyltrienolone, 17 $\beta$ - hydroxy-17 $\alpha$ -methylestra-4,9,11-trien-3-one); mibolerone; nandrolone; 19-norandrostenedione (estr-4-ene-3,17-dione); norboletone; norclostebol; norethandrolone; oxabolone; oxandrolone; oxymesterone; oxymetholone; prostanazol (17 $\beta$ -[(tetrahydropyran-2-yl)oxy]-1'H-pyrazolo[3,4:2,3]-5 $\alpha$ -androstane); quinbolone; stanozolol; stenbolone; 1-testosterone (17 $\beta$ - hydroxy-5 $\alpha$ -androst-1-en-3-one); tetrahydrogestrinone (17-hydroxy-18 $\alpha$ - homo-19-nor-17 $\alpha$ -pregna-4,9,11-trien-3-one); trenbolone (17 $\beta$ -hydroxyestr-4,9,11-trien-3-one); and other substances with a similar chemical structure or similar biological effect(s).

1.2. Endogenous AAS or their synthetic esters when administered exogenously:

androstenediol (androst-5-ene-3 $\beta$ ,17 $\beta$ -diol); androstenedione (androst-4-ene-3,17-dione); dihydrotestosterone (17 $\beta$ -hydroxy-5 $\alpha$ -androstan-3-one); prasterone (dehydroepiandrosterone, DHEA, 3 $\beta$ -hydroxyandrost-5-en-17-one); testosterone;

and their metabolites and isomers, including but not limited to:

5 $\alpha$ -androstane-3 $\alpha$ ,17 $\alpha$ -diol; 5 $\alpha$ -androstane-3 $\alpha$ ,17 $\beta$ -diol; 5 $\alpha$ -androstane-3 $\beta$ ,17 $\alpha$ -diol; 5 $\alpha$ -androstane-3 $\beta$ ,17 $\beta$ -diol; 5 $\beta$ -androstane-3  $\alpha$ , 17 $\beta$ -diol, androst-4-ene-3 $\alpha$ ,17 $\alpha$ -diol; androst-4-ene-3 $\alpha$ ,17 $\beta$ -diol; androst-4-ene-3 $\beta$ ,17 $\alpha$ -diol; androst-5-ene-3 $\alpha$ ,17 $\alpha$ -diol; androst-5-ene-3 $\alpha$ ,17 $\beta$ -diol; androst-5-ene-3 $\beta$ ,17 $\alpha$ -diol; 4-androstenediol (androst-4-ene-3 $\beta$ ,17 $\beta$ -diol); 5-androstenedione (androst-5-ene-3,17-dione); androsterone (3  $\beta$ -hydroxy-5  $\alpha$  - androstan-17-one); epi-dihydrotestosterone; epitestosterone; etiocholanolone; 7 $\alpha$ -hydroxy-DHEA ; 7 $\beta$ -hydroxy-DHEA; 7-keto-DHEA;19-norandrosterone; 19-noretiocholanolone.

**2. Other Anabolic Agents, including but not limited to:**

Clenbuterol, selective androgen receptor modulators (SARMs e.g., andarine and ostarine), ractopamine, tibolone, zeranol, zilpaterol.

**S2. PEPTIDE HORMONES, GROWTH FACTORS AND RELATED SUBSTANCES**

The following substances, and other substances with similar chemical structure or similar biological effect(s), are prohibited:

1. Erythropoietin-Receptor agonists:
  - 1.1 Erythropoiesis-Stimulating Agents (ESAs) including, e.g., darbepoetin (dEPO); erythropoietins (EPO); EPO-Fc; EPO-mimetic peptides (EMP), e.g., CNTO 530 and peginesatide; and methoxypolyethylene glycol-epoetin beta (CERA); and
  - 1.2 Non-erythropoietic EPO-Receptor agonists, e.g., ARA-290, asialo EPO and carbamylated EPO;
2. Hypoxia-inducible factor (HIF) stabilizers, e.g., cobalt (when found in excess of regulatory authority limits) and roxadustat (FG-4592); and HIF activators, (e.g., argon, xenon);
3. Chorionic Gonadotropin (CG) and Luteinizing Hormone (LH) and their releasing factors, in males;

4. Corticotrophins and their releasing factors;
5. Growth Hormone (GH) and its releasing factors including Growth Hormone Releasing Hormone (GHRH) and its analogues, e.g., CJC-1295, sermorelin and tesamorelin; Growth Hormone Secretagogues (GHS), e.g., ghrelin and ghrelin mimetics, e.g., anamorelin and ipamorelin; and GH-Releasing Peptides (GHRPs), e.g., alexamorelin, GHRP-6, hexarelin and pralmorelin (GHRP-2);
6. Venoms and toxins including but not limited to venoms and toxins from sources such as snails, snakes, frogs, and bees as well as their synthetic analogues such as ziconotide.
7. In addition, the following growth factors are prohibited:

Fibroblast Growth Factors (FGFs), Hepatocyte Growth Factor (HGF), Insulin-like Growth Factor-1 (IGF-1) and its analogues, Mechano Growth Factors (MGFs), Platelet-Derived Growth Factor (PDGF), Vascular-Endothelial Growth Factor (VEGF) and any other growth factor affecting muscle, tendon or ligament protein synthesis/degradation, vascularization, energy utilization, regenerative capacity or fiber type switching.

### **S3. BETA-2 AGONISTS**

All beta-2 agonists, including all optical isomers (i.e. *d*- and *l*-) where relevant, are prohibited.

### **S4. HORMONE AND METABOLIC MODULATORS**

The following are prohibited:

1. Aromatase inhibitors, including but not limited to: aminoglutethimide, anastrozole, androsta-1,4,6-triene-3,17-dione (androstatrienedione), 4-androstene-3,6,17 trione (6-oxo), exemestane, formestane, letrozole, testolactone;
2. Selective estrogen receptor modulators (SERMs), including but not limited to: raloxifene, tamoxifen, toremifene;
3. Other anti-estrogenic substances, including but not limited to: clomiphene, cyclofenil, fulvestrant;

4. Agents modifying myostatin function(s), including but not limited to: myostatin inhibitors;
5. Metabolic modulators:
  - 5.1. Activators of the AMP-activated protein kinase (AMPK), e.g., AICAR, and Peroxisome Proliferator Activated Receptor  $\delta$  (PPAR $\delta$ ) agonists (e.g., GW 1516);
  - 5.2. Insulins;
  - 5.3. Trimetazidine; and
  - 5.4. Thyroxine and thyroid modulators/hormones, including but not limited to those containing T4 (tetraiodothyronine/thyroxine), T3 (triiodothyronine), or combinations thereof.

## **S5. DIURETICS AND OTHER MASKING AGENTS**

The following diuretics and masking agents are prohibited, as are other substances with similar chemical structure or similar biological effect(s): acetazolamide, amiloride, bumetanide, canrenone, chlorthalidone, desmopressin, etacrynic acid, indapamide, metolazone, plasma expanders (e.g. glycerol; intravenous administration of albumin, dextran, hydroxyethyl starch and mannitol), probenecid, spironolactone, thiazides (e.g. bendroflumethiazide, chlorothiazide, hydrochlorothiazide), torsemide, triamterene, and vasopressin receptor antagonists or vaptans (e.g., tolvaptan).

Furosemide and trichlormethiazide may be administered only in a manner permitted by other rules of the commission.

## **PROHIBITED METHODS**

### **M1. MANIPULATION OF BLOOD AND BLOOD COMPONENTS**

The following are prohibited:

1. The administration or reintroduction of any quantity of autologous, allogenic (homologous) or heterologous blood or red blood cell products of any origin into the circulatory system.
2. Artificially enhancing the uptake, transport or delivery of oxygen, including, but not limited to, perfluorochemicals, efaproxiral (RSR13) and modified hemoglobin products (e.g. hemoglobin-based blood substitutes, microencapsulated hemoglobin products), excluding supplemental oxygen.
3. Any form of intravascular manipulation of the blood or blood components by physical or chemical means.

### **M2. CHEMICAL AND PHYSICAL MANIPULATION**

Tampering, or attempting to tamper, in order to alter the integrity and validity of samples collected by the commission, is prohibited. These methods include but are not limited to urine substitution or adulteration (e.g., proteases).

### **M3. GENE DOPING**

The following, with the potential to enhance sport performance, are prohibited:

1. The transfer of polymers of nucleic acids or nucleic acid analogues.
2. The use of normal or genetically modified hematopoietic cells.

**TABLE 178-1 J**  
**ARCI Restricted**  
**Therapeutic Use**  
**Requirements**

The Association of Racing Commissioners International  
Model Rules of Racing

Prohibited Substance	Required Conditions for Therapeutic Use Exemption						
	Report When Sampled	Pre-file Treatment Plan	Written Approval from Commission	Emergency Use (Report)	Prescribed by Veterinarian	Veterinary Record	Other Limitations
Adrenocorticotrophic Hormone (ACTH)		X			X	X	
Albuterol		X			X	X	6-month Vet List <sup>4</sup>
Altrenogest					X	X	Fillies/Mares only
Autologous Conditioned Plasma (IRAP)							
Blood Replacements	X			X	X	X	
Boldenone		X			X	X	6-month Vet List
Clenbuterol		X			X	X	6-month Vet List <sup>4</sup>
Chorionic Gonadotropin		X	X <sup>1</sup>		X	X	60-day Vet List
Furosemide	X				X	X	
Lutenizing Hormone		X	X <sup>1</sup>		X	X	60-day Vet List
Nandrolone		X			X	X	6-month Vet List
Nucleic Polymer Transfers		X	X				
Platelet Rich Plasma (PRP)	X				X	X	
Stanozolol		X			X	X	6-month Vet List
S0 (not FDA approved)			X <sup>2</sup>		X	X	
Testosterone		X			X	X	6-month Vet List
Thyroxine (T4)		X	X <sup>3</sup>		X	X	
Trichlormethiazide	X				X	X	
Other Diuretics	X			X	X	X	

1: The approved treatment plan must show a specific treatment of a specific individual horse for an undescended testicle condition.

2: The approved treatment plan must show: (A) the substance has a generally accepted veterinary use; (B) the treatment provides a significant health benefit for the horse; (C) there is no reasonable therapeutic alternative; and (D) the use of the substance is highly unlikely to produce any additional enhancement of performance beyond what might be anticipated by a return to the horse's normal state of health, not exceeding the level of performance of the horse prior to the onset of the horse's medical condition.

3: The approved treatment plan must show: (A) the thyroxine is prescribed to a specific individual horse for a specific period of time; (B) the diagnosis and basis for prescribing such drug, the dosage, and the estimated last administration date; and (C) that any container of such drug on licensed premises shall be labeled with the foregoing information and contain no more thyroxine than for the treatment of the specific individual horse, as prescribed.

4: Vet list requirement applies to Quarter Horses only